

1 '*****	<2506>	330 fl=1:GOSUB 3290	<1134>
2 '* ETIKETTEN SCHREIBEN *	<257C>	340 GOTO 440	<095F>
3 '* VON *	<25F3>	350 '	<07C8>
4 '* MICHAEL KOETHE *	<25AF>	360 ' Datei erstellen	<1764>
5 '* FUER *	<2592>	370 '	<07F0>
6 '* SCHNEIDER CPC-WELT *	<2539>	380 MODE 1	<07A1>
7 '* CPC 464/664/6128 JE*	<255F>	390 LOCATE 5,12:INPUT "Dateiname: "	
8 '*****	<2514>	;dateiname\$	<26DE>
10 MODE 1:INK 2,15	<0D31>	400 IF dateiname\$="" THEN PRINT CHR	
20 SYMBOL AFTER 256:OPENOUT"D":MEM		\$(7);:GOTO 380	<2226>
ORY HIMEM-1:CLOSEOUT:SYMBOL AFTER		410 z=INSTR(dateiname\$,"."):IF z T	
63	<1CF1>	HEN dateiname\$=LEFT\$(dateiname\$,z-	
30 SYMBOL 91,&DB,&3C,&66,&66,&7E,&		1)	<49CE>
66,&66:SYMBOL 92,&66,&3C,&66,&66,&		420 dateiname\$=dateiname\$+".eti"	<25CE>
66,&66,&3C:SYMBOL 93,&66,&42,&66,&		430 CLS:GOSUB 3290	<0BB8>
66,&66,&66,&3C:SYMBOL 64,&3E,&60,&		440 GOSUB 1910:GOSUB 3170	<0E5D>
7C,&66,&3E,&6,&7C,&0	<885F>	450 '	<078F>
40 SYMBOL 124,&66,&0,&3C,&66,&66,&6		460 ' Editor	<0E9B>
6,&3C:SYMBOL 123,&CC,&0,&78,&C,&7C,		470 '	<07B7>
&CC,&76:SYMBOL 125,&66,&0,&66,&66,&		480 GOSUB 2050	<09C8>
66,&66,&3E:SYMBOL 126,&3C,&66,&66,		490 waag=1:senk=1	<18AD>
&6C,&66,&66,&6C	<7E7C>	500 PRINT CHR\$(23)CHR\$(1);	<124A>
50 SYMBOL 200,0,0,0,0,24,60,126,25		510 TAG	<0640>
5	<1C5D>	520 MOVE waag*16,399-senk*16:PRINT	
60 maxanz=50:akt=1:anzahl=1:blocka		CHR\$(200);:CALL &BD19	<2DA7>
nf=1:druckanz=1	<4237>	530 a\$=INKEY\$:IF a\$="" THEN 530	<1953>
70 DIM inhalt\$(maxanz,8),mark(maxa		540 IF INKEY(38)=128 THEN TAGOFF:G	
nz)	<2F6D>	OTO 2580	<169E>
80 WINDOW 9,31,10,16	<1050>	550 IF a\$="" THEN 530	<11D4>
90 LOCATE 7,1:PRINT CHR\$(24)"Etike		560 IF (ASC(a\$)<32 AND ASC(a\$)<>9 A	
tten"CHR\$(24):PRINT:PRINT:PRINT	<28CF>	ND ASC(a\$)<>13 AND ASC(a\$)<>16 AND	
100 PRINT CHR\$(24)"f1"CHR\$(24)" -		ASC(a\$)<>22 AND ASC(a\$)<>26 AND A	
Datei laden":PRINT	<2992>	SC(a\$)<>5 AND ASC(a\$)<>12 AND ASC(
110 PRINT CHR\$(24)"f2"CHR\$(24)" -		a\$)<>25) THEN 530:' CPC-CTRL-Funkti	
Datei erstellen"	<2BEE>	onen ausschalten	<987A>
120 h\$=UPPER\$(INKEY\$)	<101B>	570 MOVE waag*16,399-senk*16:PRINT	
130 IF h\$="1" THEN 170 ELSE IF h\$="		CHR\$(200);	<28B1>
2" THEN 380 ELSE 120	<2654>	580 TAGOFF	<06D1>
140 '	<0722>	590 PRINT CHR\$(23)CHR\$(0);	<12EF>
150 ' Datei laden	<13A0>	600 IF a\$=CHR\$(9) THEN 1230:' ** E	
160 '	<074A>	infuegen = Ctrl+A	<2EA0>
170 MODE 1	<07FC>	610 IF a\$=CHR\$(5) THEN 1620:' ** 1	
180 h\$="*.eti":/DIR,@h\$	<1D81>	. Etikett = Ctrl+E	<2EC3>
190 WINDOW 1,40,24,25	<10CA>	620 IF a\$=CHR\$(12) THEN 1670:' **	
200 INPUT "Dateiname ";h\$:IF h\$="" T		Letzt. Et. = Ctrl+L	<2F8E>
HEN PRINT CHR\$(7);:GOTO 200	<2DF2>	630 IF a\$=CHR\$(22) THEN 1410:' **	
210 z=INSTR(h\$,"."):IF z THEN h\$=L		Vorbl. = Ctrl+V	<2F6F>
EFT\$(h\$,z-1)	<318A>	640 IF a\$=CHR\$(26) THEN 1540:' **	
220 dateiname\$=h\$+".eti"	<1DBC>	Zurueckbl. = Ctrl+Z	<2F2E>
230 MODE 1:LOCATE 10,12:PRINT "Date		650 IF a\$=CHR\$(25) THEN 1720:' **	
i wird geladen"	<2470>	Loeschen = Ctrl+Y	<2FB3>
240 OPENIN dateiname\$	<120C>	660 IF a\$=CHR\$(16) THEN 2120:' **	
250 INPUT #9,anzahl	<127C>	Menue 2 = Ctrl+P	<2FA1>
260 FOR i=1 TO anzahl	<16AE>	670 IF a\$=CHR\$(13) THEN 820	<15B3>
270 FOR x=1 TO 8	<0E36>	680 IF a\$=CHR\$(127) THEN 1130	<1574>
280 LINE INPUT #9,h\$	<0ECB>	690 IF a\$=CHR\$(240) THEN 890	<1555>
290 inhalt\$(i,x)=MID\$(h\$,2,32)	<2644>	700 IF a\$=CHR\$(241) THEN 950	<15CD>
300 NEXT x	<0A05>	710 IF a\$=CHR\$(242) THEN 1010	<153A>
310 NEXT i	<0ADE>	720 IF a\$=CHR\$(243) THEN 1070	<15B4>
320 CLOSEIN	<06A3>	730 IF einf THEN GOSUB 1350	<123E>

740 LOCATE waag+1,senk+1:PRINT a\$;	<20F2>	1240 IF einf THEN LOCATE 36,2:PRIN	T CHR\$(24)"Einf"CHR\$(24)ELSE LOCAT	
750 MID\$(inhalt\$(akt,senk),waag,1)	<3015>	1250 GOTO 500	E 36,2:PRINT"	<3798>
=a\$	<164A>	1260 '		<0961>
760 waag=waag+1	<14A3>	1270 ' ** Stellen entfernen **		<07E6>
770 IF waag=33 THEN 820	<09B4>	1280 '		<2359>
780 GOTO 500	<073A>	1290 inhalt\$(akt,senk)=LEFT\$(inhal	t\$(akt,senk),waag-1)+RIGHT\$(inhalt	
790 '	<26B9>	\$\$(akt,senk),32-waag)+" "		<738E>
800 '* ENTERTASTE und ZEILENENDE	<0762>	1300 LOCATE 2,senk+1:PRINT inhalt\$	(akt,senk)	<2CF0>
*	<16C5>	1310 RETURN		<0668>
810 '	<197E>	1320 '		<0760>
820 senk=senk+1	<0EE9>	1330 ' ** Einfuegen **		<1908>
830 IF senk>8 THEN senk=1	<093F>	1340 '		<0788>
840 waag=1	<07C6>	1350 inhalt\$(akt,senk)=LEFT\$(inhal	t\$(akt,senk),waag-1)+" "+MID\$(inha	
850 GOTO 500	<1C76>	lt\$(akt,senk),waag,32-waag)		<7A4E>
860 '	<07EE>	1360 LOCATE 2,senk+1:PRINT inhalt\$	(akt,senk);	<2D16>
870 ' ** Cursor auf **	<165A>	1370 RETURN		<06E0>
880 '	<1935>	1380 '		<07D8>
890 senk=senk-1	<09B7>	1390 ' Vorblaettern		<148F>
900 IF senk<1 THEN senk=8	<073D>	1400 '		<0700>
910 GOTO 500	<1DE0>	1410 FOR za=1 TO 8		<0F2D>
920 '	<0765>	1420 IF inhalt\$(akt,za)<>STRING\$(3	2,32)THEN fl=-1:za=8	<3807>
930 ' ** Cursor ab **	<16CA>	1430 NEXT za		<0B23>
940 '	<1E3C>	1440 IF fl=0 THEN akt=1:GOTO 1470		<1B0B>
950 senk=senk+1	<0930>	1450 fl=0		<0CA2>
960 IF senk>8 THEN senk=1:GOTO 500	<07B5>	1460 IF akt<maxanz THEN akt=akt+1		<3073>
	<1D21>	ELSE akt=1		<277A>
970 GOTO 500	<07DD>	1470 IF akt>anzahl THEN anzahl=akt		<09A5>
980 '	<1A31>			<1881>
990 ' ** Cursor links **	<165B>	1480 GOSUB 3170		<0956>
1000 '	<09A9>	1490 waag=1:senk=1		<07DB>
1010 IF waag=1 THEN waag=33	<072F>	1500 GOTO 500		<1817>
1020 waag=waag-1	<1DC4>	1510 '		<0703>
1030 GOTO 500	<0757>	1520 ' Zurueckblaettern		<143C>
1040 '	<1A87>	1530 '		<1F6F>
1050 ' ** Cursor rechts **	<16CC>	1540 akt=akt-1		<0947>
1060 '	<0920>	1550 IF akt<1 THEN akt=anzahl		<1823>
1070 IF waag=32 THEN waag=0	<07A7>	1560 GOSUB 3170		<09F7>
1080 waag=waag+1	<1DD5>	1570 waag=1:senk=1		<077D>
1090 GOTO 500	<07CF>	1580 GOTO 500		<165A>
1100 '	<1C46>	1590 '		<07A5>
1110 ' ** DEL - Taste **	<164D>	1600 ' Erstes Etikett		<1230>
1120 '	<178F>	1610 '		<095A>
1130 IF waag=1 THEN PRINT CHR\$(7);	<1072>	1620 akt=1:GOSUB 3170		<07E1>
:GOTO 500	<2050>	1630 GOTO 500		<1786>
1140 waag=waag-1	<3072>	1640 '		<0708>
1150 IF einf THEN GOSUB 1290:GOTO	<09E8>	1650 ' letztes Etikett		<1A44>
500	<076E>	1660 '		<09BE>
1160 a\$=CHR\$(32)	<2785>	1670 akt=anzahl:GOSUB 3170		<0744>
1170 LOCATE waag+1,senk+1:PRINT a\$	<0796>	1680 GOTO 500		<18E1>
;	<22BD>	1690 ' Etikett loeschen		<076C>
1180 MID\$(inhalt\$(akt,senk),waag,1		1700 '		
)=a\$		1710 '		
1190 GOTO 500				
1200 '				
1210 '* Einfuegen ein- und abstell				
en *				
1220 '				
1230 IF einf THEN einf=0 ELSE einf				
=1				

1720 IF anzahl=akt THEN 1780	<1A05>	2120 WINDOW 1,40,20,25:CLS:WINDOW	
1730 fl=0:FOR za=1 TO 8	<1780>	1,40,1,25	<1D51>
1740 IF inhalt\$(anzahl,za)<>STRING		2130 PEN 1	<07C6>
\$(32,32)THEN fl=-1:za=8	<3BE2>	2140 LOCATE 2,20:PRINT"S - Suchen"	<19E1>
1750 NEXT za	<0BA4>	;	
1760 IF fl=0 THEN anzahl=anzahl-1:		2150 LOCATE 2,21:PRINT"R - Speiche	<1C16>
GOTO 1720	<288C>	rn";	
1770 fl=0	<0C22>	2160 LOCATE 2,22:PRINT"D - Drucken	<1AD3>
1780 IF akt=anzahl THEN FOR za=1 T		";	<167F>
O 8:inhalt\$(akt,za)=STRING\$(32,32)		2170 LOCATE 2,23:PRINT"Q - Quit"	
:NEXT:anzahl=anzahl-1:mark(akt)=0:		2180 LOCATE 8,25:PRINT"Leertaste -	<2028>
akt=akt-1:GOTO 1850	<822B>	ZurJck"	
1790 FOR za=1 TO 8	<0F27>	2190 LOCATE 18,20:PRINT CHR\$(24)"B	<21A2>
1800 inhalt\$(akt,za)=inhalt\$(anzah		lock:"CHR\$(24)	<1AC5>
l,za)	<370B>	2200 LOCATE 25,20:PRINT"A - Anfang	<1879>
1810 inhalt\$(anzahl,za)=STRING\$(32	<2923>	";	
,32)	<0B32>	2210 LOCATE 25,21:PRINT"E - Ende";	
1820 NEXT za	<27CC>		
1830 mark(akt)=mark(anzahl)	<2FC1>	2220 LOCATE 20,23:PRINT"L - Demark	<1E0A>
1840 mark(anzahl)=0:anzahl=anzahl-	<26F7>	ieren"	<109F>
1	<09A0>	2230 h\$=UPPER\$(INKEY\$)	
1850 IF anzahl<1 THEN akt=1:anzahl	<093B>	2240 IF h\$="S"THEN GOSUB 2390:GOTO	<1852>
=1	<07C2>	2340	
1860 GOSUB 3170	<153F>	2250 IF h\$="R"THEN GOSUB 3390:GOTO	<1828>
1870 GOTO 500	<07EA>	2340	
1880 ' Etikettaufbau	<079B>	2260 IF h\$="D"THEN GOSUB 2840:druc	<261C>
1890 '	<09C9>	kanz=1:GOTO 2340	
1900 '		2270 IF h\$="A"THEN GOSUB 2640:GOTO	<18E6>
1910 MODE 1		2340	
1920 LOCATE 1,1		2280 IF h\$="E"THEN GOSUB 2700:GOTO	<186A>
1930 PRINT CHR\$(150);STRING\$(32,15	<1EF1>	2330	
4);CHR\$(156);	<0A2E>	2290 IF h\$="L"THEN GOSUB 2790:GOTO	<18B9>
1940 LOCATE 1,10	<1E68>	2330	<1242>
1950 PRINT CHR\$(147);STRING\$(32,15	<0EBF>	2300 IF h\$="Q"THEN 3510	<1593>
4);CHR\$(153);	<152C>	2310 IF h\$=CHR\$(32)THEN 2340	<09EC>
1960 FOR i=2 TO 9	<1648>	2320 GOTO 2230	<099E>
1970 LOCATE 1,i:PRINT CHR\$(149);	<0AA3>	2330 GOSUB 3180	
1980 LOCATE 34,i:PRINT CHR\$(149);	<116A>	2340 PEN 1:GOSUB 2050:IF mark(akt)	<2079>
1990 NEXT i	<06E1>	THEN PEN 2	<09FE>
2000 WINDOW#2,2,33,2,9	<07D9>	2350 GOTO 500	<0784>
2010 RETURN	<12F1>	2360 '	<0E05>
2020 '	<0701>	2370 ' Suchen	<07AC>
2030 ' Hauptmenue		2380 '	<1003>
2040 '		2390 WINDOW 1,40,17,17	<1788>
2050 WINDOW 1,40,20,25:CLS:WINDOW	<1DC4>	2400 LINE INPUT"Be-griff: ",b\$	<0607>
1,40,1,25		2410 CLS	<0F98>
2060 LOCATE 1,23:PRINT CHR\$(24)"^V		2420 IF b\$=""THEN RETURN	<0C4E>
"CHR\$(24)" - Vo "CHR\$(24)"^Z"CHR\$		2430 fl=0	<176D>
(24)" - Zu "CHR\$(24)"^E"CHR\$(24)"		2440 FOR za=1 TO anzahl	<0E45>
- Er "CHR\$(24)"^L"CHR\$(24)" - Le	<6EAC>	2450 FOR x=1 TO 8	
"		2460 z=INSTR(UPPER\$(inhalt\$(za,x))	<3038>
2070 LOCATE 1,25:PRINT CHR\$(24)"^P	<727F>	,UPPER\$(b\$))	<2DE8>
"CHR\$(24)" - Me ";CHR\$(24)"^M"CHR	<066F>	2470 IF z THEN fl=za:x=8:za=anzahl	<0A16>
\$(24)" - Ma ";CHR\$(24)"^Y"CHR\$(24	<0767>	"	<0B6F>
)" - L/ ";CHR\$(24)"^I"CHR\$(24)" -	<0F24>	2480 NEXT x	
In";	<078F>	2490 NEXT za	
2080 RETURN		2500 IF fl=0 THEN PRINT CHR\$(7)CHR	
2090 '		\$(24)b\$CHR\$(24)" nicht vorhanden !	
2100 ' Menue 2		":FOR za=1 TO 2000:NEXT:CLS:RETURN	<4BA3>
2110 '			

2510 akt=fl:fl=0	<195E>	3030 NEXT za	<0BA9>
2520 WINDOW 1,40,1,25	<0F95>	3040 RETURN	<06F1>
2530 GOSUB 3170	<09DD>	3050 '	<07E9>
2540 RETURN	<0607>	3060 ' Etikett drucken	<172F>
2550 '	<07FF>	3070 '	<0712>
2560 ' Markieren	<1166>	3080 FOR t=1 TO druckanz	<18CE>
2570 '	<0729>	3090 FOR i=1 TO 8	<0E85>
2580 IF mark(akt) THEN mark(akt)=0		3100 PRINT#8, inhalt\$(druck,i)	<2152>
ELSE mark(akt)=-1	<3B06>	3110 NEXT i:PRINT#8	<0EEC>
2590 GOSUB 3200	<0948>	3120 NEXT t	<0A09>
2600 GOTO 500	<09F3>	3130 RETURN	<06A7>
2610 '	<0779>	3140 '	<079F>
2620 ' Blockanfang setzen	<1A0F>	3150 ' Etikett ausgeben	<18A7>
2630 '	<07A1>	3160 '	<07C7>
2640 blockanf=akt	<1737>	3170 CLS#2:PEN 1	<0B0A>
2650 LOCATE 36,4:PRINT CHR\$(24)"Block"	<20BE>	3180 LOCATE 1,13:PRINT CHR\$(24)"Etiket	
2660 RETURN	<06F9>	3190 LOCATE 1,14:PRINT CHR\$(24)"Anzahl	<30BC>
2670 '	<07F1>	zahl: "CHR\$(24)USING" ##";anzahl;	<33C1>
2680 ' Blockende und Block markieren	<2558>	3200 IF mark(akt) THEN PEN 2 ELSE PEN 1	<1CD6>
2690 '	<0718>	3210 FOR i=1 TO 8	<0E74>
2700 FOR za=blockanf TO akt	<1E2E>	3220 LOCATE 2,i+1	<0E1F>
2710 mark(za)=-1	<1699>	3230 PRINT inhalt\$(akt,i);	<1DC8>
2720 NEXT za	<0B3C>	3240 NEXT i	<0ACC>
2730 blockanf=1	<1240>	3250 RETURN	<0696>
2740 LOCATE 36,4:PRINT " ";	<147A>	3260 '	<078E>
2750 RETURN	<06AC>	3270 ' Datei mit Leerstellen auffüllen	<28B1>
2760 '	<07A4>	3280 '	<07B6>
2770 ' Alle Markierungen entfernen	<2393>	3290 FOR i=anzahl+fl TO maxanz	<2476>
2780 '	<07CC>	3300 FOR x=1 TO 8	<0EEC>
2790 ERASE mark:DIM mark(maxanz)	<21C2>	3310 inhalt\$(i,x)=STRING\$(32,32)	<2342>
2800 RETURN	<0611>	3320 NEXT x	<0AA9>
2810 '	<0708>	3330 NEXT i	<0A82>
2820 ' Drucken	<0F41>	3340 fl=0	<0C6D>
2830 '	<0732>	3350 RETURN	<0660>
2840 WINDOW 1,40,17,17	<1089>	3360 '	<0758>
2850 INPUT "Anzahl > 1 : ",d	<1AEE>	3370 ' Datei speichern	<17CE>
2860 CLS:WINDOW 1,40,1,25	<1112>	3380 '	<0780>
2870 IF d>1 THEN druckanz=d	<1DC2>	3390 OPENOUT dateiname\$	<1277>
2880 PRINT#8,CHR\$(27)"R"CHR\$(2);:'deutscher Zeichensatz	<3139>	3400 PRINT#9,anzahl	<121B>
2890 PRINT#8,CHR\$(27)"x"CHR\$(1)	<17DF>	3410 FOR i=1 TO anzahl	<1655>
2900 fl=0	<0CFB>	3420 FOR x=1 TO 8	<0EDE>
2910 FOR i=1 TO anzahl	<166B>	3430 WRITE#9, inhalt\$(i,x)	<1D2C>
2920 IF mark(i) THEN fl=-1:i=anzahl	<2B03>	3440 NEXT x	<0A99>
2930 NEXT i	<0A5F>	3450 NEXT i	<0A71>
2940 IF fl THEN fl=0:GOTO 3010	<18F2>	3460 CLOSEOUT	<063C>
2950 fl=0:druck=akt	<1CB6>	3470 RETURN	<064F>
2960 GOSUB 3080	<0972>	3480 '	<0747>
2970 RETURN	<0665>	3490 ' Ende	<0C01>
2980 '	<075D>	3500 '	<076F>
2990 ' Markierte Etiketten drucken	<23B4>	3510 GOSUB 3390	<0974>
3000 '	<0785>	3520 MODE 2:END	<09A9>
3010 FOR za=1 TO anzahl	<17E3>		
3020 IF mark(za) THEN druck=za:GOSUB 3080	<28E0>		