

```

1 REM %%%%%%%%%% [1239]
2 REM % [378]
3 REM % *** POKER *** % [704]
4 REM % [378]
5 REM % September 1986 % [1439]
6 REM % [378]
7 REM %%%%%%%%%% [1239]
8 : [174]
10 REM Version: keine Steuer codes [1386]
11 : [174]
20 PRINT:PRINT"Farbmonitor [j/n] ? ";CHR$ [3544]
(143);CHR$(8);
30 WHILE i$(<)"j" AND i$(<)"n":i$=LOWER$(INK [3976]
EY$):WEND
40 IF i$="j" THEN PRINT"ja";:RESTORE 10200 [2093]
ELSE PRINT"nein":RESTORE 10210
50 SYMBOL AFTER 252:RANDOMIZE TIME:GOSUB 8 [1911]
600
60 DIM s(4,5),a(5),b(5),k(52),n$(4),m(4),f [2397]
(4),l(4),u(4),p(4)
70 SYMBOL 252,&7C,&C6,&C6,&DC,&C6,&C6,&DB, [2153]
&CO
80 SYMBOL 253,&66,&0,&78,&C,&7C,&CC,&76,&0 [2423]
90 SYMBOL 254,&66,&0,&3C,&66,&66,&66,&3C,& [2711]
0
100 SYMBOL 255,&66,&0,&66,&66,&66,&66,&3E, [1989]
&0
110 MODE 1:INK 0,0:INK 1,0:INK 2,0:INK 3,0 [4361]
:BORDER 0
120 PAPER 0:CLS:WINDOW#1,13,27,4,8:PAPER#1 [4419]
,2:PEN#1,3:CLS#1
130 LOCATE#1,4,3:PRINT#1,"P O K E R" [1448]
140 ORIGIN 192,270 [385]
150 FOR j=1 TO 100 [769]
160 a=INT(RND*238):b=INT(RND*78) [2506]
170 PLOT a,b,0:PLOT a+2,b:PLOT a,b+2:PLOT [3206]
a+2,b+2
180 NEXT:FOR j=1 TO 3:READ a:INK j,a:NEXT [4146]
190 PEN 1:LOCATE 9,25:PRINT CHR$(164);" 19 [4537]
86 by Michael Knaup"
200 PEN 3:LOCATE 1,12:PRINT"Es spielen:":P [3393]
EN 1:PRINT
210 RESTORE:FOR j=1 TO 4 [1107]
220 READ n$(j):PRINT n$(j):m(j)=20000 [1637]
230 NEXT:PRINT:PEN 3:PRINT"und"; [2162]
240 PEN 1:INPUT" ",n$:n$=" "+LOWER$(LEFT$( [3144]
n$,16))
250 FOR j=1 TO LEN(n$) [852]
260 IF MID$(n$,j,1)=" " THEN n$=LEFT$(n$,j [5248]
)+UPPER$(MID$(n$,j+1,1))+MID$(n$,j+2)
270 NEXT:n$=MID$(n$,2) [1589]
280 LOCATE 5,19:PRINT CHR$(18);n$ [2432]
290 PEN 2:PRINT:PRINT"Tiefer Ton = Leertas [4571]
te dr";CHR$(255);"cken."
300 PRINT"Hoher Ton = Eingabe wiederholen [4150]
.
310 n$(0)=n$:m(0)=20000 [923]
320 GOSUB 8000:sp=1:b1=0:ZONE 18 [3394]
330 WINDOW#1,1,40,18,22:WINDOW#2,1,40,24,2 [3100]
5
340 WINDOW#3,1,20,16,16:WINDOW#4,21,40,16, [2516]
16
350 ON BREAK GOSUB 8700 [561]

```

```

1000 : [174]
1001 REM %%%%%%%%%% [1043]
1002 REM % Hauptprogramm % [1350]
1003 REM %%%%%%%%%% [1043]
1004 : [174]
1010 FOR j=0 TO 4:PAPER#j,0:CLS#j:NEXT [1997]
1020 WINDOW SWAP 1,0:PEN 1:sp0=sp:wr=0 [2622]
1030 FOR j=1 TO 5 [624]
1040 s=-j*(j<5):IF m(s)=-1 THEN 1070 [1966]
1050 m(s)=m(s)-100:m=m+100 [928]
1060 PRINT n$(s),USING"$$$###,###+";m(s) [1495]
1070 NEXT:WINDOW SWAP 1,0 [1765]
1080 GOSUB 8100 [820]
1090 LOCATE#2,1,2:PEN#2,3 [1406]
1100 PRINT#2,n$(sp);" mischt."; [1789]
1110 k(0)=0:FOR j=1 TO 52 [1664]
1120 k(j)=j+3:NEXT [794]
1130 FOR j=0 TO 52 [573]
1140 r=INT(RND*53):a=k(j):k(j)=k(r):k(r)=a [1968]
1150 NEXT:t=TIME+300:WHILE t>TIME:WEND [2738]
1160 a=sp:GOSUB 8250 [1503]
1170 LOCATE#2,1,2:PRINT#2,CHR$(18);n$(a);" [3567]
hebt ab";
1180 ON SGN(a)+1 GOSUB 2000,3000 [687]
1190 LOCATE#2,1,2:PRINT#2,CHR$(18);n$(sp); [4624]
" teilt aus.";
1200 a=sp:FOR j=1 TO 5 [1634]
1210 GOSUB 8200 [1040]
1220 s(a,j)=k(ka):ka=ka+1:IF ka>52 THEN ka [1937]
=0
1230 IF a(<)sp THEN 1210 [542]
1240 NEXT [350]
1250 GOSUB 8200 [1040]
1260 ON SGN(a)+1 GOSUB 2100,3100 [807]
1270 IF a(<)sp THEN 1250 [502]
1280 GOSUB 5000 [883]
1290 IF as=0 THEN 1800 [388]
1300 a=sp:LOCATE#2,1,2:PRINT#2,n$(sp0);" t [6278]
eilt aus."
1310 GOSUB 8200:IF f(a)=-1 THEN 1390 [1727]
1320 ON SGN(a)+1 GOSUB 2300,3300 [596]
1330 y=0:FOR j=1 TO 5 [767]
1340 IF b(j)=1 THEN s(a,j)=k(ka):ka=ka+1:y [2596]
=y+1:IF ka>52 THEN ka=0
1350 NEXT [350]
1360 PEN#1,1:PRINT#1,n$(a);" kauft";y;CHR$ [2742]
(8);"."
1370 m(a)=m(a)-50*y:m=m+50*y:GOSUB 8100 [1331]
1380 ON SGN(a)+1 GOSUB 2100,3500 [791]
1390 IF a(<)sp THEN 1310 [546]
1400 GOSUB 5000 [883]
1410 IF as=0 THEN 1800 [388]
1500 CLS [91]
1510 ob=1:FOR i=0 TO 4 [586]
1520 IF m(i)=-1 OR f(i)=-1 THEN 1740 [2570]
1530 IF ob=1 THEN ob=0:x=1:GOSUB 8500:z=p: [1571]
zs=i:GOTO 1740
1540 x=13:GOSUB 8500:fs=0 [1957]
1550 IF p<z THEN 1700 [582]
1560 IF p>z THEN 1690 [1191]
1570 FOR j=1 TO 5:a(j)=s(zs,j):b(j)=s(i,j) [2382]
:NEXT
1580 FOR j=1 TO 4:FOR k=j+1 TO 5 [1435]
1590 IF a(j)<a(k) THEN a=a(j):a(j)=a(k):a( [1476]
k)=a
1600 IF b(j)<b(k) THEN a=b(j):b(j)=b(k):b( [1093]
k)=a
1610 NEXT k,j [371]
1620 fl=0:FOR j=1 TO 5 [776]
1630 IF INT(a(j)/4)>INT(b(j)/4) THEN fl=1: [1934]
j=5

```

```

1640 IF INT(a(j)/4)<INT(b(j)/4) THEN f1=-1 [1731]
:j=5
1650 NEXT [350]
1660 IF f1=1 THEN 1700 [471]
1670 IF f1=-1 THEN 1690 [594]
1680 IF a(1)>b(1) THEN 1700 [1184]
1690 z=p:zs=i:fs=1 [895]
1700 PRINT n$(zs); " gewinnt." [2559]
1710 GOSUB 8000 [824]
1720 IF fs=1 THEN PRINT STRING$(12,10); [1822]
1730 LOCATE 1,13:PRINT CHR$(20); [1740]
1740 NEXT:sp=zs [676]
1800 a$=FN$(m,"$####,###") [888]
1810 a$=MID$(a$,INSTR(a$,"$")) [1229]
1820 LOCATE 1,16:PEN 3:PRINT CHR$(20);n$(s [3995]
p); " gewinnt ";:PEN 1:PRINT a$; "."
1830 m(sp)=m(sp)+m:m=0 [801]
1840 IF m(0)<(-10000-2000*RND THEN 1950 [1200]
1850 PEN#1,1:FOR j=1 TO 4 [603]
1860 IF m(j)<(-10000-2000*RND THEN m(j)=-1: [3315]
PRINT#1,n$(j); " steigt aus."
1870 NEXT [350]
1880 a=sp0:GOSUB 8200:sp=a:GOSUB 8000 [2626]
1890 IF m(1)<>-1 OR m(2)<>-1 OR m(3)<>-1 O [2549]
R m(4)<>-1 THEN 1000
1900 CLS:PEN 3:PRINT"Herzlichen Gl";CHR$(2 [2987]
55);"ckwunsch !"
1910 a$=FN$(m(0)-20000,"$####,###"):a$=M [2953]
ID$(a$,INSTR(a$,"$"))
1920 PEN 1:PRINT CHR$(10);"Du hast heute " [4790]
a$; " gewonnen."
1930 PRINT"(Schade, da";CHR$(252); " das Ge [4285]
ld gef";CHR$(253); "lscht ist)"
1940 GOTO 1970 [337]
1950 GOSUB 8000:CLS:PEN 1 [2291]
1960 PRINT"D Du hast nun alles verspielt,:P [8740]
RINT CHR$(10);"Haus und Hof, Hund und Pfer
d."
1970 PRINT:PRINT"Wir bedanken uns f";CHR$( [3219]
255);"r's mitspielen !"
1980 PRINT:PRINT:PRINT:SYMBOL AFTER 256:CL [3134]
EAR
1990 END [110]
2000 : [174]
2001 REM [897]
2002 REM % Spieler % [1355]
2003 REM [897]
2004 : [174]
2010 WINDOW SWAP 0,2:x=POS(#0) [1962]
2020 LOCATE x,2:PRINT" [0-52]: ";:GOSUB 88 [3080]
00:ka=e
2030 IF ka<0 OR ka>52 OR ka>INT(ka) THEN P [2834]
RINT CHR$(7);:GOTO 2020
2040 WINDOW SWAP 0,2 [1026]
2050 RETURN [555]
2060 : [174]
2100 s=0:GOSUB 6000:p(0)=p [1744]
2110 LOCATE 1,1:PEN 3:PRINT n$(0) [810]
2120 x=2:GOSUB 7000 [1107]
2130 RESTORE 10300 [707]
2140 FOR j=0 TO INT(p/1000):READ a$:NEXT:L [2445]
OCATE 1,13:PRINT"*** ";a$; " ***";CHR$(18)
2150 a=0:f(0)=0:RETURN [1684]
2160 : [174]
2200 x=VPOS(#0) [1712]
2210 LOCATE 1,x:PEN 3:PRINT CHR$(18);"Dein [3764]
Einsetzung ? ";
2220 PEN 1:PRINT"$";:GOSUB 8800:y=e [1863]
2230 IF y<>ROUND(y,-2) THEN PRINT#2,CHR$(7 [5569]
);"Kein Kleingeld,:PRINT#2,"wir spielen u
m 100$-Scheine !";:GOTO 2210

```

```

2240 IF y<z THEN y=0 [1383]
2250 IF y>100000 THEN y=100000 [1253]
2260 LOCATE 1,x:PEN 1:PRINT CHR$(20);:CLS# [2951]
2
2270 RETURN [555]
2280 : [174]
2300 WINDOW SWAP 0,1:x=VPOS(#0) [1660]
2310 LOCATE 1,x:PEN 3:PRINT CHR$(18);"Umta [4799]
usch (pro Karte $50): ";
2320 PEN 1:GOSUB 8800:a$=STR$(e) [1720]
2330 FOR j=1 TO 5:b(j)=0:NEXT [1211]
2340 FOR j=1 TO LEN(a$) [968]
2350 b=ASC(MID$(a$,j,1))-48:IF ABS(b-3)<3 [3516]
THEN b(b)=1
2360 NEXT:LOCATE 1,x:PEN 1:PRINT CHR$(20); [2056]
2370 WINDOW SWAP 0,1 [1031]
2380 RETURN [555]
2390 : [174]
3000 : [174]
3001 REM [878]
3002 REM % Computer % [434]
3003 REM [878]
3004 : [174]
3010 PRINT#2,"." [525]
3020 ka=INT(RND*53) [1252]
3030 t=TIME+600:WHILE t>TIME:WEND [1872]
3040 RETURN [555]
3050 : [174]
3100 s=a:GOSUB 6000:a=s:p(s)=p:u(s)=u [2932]
3110 IF RND>0.95 OR p=9000 THEN f(s)=2:1( [4111]
s)=ROUND(4000+1000*RND,-2):RETURN
3120 IF RND>0.7 OR p=4000 OR u>0 THEN f(s [3922]
)=2:1(s)=ROUND(p/5+1000,-2):RETURN
3130 IF p<1000 AND RND>0.5 THEN f(a)=0:RET [1789]
URN
3140 f(s)=1:1(s)=ROUND(p/2+500,-2) [1654]
3150 : [174]
3200 IF z<100 THEN y=ROUND(500*RND+200,-2) [3202]
*f(a):RETURN
3210 IF f(a)=0 THEN y=0:RETURN [2249]
3220 IF f(a)=1 THEN y=-z*(z<=1(a)):RETURN [2166]
3230 IF f(a)=2 AND z>1(a) THEN y=z:RETURN [2796]
3240 y=ROUND(z+(z*RND/2),-2) [2135]
3250 IF y>m(a)+10000 THEN y=m(a)+10000 [1070]
3260 IF y>100000 THEN y=100000 [1253]
3270 IF y<z THEN y=z [1597]
3280 y=ROUND(y,-2):RETURN [1774]
3290 : [174]
3300 FOR j=1 TO 5:b(j)=0:NEXT:s=a [1409]
3310 f=INT(p(a)/1000):IF f>3 AND f<>5 AND [2895]
f<>11 THEN RETURN
3320 IF u(a)>0 THEN b(u(a))=1:RETURN [1525]
3330 IF f>0 THEN 3400 [1449]
3340 FOR j=0 TO 3:a(j)=0:NEXT:FOR i=1 TO 5 [3225]
3350 IF s(a,i)=0 THEN FOR j=0 TO 3:a(j)=a( [4097]
j)+1:NEXT:GOTO 3370
3360 b=s(a,i) MOD 4:a(b)=a(b)+1 [1356]
3370 NEXT:f1=0:FOR j=0 TO 3:IF a(j)=3 THEN [2980]
b=j:f1=1:j=3
3380 NEXT:IF f1=1 THEN FOR j=1 TO 5:b(j)= [3281]
((s(a,j) MOD 4)<>b AND s(a,j)<>0):NEXT:RET
URN
3390 a=INT(RND*3)+INT(RND*3)+1:GOTO 3410 [2100]
3400 a=(f XOR 2) AND 3:IF f<>3 AND RND>0.8 [1665]
THEN a=a-1
3410 FOR i=5 TO 1 STEP-1 [867]
3420 f1=1:FOR j=1 TO 5 [590]
3430 IF j=i THEN 3450 [305]
3440 IF INT(s(s,i)/4)=INT(s(s,j)/4) OR s(s [3342]
,i)=0 THEN f1=0:j=5
3450 NEXT:IF f1=1 THEN b(i)=1:a=a-1:IF a=0 [1827]
THEN i=1

```

3460 NEXT:a=s	[1045]	6160 u=u-28:IF u<4 THEN u=u+52	[907]
3470 RETURN	[555]	6170 FOR j=1 TO 5	[624]
3480 :	[174]	6180 IF a(j)=u THEN u=j:j=5	[1809]
3500 s=a:GOSUB 6000:a=s:p(s)=p	[2376]	6190 NEXT:IF u1=0 THEN u1=u	[1226]
3510 IF RND>0.95 OR p>=9000 THEN f(s)=2:1(s)=ROUND(10000+4000*RND,-2):RETURN	[4742]	6200 u=u1:a=a(1) MOD 4	[921]
3520 IF RND>0.7 OR p>=4000 OR u>0 THEN f(s)=2:1(s)=ROUND(2000+500*RND,-2):RETURN	[3534]	6210 f1=1:FOR j=2 TO 5	[748]
3530 IF p<1000 AND RND>0.2 THEN f(s)=0:RET	[2796]	6220 IF (a(j) MOD 4)<>a AND a(j)<>0 THEN f1=0:j=5	[1778]
URN		6230 NEXT:IF f1=0 THEN 6300	[1108]
3540 f(s)=1:1(s)=ROUND(1000+1000*RND,-2):R	[2637]	6240 IF p>=8000 THEN p=p+4000:GOTO 6480	[2169]
ETURN		6250 IF p>0 THEN GOSUB 8300	[1260]
5000 :	[174]	6260 p=9100+(a(1) MOD 4):IF a(5)=0 THEN p=p-100	[1900]
5001 REM %%%%%%%%%%%%%%%%%%	[955]	6270 GOTO 6480	[427]
5002 REM % Wettrunde %	[934]	6300 IF p>0 THEN 6480	[1032]
5003 REM %%%%%%%%%%%%%%%%%%	[955]	6310 IF a(5)=0 THEN a=1 ELSE a=0	[1040]
5004 :	[174]	6320 FOR j=0 TO 3:b(j)=a:NEXT	[1575]
5010 WINDOW SWAP 0,1:z=1:wr=wr+1	[1495]	6330 f1=0:FOR j=1 TO 5	[776]
5020 as=4:FOR j=0 TO 4:as=as+(m(j)=-1 OR f(j)=-1):NEXT	[2244]	6340 IF a(j)>0 THEN a=a(j) MOD 4:b(a)=b(a)+1:IF b(a)=4 THEN f1=1:j=5	[3013]
5030 a=sp:fe=as	[1367]	6350 NEXT:IF f1=0 THEN 6400	[1120]
5040 GOSUB 8000:CLS:CLS#2	[2187]	6360 l=1:FOR j=1 TO 5	[909]
5050 GOSUB 8110:GOSUB 8200:IF f(a)=-1 THEN 5120	[2287]	6370 IF (a(j) MOD 4)=a THEN b(1)=a(j):l=1+1 ELSE IF a(j)=0 THEN b(4)=0 ELSE b(5)=a(j)	[2666]
5060 ON SGN(a)+1 GOSUB 2200,3200	[471]	6380 NEXT:p=2100+INT(a(1)/4):IF a(5)=0 THEN N p=p-100	[3301]
5070 m(a)=m(a)-y:m=m+y:GOSUB 8100	[1729]	6400 a=1:e=5:IF a(5)=0 THEN e=4	[1178]
5080 PEN 1:PRINT n\$(a);"	[1797]	6410 FOR i=1 TO e-1:FOR j=i+1 TO e	[1257]
5090 IF y<z THEN f(a)=-1:fe=fe-1:as=as-1:PRINT"passt.":IF a=0 THEN LOCATE#1,40,13:PRINT#1,CHR\$(19);	[6469]	6420 IF INT(a(i)/4)=INT(a(j)/4) THEN a=a+1:j=q	[1395]
5100 IF y=z THEN fe=fe-1:PRINT"h";CHR\$(253);"	[3434]	6430 NEXT j,i:fj=0:IF a(5)=0 THEN fj=1	[1745]
5110 IF y>z THEN z=y:fe=as:PRINT"erh";CHR\$(254);"	[6132]	6440 u1=u:u=0:IF p=0 OR (fj=1 AND a=2) THEN N 6460	[1879]
5120 IF fe>0 THEN IF a=sp THEN 5040 ELSE 5050	[1552]	6450 FOR j=1 TO 5:a(j)=b(j):NEXT:u=5:GOTO 6490	[1927]
5130 PRINT#2,CHR\$(10);"Ende der ";HEX\$(wr);". Wettrunde."	[2304]	6460 ON a GOSUB 6500,6550,6600,6650,6700,6500,6750	[2536]
5140 GOSUB 8000:CLS:WINDOW SWAP 0,1:CLS#2:CLS#4	[3356]	6470 IF p=0 THEN p=INT(a(1)/4)	[1139]
5150 IF f(sp)>0 THEN RETURN	[2608]	6480 IF p>=1000 THEN u=0	[545]
5160 sp=sp+1:IF sp=5 THEN sp=0	[1597]	6490 FOR j=1 TO 5:s(s,j)=a(j):NEXT:RETURN	[1865]
5170 IF m(sp)=-1 THEN 5160 ELSE 5150	[1701]	6500 IF fj=0 THEN 6520	[738]
6000 :	[174]	6510 FOR j=5 TO 3 STEP-1:a(j)=a(j-1):NEXT:a(2)=0:p=1000+INT(a(1)/4):RETURN	[4346]
6001 REM %%%%%%%%%%%%%%%%%%%%%%%%%%	[1148]	6520 u=u1:RETURN	[397]
6002 REM % Karten sortieren %	[868]	6550 IF fj=0 THEN 6570	[696]
6003 REM %%%%%%%%%%%%%%%%%%%%%%%%%%	[1148]	6560 FOR j=5 TO q+1 STEP-1:a(j)=a(j-1):NEXT:a(q+1)=0:GOTO 6670	[3527]
6004 :	[174]	6570 p=1100+INT(a(q)/4)	[758]
6010 GOSUB 8300:u1=0	[1642]	6580 RETURN	[555]
6020 d=1:GOSUB 6800:IF fs=1 THEN p=8100-ABS(fj)*100+INT(a(1)/4):GOTO 6200	[4856]	6600 IF fj=0 THEN 6620	[734]
6030 u1=u:d=2:GOSUB 6800:IF fs=1 THEN p=7100-ABS(fj)*100+INT(a(1)/4):GOTO 6200	[4411]	6610 a(5)=a(4):a(4)=a(3):a(3)=0:GOTO 6700	[1070]
6040 IF u1=0 THEN u1=u	[1355]	6620 f1=1:FOR j=1 TO 5:IF (a(j)>51 OR a(j)<40) AND a(j)<>0 THEN f1=0:j=5	[4264]
6050 FOR j=1 TO 5	[624]	6630 NEXT:p=3100+1000*f1+INT(a(2)/4)+INT(a(4)/4)/15	[2075]
6060 IF a(j)=0 THEN 6080	[1084]	6640 RETURN	[555]
6070 a(j)=a(j)+28:IF a(j)>55 THEN a(j)=a(j)-52	[1969]	6650 IF fj=0 THEN 6670	[700]
6080 NEXT:GOSUB 8310:d=1:GOSUB 6800:IF u>0 THEN u=a(u)	[3417]	6660 FOR j=5 TO q+1 STEP-1:a(j)=a(j-1):NEXT:a(q+1)=0:GOTO 6760	[3525]
6090 FOR j=1 TO 5	[624]	6670 p=5100-100*fj+INT(a(q)/4)	[1679]
6100 IF a(j)=0 THEN 6120	[1156]	6680 RETURN	[555]
6110 a(j)=a(j)-28:IF a(j)<4 THEN a(j)=a(j)+52	[1447]	6700 p=10100-100*fj+INT(a(3)/4)	[1939]
6120 NEXT:IF fs=1 THEN f=INT(a(1)/4):p=6100-ABS(fj)*100+f:IF f=4 THEN p=p+2000 ELSE IF f=3 AND a(5)=0 THEN FOR j=5 TO 2 STEP-1:a(j)=a(j-1):NEXT:a(1)=0:p=p+2000	[10477]	6710 RETURN	[555]
6130 IF fs=1 THEN 6200	[882]	6750 IF fj=1 THEN p=13000+INT(a(1)/4):RETURN	[2525]
6140 GOSUB 8300:p=0	[1358]	6760 p=11100-100*fj+INT(a(3)/4)	[1563]
6150 IF u=0 THEN 6200	[470]	6770 RETURN	[555]
		6780 :	[174]
		6800 fs=0:e=5:IF a(5)=0 THEN e=4	[984]
		6810 fj=5-e:a=1:GOSUB 6900	[1306]
		6820 IF uz=0 THEN fs=1:FOR j=1 TO 5:a(j)=b	[2094]

(j):NEXT:RETURN		8130 PEN#w,3:PRINT#w,CHR\$(30);b\$;" ";	[1754]
6830 IF uz=1 THEN RETURN	[1046]	8140 PEN#w,1:PRINT#w,a\$;CHR\$(18);	[2049]
6840 fj=5-e:a=2:GOSUB 6900	[1759]	8150 RETURN	[555]
6850 IF uz=0 OR (uz=1 AND fu=1) THEN u=1:R	[2038]	8160 :	[174]
ETURN		8200 a=a+1:IF a=5 THEN a=0	[1766]
6860 fj=5-e:a=1:e=e-1:GOSUB 6900	[1779]	8210 IF m(a)=-1 THEN 8200	[1026]
6870 u=0:IF uz=0 OR (uz=1 AND fu=1) THEN u	[2190]	8220 RETURN	[555]
=e+1		8250 a=a-1:IF a=-1 THEN a=4	[1793]
6880 RETURN	[555]	8260 IF m(a)=-1 THEN 8250	[1024]
6900 u=0:uz=0:fu=0:fu1=0:k=1:FOR j=a TO e-	[2425]	8270 RETURN	[555]
1		8280 :	[174]
6910 b=INT(a(j)/4)-INT(a(j+1)/4)	[1754]	8300 FOR j=1 TO 5:a(j)=s(s,j):NEXT	[1081]
6920 IF b=d THEN b(k)=a(j):k=k+1:GOTO 6970	[2106]	8310 FOR i=1 TO 4:FOR j=i+1 TO 5	[1923]
6930 IF b=2*d AND fj=1 THEN b(k)=a(j):k=k+	[4330]	8320 IF a(i)<a(j) THEN a=a(i):a(i)=a(j):a(i	[2252]
1:b(k)=0:k=k+1:fj=-1:GOTO 6970		j)=a	
6940 IF b=2*d AND uz>-1 THEN uz=uz+1:u=e:f	[4370]	8330 NEXT j,i	[396]
u=1:GOTO 6970		8340 RETURN	[555]
6950 IF j(e-1 AND uz>-1) THEN IF INT(a(j)/4	[5509]	8350 :	[174]
)-INT(a(j+2)/4)=2*d THEN u=j+1:uz=uz+1-fu:		8500 s=i:p=p(s)	[503]
fu1=1:GOTO 6970		8510 x=x+1:GOSUB 7000	[1924]
6960 IF fu1=0 THEN uz=-1	[765]	8520 LOCATE 1,x-1:PEN 3	[924]
6970 NEXT:b(k)=a(j):IF k=4 THEN b(5)=0	[2155]	8530 RESTORE 10300:FOR j=0 TO INT(p/1000):	[3164]
6980 RETURN	[555]	READ a\$:NEXT	
7000 :	[174]	8540 a\$=n\$(s)+": "+a\$	[522]
7001 REM %%%%%%%%%%%%%%%%%%%%%%%%%	[1166]	8550 IF LEN(a\$)>40 THEN a\$=LEFT\$(a\$,LEN(a\$	[1117]
7002 REM % Karten anzeigen %	[1560]	)-9)	
7003 REM %%%%%%%%%%%%%%%%%%%%%%%%%	[1166]	8560 PRINT a\$;	[420]
7004 :	[174]	8570 LOCATE 1,x+11	[946]
7010 FOR i=1 TO 5	[449]	8580 i=s:RETURN	[2018]
7020 w=8*(i-1)+1:WINDOW#7,w,w+6,x,x+10:WIN	[2564]	8590 :	[174]
DOW SWAP 0,7:PAPER 1:CLS		8600 ON ERROR GOTO 8650	[1631]
7030 f=s(s,i) MOD 4:b=INT(s(s,i)/4):IF f=1	[4786]	8610 DEF FND\$(x,u\$)=DEC\$(x,u\$)	[311]
OR f=2 OR b=0 THEN PEN 2 ELSE PEN 0		8620 brk=&FC:i\$=FND\$(1,"#")	[1126]
7040 RESTORE 10100:FOR j=0 TO b:READ a\$,b\$	[2570]	8630 ON ERROR GOTO 0	[1381]
:NEXT:c\$=CHR\$(226+f)		8640 RETURN	[555]
7050 l=(LEN(a\$) MOD 2)+1	[642]	8650 DEF FND\$(x,u\$)=DEC\$((x,u\$)	[193]
7060 LOCATE 1,2:PRINT a\$	[1580]	8660 brk=&FF	[552]
7070 LOCATE 6,2:PRINT a\$	[657]	8670 RESUME NEXT	[703]
7080 LOCATE 1,10:PRINT a\$	[1392]	8680 :	[174]
7090 LOCATE 6,10:PRINT a\$	[1015]	8700 MODE 1:PAPER 0:PEN 1:CLS	[1766]
7100 IF b=0 THEN GOSUB 7300:GOTO 7150	[1537]	8710 IF m(0)=20000 THEN 1900	[909]
7110 FOR j=1 TO 7	[630]	8720 a\$=FND\$(ABS(m(0)-20000),"#####,###")	[3086]
7120 LOCATE 3,j+2:a=VAL(MID\$(b\$,j,1))	[1603]	:a\$=MID\$(a\$,INSTR(a\$,"\$"))	
7130 ON a GOSUB 7200,7210,7220,7230,7240,7	[2524]	8730 PRINT"Du hast heute ";a\$;" verloren."	[4142]
250		8740 GOTO 1970	[337]
7140 NEXT	[350]	8750 :	[174]
7150 WINDOW SWAP 0,7:NEXT	[1427]	8800 KEY DEF 66,0,brk,brk,brk	[1174]
7160 RETURN	[555]	8810 INPUT"",e	[386]
7200 PRINT " ";c\$;:RETURN	[2178]	8820 KEY DEF 66,0,&FC,&FC,&FC	[1892]
7210 PRINT c\$;" ";c\$;:RETURN	[1427]	8830 RETURN	[555]
7220 PRINT c\$;c\$;c\$;:RETURN	[886]	10000 :	[174]
7230 PRINT " ";c\$;:RETURN	[919]	10001 REM %%%%%%%%%	[598]
7240 PRINT c\$;c\$;:RETURN	[1336]	10002 REM % Daten %	[708]
7250 PRINT " ";c\$;c\$;:RETURN	[2594]	10003 REM %%%%%%%%%	[598]
7300 PEN 0:FOR j=1 TO 5	[1509]	10004 :	[174]
7310 LOCATE j+1,j+3:PRINT MID\$(b\$,j,1):;NE	[2136]	10010 DATA Sam Einauge,Whiskey Kid,Postkut	[3622]
XT		schen Ede,Revolver Joe	
7320 RETURN	[555]	10020 :	[174]
8000 :	[174]	10100 DATA *,JOKER,2,0100010,3,0101010,4,0	[4090]
8001 REM %%%%%%%%%%%%%%%%%%%%%%%%%	[1169]	200020,5,2001002,6,2002002,7,2010202	
8002 REM % Unterprogramme %	[1739]	10110 DATA 8,2102012,9,2021202,10,2120212,	[4059]
8003 REM %%%%%%%%%%%%%%%%%%%%%%%%%	[1169]	B,3444421,D,1222236,K,2225222	
8004 :	[174]	10120 DATA A,0001000	[704]
8010 SOUND 2,1000,15,6	[1426]	10130 :	[174]
8020 WHILE INKEY\$("<")="":WEND	[1786]	10200 DATA 13,3,15	[671]
8030 WHILE INKEY\$("<")="":r0=RND:WEND	[2934]	10210 DATA 13,6,18	[365]
8040 RETURN	[555]	10220 :	[174]
8050 :	[174]	10300 DATA NO PAIR,ONE PAIR,FOUR FLUSH,TWO	[4190]
8100 a\$=FND\$(m,"#####,###"):b\$="POTT":w=	[2393]	PAIRS,BLAZE,THREE OF A KIND	
3:GOTO 8120		10310 DATA ROUND THE CORNER STRAIGHT,SKIP	[4251]
8110 a\$=FND\$(ROUND(z,-2),"#####,###"):b\$=	[2745]	STRAIGHT,STRAIGHT,FLUSH,FULL HOUSE	
"Geboten":w=4		10320 DATA FOUR OF A KIND,STRAIGHT FLUSH,F	[1980]
8120 a\$=MID\$(a\$,INSTR(a\$,"\$"))	[1229]	IVE OF A KIND	