

```

100 SYMBOL AFTER 160 >PQ
110 OPENOUT "bidon":MEMORY HIMEM-1: >RZ
CLOSEOUT
120 SYMBOL 160,0,0,0,255,0,0,0,0 >YC
130 SYMBOL 161,0,0,0,255,0,0,0,255 >AC
140 SYMBOL 162,0,0,0,120,132,132,13 >FU
2,120
150 SYMBOL 163,4,4,4,124,132,132,13 >FN
2,120
160 SYMBOL 164,4,4,4,124,252,252,25 >FA
2,120
170 SYMBOL 165,7,4,4,124,252,252,25 >FF
2,120
180 SYMBOL 166,7,4,7,124,252,252,25 >FL
2,120
190 SYMBOL 167,7,4,7,124,255,252,25 >FR
2,120
200 SYMBOL 168,0,0,0,0,0,126,126,25 >BM
5
210 SYMBOL 169,0,0,0,255,126,126,0, >BP
0
220 SYMBOL 170,56,8,12,4,4,4,62,96 >AN
230 SYMBOL 171,127,1,2,2,4,4,8,8 >YL
240 SYMBOL 172,127,1,62,2,4,4,8,8 >ZZ
250 SYMBOL 173,127,1,62,2,60,4,8,8 >AJ
260 ' >RJ
270 DEFINT a-z >WF

```

```

280 DIM nom$(12),ht(12),des$(6),blc >WK
$(6),per(48),FP(1000),FD(1000),op$(
10)
290 FOR touche=0 TO 12:READ nom$(to >DD
uche),ht(touche):NEXT
300 DATA "é..è",5,"Do",1,"Do #",1," >ZU
Re",2,"Re #",2,"Mi",3
310 DATA "Fa",4,"Fa #",4,"Sol",5,"S >LL
ol #",5,"La",6,"La #",6,"Si",7
320 FOR duree=1 TO 6:des$(duree)=CH >TY
R$(161+duree)
330 blc$(duree)=CHR$(167+duree):NEX >FR
T
340 FOR i=1 TO 48:READ per(i):NEXT >BE
350 DATA 956,902,851,804,758,716,67 >YJ
6,638,602,568,536,506
360 DATA 478,451,426,402,379,358,33 >XQ
8,319,301,284,268,253
370 DATA 239,225,213,201,190,179,16 >XG
9,159,150,142,134,127
380 DATA 119,113,106,100,95,89,84,8 >NZ
0,75,71,67,63
390 nop=10:FOR op=1 TO nop:READ op$ >NP
(op):NEXT
400 DATA "ALLER          SUR UNE NOTE" >JF
,"AFFICHER  PARTITION","EFFACER
DES NOTES","INSERER      DES VIDE
S","COPIER      UNE SEQUENCE"
410 DATA "MODIFIER  KT","JOUER      >RL
UN MORCEAU","CHARGER  UN MOR
CEAU","SAUVEGARDER UN MORCEAU","CAT /
ALOGUE  DISQUETTE"
420 ' >RG
430 z$=CHR$(8)+CHR$(10) >QP
440 vport$=CHR$(161)+z$+CHR$(161)+z >JX
$+CHR$(160)+z$+" "+z$+CHR$(161)+z$+
CHR$(161)+z$+" "+z$+CHR$(161)+z$+CH
R$(161)+z$+CHR$(160)
450 curh$=CHR$(242)+CHR$(243):curv$ >AM
=CHR$(240)+CHR$(241)
460 desgam$=CHR$(162)+CHR$(163)+CHR >VN
$(164)+CHR$(165)+CHR$(166)+CHR$(167
)
470 desblcs$=CHR$(168)+CHR$(169)+CH >WV
R$(170)+CHR$(171)+CHR$(172)+CHR$(17
3)
480 esx$=CHR$(24) >LP
490 ' >TD
500 MODE 2:BORDER 13 >NG
510 WINDOW #1,1,40,13,20:WINDOW #2, >LB
1,80,1,12:PEN #2,0:PAPER #2,1:WINDO

```

```

W #4,1,40,21,25:PEN #4,0:PAPER #4,1
:GOSUB 3690
520 WINDOW #3,41,80,13,25:WINDOW SW >HL
AP 0,3
530 GRAPHICS PAPER 1:GRAPHICS PEN 0 >EA
,1
540 CLS#2:FOR i=6 TO 75:LOCATE #2,i >DL
,2:PRINT#2,vport$:NEXT
550 GOSUB 2600:GOSUB 3260 'Initiali >TE
sation fenetres #1 et #3
560 Gm=2:Nn=0:No=1:Nt=1:Dn=1:kt!=2. >FF
5
570 LOCATE #1,31,4:PRINT#1,RIGHT$(" >WD
"+STR$(Kt!),4)
580 GOSUB 2730:GOSUB 2770:GOSUB 282 >CK
0:GOSUB 2880:GOSUB 3010
590 '***** >TE
*****
600 ' Boucle de Saisie >RG
610 '----- >RH
-----
620 k$=INKEY$:IF k$="" THEN 620 ELS >RY
E k$=UPPER$(k$)
630 k=INSTR("AWSEDFTGYHUJ",k$):IF k >RA
<>0 THEN 760 ' N# Note
640 k=INSTR("ZXCVBN",k$):IF k<>0 TH >JF
EN 800 ' Duree
650 IF k$="." THEN 840 >NG
' Pointee
660 IF k$="/" OR k$="ç" THEN 880 >WG
' Gamme
670 IF k$="§" THEN 940 >PC
' Blanc
680 k=INSTR("1234567890",k$):IF k<> >LH
0 THEN 980 ' Duree Speciale
690 IF k$=CHR$(13) THEN 1070 >UY
' Validation No
te
700 k=INSTR(curh$,k$):IF k<>0 THEN >FH
1150 ' Deplacement
710 k=INSTR(curv$+" ",k$):IF k<>0 T >KL
HEN 1230 ' Options
720 PRINT CHR$(7):GOTO 620 >UM
730 '***** >TA
*****
740 ' N# Note >TB
750 '----- >TC
760 nt=k;GOSUB 2770:GOSUB 2880:LOCA >VC
TE #1,16,6:PRINT#1,desgam$:GOTO 620
770 '----- >TE
780 ' Duree >TF
790 '----- >TG

```



```

800 Dn=k:GOSUB 2820:GOSUB 2880:GOTO 620 >GJ
810 '----- >RK
820 ' Pointee >TA
830 '----- >TB
840 pt=NOT(pt):GOSUB 2820:GOTO 620 >CG
850 '----- >TD
860 ' Gamme >TE
870 '----- >TF
880 IF k$="/" THEN Gm=Gm-1:IF Gm=0 >KH
THEN Gm=4
890 IF k$="c" THEN Gm=Gm+1:IF Gm=5 >KH
THEN Gm=1
900 GOSUB 2730:GOSUB 2880:GOTO 620 >BZ
910 '----- >TA
920 ' Blanc >TB
930 '----- >TC
940 nt=0:GOSUB 2770:GOSUB 2880:LOCA >XT
TE #1,16,6:PRINT#1,desblcs$:GOTO 62
0
950 '----- >TE
960 ' Duree Speciale >TF
970 '----- >TG
980 zd$="00"+k$:ok=-1:LOCATE #1,17, >RB
4:PRINT#1,zd$
990 WHILE ok >GH
1000 k$=INKEY$:IF k$="" THEN 1000 >ZM
1010 IF INSTR("0123456789",k$)=0 >VU
THEN ok=0:GOTO 1030
1020 zd$=RIGHT$(zd$+k$,3):Dn=-VAL >QW
(zd$):LOCATE #1,17,4:PRINT#1,zd$
1030 WEND:GOTO 620 >MD
1040 '----- >XH
1050 ' Validation Note >XJ
1060 '----- >XK
1070 FP(No)=- (Nt<>0)*per((Gm-1)*12+ >YP
Nt):IF Dn>0 THEN FD(No)=(1-pt/2)*2^
(6-Dn) ELSE FD(No)=Dn
1080 No=No+1:IF No>NN THEN NN=No >AL
1090 IF No MOD 70=0 THEN FOR i=6 TO >WL
75:LOCATE #2,i,2:PRINT#2,vport$:NE
XT
1100 GOSUB 3010:LOCATE #1,16,6:PRIN >YG
T#1,desgam$:IF FD(No)=0 THEN GOSUB
2880
1110 GOTO 620 >EG
1120 '----- >XG
1130 ' Deplacement >XH
1140 '----- >XJ
1150 IF k=2 THEN 1180 >NZ
1160 IF (No MOD 70)=1 THEN PRINT >BK
CHR$(7)+CHR$(8);:GOTO 620
1170 No=No-1:GOSUB 3010:GOTO 620 >AL
1180 IF (No MOD 70)=0 OR No>NN THEN >LR
PRINT CHR$(7)+CHR$(8);:GOTO 620

```

```

1190   No=No+1:GOSUB 3010:GOTO 620   >AL

1200 '***** >XF

1210 ' Options >XG
1220 '----- >XH

1230 IF k>1 THEN 1260 >NX
1240   LOCATE 1,2+op:PRINT op$(op): >HG
op=op-1:IF op=0 THEN op=nop
1250   LOCATE 1,2+op:PRINT esx$;op$ >XY
(op);esx$:GOTO 620
1260 IF k=3 THEN 1290 >NE
1270   LOCATE 1,2+op:PRINT op$(op): >HF
op=op+1:IF op>nop THEN op=1
1280   LOCATE 1,2+op:PRINT esx$;op$ >XB
(op);esx$:GOTO 620
1290 ON op GOSUB 1340,1430,1510,169 >JT
0,1860,2050,2420,2250,2130,2360
1300 GOSUB 3260:GOTO 620 >RA
1310 '----- >XH

1320 ' Aller sur une note >XJ
1330 '----- >XK

1340 CLS >ZH
1350 PRINT esx$;"Aller sur une note >AV
";esx$:PRINT
1360 PRINT"Il y a ";NN;" Notes." >DD
1370 GOSUB 3420 >XC
1380 IF INT(z/70)=INT(No/70) THEN N >CD
o=z:GOSUB 3010:RETURN
1390 za=INT(z/70)*70:No=z:GOSUB 333 >NK
0:RETURN
1400 '----- >XH

1410 ' AFFicher la partition >XJ
1420 '----- >XK

1430 CLS:PRINT esx$;"Afficher la pa >KU
rtition";esx$:PRINT
1440 PRINT"Il y a ";NN;" Notes." >DC
1450 PRINT:PRINT"Afficher a partir >GZ
de la note No:"
1460 GOSUB 3420:IF z=0 THEN RETURN >BM
1470 za=70*INT((z-1)/70)+1:No=za:GO >JN
SUB 3330:GOSUB 3010:RETURN
1480 '----- >YF

1490 ' Effacer des notes >YG
1500 '----- >XJ

```

```

1510 CLS:PRINT esx$;"Effacer des no >DZ
tes";esx$:PRINT
1520 PRINT"Il y a ";NN;" Notes.":LO >CW
CATE 2,13:PRINT"(000) Pour sortir."

1530 LOCATE 1,5:PRINT"A partir de l >GL
a note :":GOSUB 3420
1540 LOCATE 23,5:PRINT z$:za=z:IF z >PW
=0 THEN 1650
1550 LOCATE 1,6:PRINT"Jusqu'a la no >EC
te      ":GOSUB 3420
1560 LOCATE 23,6:PRINT z$:zb=z:IF z >PA
=0 THEN 1650
1570 IF za>zb THEN z=za:za=zb:zb=z >DF
1580 ' >YG
1590 zc=zb-za+1 >GJ
1600 FOR zi=za TO NN >NZ
1610 IF zi+zc>NN THEN zfp=0:zfd=0 >TY
ELSE zfp=FP(zi+zc):zfd=FD(zi+zc)
1620 FP(zi)=zfp:FD(zi)=zfd >XP
1630 NEXT >LB
1640 NN=NN-zc >UE
1650 RETURN >FF
1660 '----- >YF

1670 ' Insérer des vides >YG
1680 '----- >YH

1690 CLS:PRINT esx$;"Insérer des vi >DR
des";esx$:PRINT
1700 PRINT"Il y a ";NN;" Notes.":LO >CW
CATE 2,13:PRINT"(000) Pour sortir."

1710 LOCATE 1,5:PRINT"A partir de l >GL
a note :":GOSUB 3420
1720 LOCATE 23,5:PRINT z$:za=z:IF z >PV
=0 THEN 1820
1730 LOCATE 1,6:PRINT"Vides a inser >EF
er      ":GOSUB 3420
1740 LOCATE 23,6:PRINT z$:zc=z:IF z >PA
=0 THEN 1820
1750 IF za+zc>999 THEN PRINT CHR$(7 >ZF
)+CHR$(8);:GOTO 1820
1760 ' >YG
1770 NN=NN+zc >UG
1780 FOR zi=NN TO za+zc STEP -1 >YX
1790 FP(zi)=FP(zi-zc):FD(zi)=FD(z >JB
i-zc)
1800 NEXT >LA
1810 FOR zi=za TO za+zc-1:FP(zi)=0: >UU
FD(zi)=0:NEXT
1820 RETURN >FE
1830 '----- >YE

1840 ' Copier une sequence >YF
1850 '----- >YG

```



```

1860 CLS:PRINT esx$;"Copier une seq >GG
uence";esx$:PRINT
1870 PRINT"Il y a ";NN;" Notes.":LO >CE
CATE 2,13:PRINT"(000) Pour sortir."

1880 LOCATE 1,5:PRINT"A partir de l >GV
a note :":GOSUB 3420
1890 LOCATE 23,5:PRINT z$:za=z:IF z >PV
=0 THEN 2010
1900 LOCATE 1,6:PRINT"Jusqu'a la no >EB
te      ":GOSUB 3420
1910 LOCATE 23,6:PRINT z$:zb=z:IF z >PP
=0 THEN 2010
1920 LOCATE 1,7:PRINT"A la position >DJ
      ":GOSUB 3420
1930 LOCATE 23,7:PRINT z$:zc=z:IF z >PU
=Q THEN 2010
1940 IF za>zb THEN z=za:za=zb:zb=z >DG
1950 IF zc<=zb OR zc+zb-za>999 THEN >QT
PRINT CHR$(7)+CHR$(8);:GOTO 2010

1960 ' >YJ
1970 NN=NN+zb-za+1 >NT
1980 FOR zi=za TO zb >PC
1990   FP(zc+zi-za)=FP(zi):FD(zc+zi >RG
-za)=FD(zi)
2000 NEXT >KD
2010 RETURN >EG
2020 '----- >XG

2030 ' Modifier Kt >XH
2040 '----- >XJ

2050 CLS:PRINT esx$;"Modifier Kt "; >VN
esx$:PRINT
2060 LOCATE 1,5:PRINT"Nouvelle vale >JR
ur (x10) :":GOSUB 3420
2070 LOCATE 25,5:PRINT z$:IF z=0 TH >HZ
EN 2090
2080 kt!=z/10:LOCATE #1,31,4:PRINT# >HN
1,RIGHT$("   "+STR$(Kt!),4)
2090 RETURN >FE
2100 '----- >XF

2110 ' Sauvegarder un morceau >XG
2120 '----- >XH

2130 CLS:PRINT esx$;"Sauvegarder "; >WV
esx$:PRINT
2140 GOSUB 3550 >XC
2150 IF z$="" THEN RETURN >YP
2160 z$=z$+".MUS":OPENOUT z$ >XG
2170   PRINT#9,Kt! >LM
2180   PRINT#9,NN >LE
2190   FOR zi=1 TO NN:PRINT#9,FP(zi >CC
):PRINT#9,FD(zi):NEXT

```

```

2200 CLOSEOUT >YE
2210 RETURN >EJ
2220 '----- >XJ

2230 ' Charger un morceau >XK
2240 '----- >YA

2250 CLS:PRINT esx$;"Charger un mor >GE
ceau ";esx$:PRINT
2260 GOSUB 3550 >XF
2270 IF z$="" THEN RETURN >YT
2280 z$=z$+".MUS":OPENIN z$ >WJ
2290 INPUT#9,Kt!:INPUT#9,NN >YA
2300 FOR zi=1 TO NN:INPUT#9,FP(zi >CB
):INPUT#9,FD(zi):NEXT
2310 CLOSEIN >LG
2320 RETURN >FA
2330 '----- >YA

2340 ' CATalogue >YB
2350 '----- >YC

2360 CLS:CAT >JG
2370 WHILE INKEY$="":WEND >UH
2380 RETURN >FG
2390 '----- >YG

2400 ' Jouer un morceau >XJ
2410 '----- >XK

2420 CLS:PRINT esx$;"Jouer un morce >VB
au";esx$
2430 PRINT"Il y a ";NN;" Notes.":LO >CX
CATE 2,13:PRINT"(000) Pour sortir."
2440 LOCATE 1,5:PRINT"A partir de l >GM
a note :":GOSUB 3420
2450 LOCATE 23,5:PRINT z$:za=z:IF z >PX
=0 THEN 2550
2460 LOCATE 1,6:PRINT"Jusqu'a la no >ED
te :":GOSUB 3420
2470 LOCATE 23,6:PRINT z$:zb=z:IF z >PB
=0 THEN 2550
2480 IF za>zb THEN z=za:za=zb:zb=z >DG
2490 IF zb>999 THEN PRINT CHR$(7)+C >VP
HR$(8);:GOTO 2550
2500 CLEAR INPUT:PRINT"*Pressez une >YG
touche*":WHILE INKEY$="":WEND
2510 FOR zi=za TO zb >NA
2520 zfp=FP(zi):zd=kt!*ABS(FD(zi) >HZ
):IF zd=0 OR INKEY$<>" THEN zi=999

```



```

9:GOTO 2540
2530 SOUND 1,zfp,zd,15:SOUND 1,zf >JR
p,0.5,0
2540 NEXT >LC
2550 RETURN >FF
2560 END ' Simple precaution >ZB
2570 '----- >YG
-
2580 ' Initialisation fenetre #1 >YH
-
2590 '----- >YJ
-
2600 CLS: >GE
2610 PRINT#1,CHR$(150)+STRING$(5,15 >EA
4)+CHR$(158)+STRING$(7,154)+CHR$(15
8)+STRING$(7,154)+CHR$(156)+CHR$(15
0)+STRING$(4,154)+CHR$(156)+CHR$(15
0)+STRING$(4,154)+CHR$(156)
2620 PRINT#1,CHR$(149);"Game";CHR$ >HZ
(149);"Note ";CHR$(149);"Duree "
;CHR$(149);CHR$(149);" No ";CHR$(14
9);CHR$(149);" Kt ";CHR$(149)
2630 PRINT#1,CHR$(151)+STRING$(5,15 >EL
4)+CHR$(159)+STRING$(7,154)+CHR$(15
9)+STRING$(7,154)+CHR$(157)+CHR$(15
1)+STRING$(4,154)+CHR$(157)+CHR$(15
1)+STRING$(4,154)+CHR$(157)
2640 PRINT#1,CHR$(149)+SPACE$(5)+CH >WL
R$(149)+SPACE$(7)+CHR$(149)+SPACE$(
7)+CHR$(149)+CHR$(149)+SPACE$(4)+CH
R$(149)+CHR$(149)+SPACE$(4)+CHR$(14
9)
2650 PRINT#1,CHR$(147)+STRING$(5,15 >EH
4)+CHR$(155)+STRING$(7,154)+CHR$(15
5)+STRING$(7,154)+CHR$(153)+CHR$(14
7)+STRING$(4,154)+CHR$(153)+CHR$(14
7)+STRING$(4,154)+CHR$(153)
2660 PRINT#1," - + ";desg >LJ
am$;" - +"
2670 PRINT#1," WE TYU" >VC
2680 PRINT#1," / c ASDFGHJ ZXCVCBN >KC
";CHR$(242);" ";CHR$(243)
2690 RETURN >GA
2700 '----- >YB
-
2710 ' Aff Game (GM) >YC
2720 '----- >YD
-
2730 LOCATE #1,2,4:PRINT#1,"1234":L >XJ
OCATE #1,1+GM,4:PRINT#1,esx$;CHR$(4
8+GM);esx$:RETURN
2740 '----- >YF
-
2750 ' Aff Nom$ (Nt) >YG
2760 '----- >YH
-
2770 IF nt=0 THEN z=0 ELSE z=nt MOD >WE

```

```

12: IF z=0 THEN z=12
2780 LOCATE #1,8,4:PRINT#1,LEFT$(no >BY
      $(z)+" ",5):RETURN
2790 '----- >ZA
-
2800 ' Aff Duree (Dn) >YC
2810 '----- >YD
-
2820 z=2^(6-Dn):IF Pt THEN z=z*1.5 >BA

2830 LOCATE #1,16,4:PRINT#1,z;" ": >YW
LOCATE #1,21,4:PRINT#1,des$(Dn);:IF
Pt THEN PRINT#1,"." ELSE PRINT#1,"
"

2840 RETURN >FH
2850 '----- >YH
-
2860 ' Aff Des Note Courante >YJ
2870 '----- >YK
-
2880 zn=No:zp=pt:zg=Gm:IF nt=0 THE >NM
N znt=0 ELSE znt=(Gm-1)*12+nt
2890 IF Dn>0 THEN zd=Dn ELSE Zd=3 >AK
2900 '----- >YD
-
2910 ' Aff Des SSPRG >YE
2920 '----- >YF
-
2930 zx=(zn MOD 70)*8+40:IF znt=0 T >PE
HEN z$=blc$(zd):zy=310:GOTO 2950
2940 zy=262+4*((zg-1)*7+ht(((znt-1 >GP
) MOD 12)+1)-1):z$=des$(zd)
2950 LOCATE #2,(zn MOD 70)+6,2:PRIN >NQ
T #2,vport$
2960 TAG #2:MOVE zx,zy:PRINT#2,z$;: >DN
IF zp THEN PRINT#2,".";
2970 TAGOFF #2:RETURN >QU
2980 '----- >ZB
-
2990 ' Aff No >ZC
3000 '----- >XF
-
3010 LOCATE #1,25,4:PRINT#1,RIGHT$( >WK
" "+STR$(No),4)
3020 LOCATE #2,5+(No MOD 70),12:PRI >LG
NT#2," ^ "
3030 IF FD(No)=0 THEN RETURN >WU
3040 z=FP(No):GOSUB 3110:Gm=1:Nt=z: >WL
WHILE Nt>12:nt=nt-12:Gm=Gm+1:WEND
3050 z=FD(No):GOSUB 3170:Dn=z:Pt=zp >ET

3060 GOSUB 2730:GOSUB 2770:GOSUB 28 >EU
20
3070 RETURN >FD
3080 '----- >YD
-
3090 ' HAUTNOTE >YE

```

```

3100 '----->XG
-
3110 IF z=0 THEN RETURN>RL
3120 FOR zi=1 TO 48:IF z=Per(zi) TH>RE
EN z=zi:zi=99
3130 NEXT:RETURN>MV
3140 '----->YA
-
3150 ' TYPNOTE>YB
3160 '----->YC
-
3170 zp=0>GC
3180 IF z<0 THEN z=3:RETURN>WB
3190 IF (z MOD 3)=0 THEN zp=-1:z=z/ >DP
1.5
3200 FOR zi=0 TO 5:IF z=2^(6-zi) TH>RG
EN z=zi:zi=99
3210 NEXT>KH
3220 RETURN>FA
3230 '----->YA
--
3240 ' Aff Options>YB
3250 '----->YC
--
3260 CLS:PRINT curv$;" et <ESPACE>">FC
:PRINT STRING$(39,"-")
3270 FOR i=1 TO nop:LOCATE 1,i+2:PR>VZ
INT op$(i):NEXT
3280 op=1:LOCATE 1,3:PRINT esx$;op$>MU
(1);esx$
3290 RETURN>FH
3300 '----->XJ
--
3310 ' Aff Part>XK
3320 '----->YA
--
3330 FOR zj=za TO za+69>RP
3340 z=FP(zj):GOSUB 3110:znt=z:zG>AB
=1:WHILE z>12:zG=zG+1:z=z-12:WEN
D
3350 z=FD(zj):GOSUB 3170:zn=zj:zd>FU
=z
3360 GOSUB 2930>ZG
3370 NEXT>LE
3380 RETURN>FH
3390 '----->YH
-
3400 ' Sais Nb 3cf>XK
3410 '----->YA
-
3420 LOCATE 18,9:PRINT CHR$(150);ST>ZR

```



```

RING$(3,154);CHR$(156):LOCATE 18,10
:PRINT CHR$(149);" ";CHR$(149):LO
CATE 18,11:PRINT CHR$(147);STRING$(
3,154);CHR$(153)
3430 z$="000":k$="":WHILE k$<>CHR$( >ER
13)
3440 LOCATE 19,10:PRINT z$ >VW
3450 k$=INKEY$:IF k$="" THEN 3450 >ZL
3460 IF k$=CHR$(13) THEN 3490 >VW
3470 k=INSTR("0123456789",k$):IF >YW
k=0 THEN PRINT CHR$(7)+CHR$(8);:GOT
0 3450
3480 z$=RIGHT$(z$+k$,3) >RG
3490 WEND:z=VAL(z$) >PR
3500 IF z=0 OR z>NN THEN PRINT CHR$ >PN
(7)+CHR$(8);
3510 RETURN >FC
3520 '----- >YC
-
3530 ' SaisNomFic >YD
3540 '----- >YE
-
3550 LOCATE 5,10:PRINT" ";CHR$(1 >KF
50);STRING$(12,154);CHR$(156)
3560 LOCATE 5,11:PRINT"Nom ";CHR$(1 >JJ
49);" .MUS";CHR$(149)
3570 LOCATE 5,12:PRINT" ";CHR$(1 >LE
47);STRING$(12,154);CHR$(153)
3580 z$=" " >WF
3590 WHILE k$<>CHR$(13) >RU
3600 k$=INKEY$:IF k$="" THEN 3600 >ZE
3610 IF k$=CHR$(13) THEN 3640 >VP
3620 k$=UPPER$(k$):IF (k$<"A" OR >TA
k$>"Z") AND k$<>" " THEN PRINT CHR$
(7)+CHR$(8);:GOTO 3600
3630 z$=RIGHT$(z$+k$,8):LOCATE 10 >PX
,11:PRINT z$
3640 WEND >JH
3650 RETURN >FH
3660 '----- >YH
-
3670 ' AffFen#4 >YJ
3680 '----- >YK
-
3690 CLS#4:LOCATE #4,10,1:PRINT#4,C >UL
HR$(150);STRING$(17,154);CHR$(156)
3700 LOCATE #4,10,2:PRINT#4,CHR$(14 >MP
9);" M U S T U D I O ";CHR$(149):LO
CATE #4,10,3:PRINT#4,CHR$(147);STRI
NG$(17,154);CHR$(153)
3710 PRINT#4,"Copyright : Jean-Manu >YZ
el MARIES"
3720 PRINT#4,"Les Bugs,quels bugs ? >PX
??";
3730 RETURN >FG

```