

```

10 '*****
20 '*          UEBERWEISUNGEN          *
30 '*          VON                      *
40 '*          HEINZ NEUER              *
50 '*          FUER                     *
60 '*          SCHNEIDER AKTIV          *
61 '*          CPC 664/6128             JE*
62 '*****
70 OPENOUT "DUMMY":CLOSEOUT
80 '
90 'UMLAUTE
100 '
110 SYMBOL AFTER 90
120 SYMBOL 91,90,60,102,102,126,102,102,
0
130 SYMBOL 92,186,108,198,198,198,108,56
,0
140 SYMBOL 93,102,0,102,102,102,102,60,0

150 SYMBOL 123,72,0,120,12,124,204,118,0
160 SYMBOL 124,36,0,60,102,102,102,60,0
170 SYMBOL 125,68,0,102,102,102,102,62,0
180 SYMBOL 126,56,108,108,108,102,118,10
8,96
190 '
200 'WINDOWS
210 '
220 MODE 2:BORDER 8
230 WINDOW#0,1,80,5,22:WINDOW#1,1,80,1,5
:WINDOW#2,2,79,2,3
240 WINDOW#4,1,80,23,25:WINDOW#5,2,79,24
,24:WINDOW#6,72,79,3,3
250 PRINT#1,CHR$(150);STRING$(78,154);CH
R$(156);
260 PRINT#1,CHR$(149);TAB(80);CHR$(149);
CHR$(149);TAB(80);CHR$(149);
270 PRINT#1,CHR$(147);STRING$(78,154);CH
R$(153)
280 PRINT#4,CHR$(150);STRING$(78,154);CH
R$(156);
290 PRINT#4,CHR$(149);TAB(80);CHR$(149);
300 PRINT#4,CHR$(147);STRING$(78,154);CH
R$(153);
310 '
320 'INITIALISIERUNG USW.
330 '
340 '
350 KN1=12345678
    'HIER EIGENE KONTONUMMER 1 EINSETZEN
360 KN2=87654321
    'HIER EIGENE KONTONUMMER 2 EINSETZEN
370 NAM$="HEINZ NEUER 6953 GUNDELSHEIM"
    'HIER EIGENE ANSCHRIFT EINSETZEN
380 DT$="UBERWEIS.DAT"
390 DIM NU(20),DAT$(20),E$(20),VZ1$(20),
VZ2$(20),VZ3$(20),BETR(20)
400 KEY 159,"GOTO 450"+CHR$(13)
410 KEY DEF 68,0,159
420 I$=CHR$(24)
430 ON ERROR GOTO 1720

```

```

440 OPENIN DT$:INPUT#9,N:FOR I=1 TO N:IN
PUT#9,NU(I),DAT$(I),E$(I),VZ1$(I),VZ2$(I
),VZ3$(I),BETR(I):NEXT:CLOSEIN:GOTO 480
450 '
460 'MENUE
470 '
480 CLS:CLS#5:CLS#2:SOUND 1,50,50,15:PRI
NT#2," ";I$;" J B E R W E I S U N G E N
";I$;TAB(57)CHR$(164);" by ";I$;" Ne ";I
$;"SOFT - 04.87"
490 FOR T=25 TO 20 STEP -1:PLOT 150-T,12
5-T:DRAW 500+T,125-T:DRAW 500+T,275+T:DR
AW 150-T,275+T:DRAW 150-T,125-T:NEXT
500 LOCATE 20,7:PRINT "AUSFÜLLEN DER JBE
RWEISUNG.SVORDRUCKE (1)"
510 LOCATE 20,9:PRINT"GESAMTLISTE ALLER
JBERWEISUNGEN (2)"
520 LOCATE 20,11:PRINT"PROGRAMMENDE / RE
SET (3)"
530 PRINT#5," >>>>> ";I$;" BITTE WÄHLEN
";I$;TAB(40)">>>>> NACH ";I$;" BREAK ";I
$;" MIT ";I$;" TAB ";I$;" ZUM MENUE"
540 A$=INKEY$
550 ON VAL(A$) GOTO 590,1580,1750
560 ' EIN,GESL,ENDE
570 GOTO 540
580 '
590 'FORMULAR
600 '
610 CLS#2:CLS#5:CLS:SOUND 1,100,50,15
620 PRINT#2," ";I$;" J B E R W E I S U N
G S A U F T R A G ";:PRINT#2,USING" Nr.
## ";N+1;:PRINT#2,I$;
630 MOVE 543,105:DRAW 543,295:MOVE 543,3
42:DRAW 96,342:MOVE 96,295:DRAW 96,105:M
OVE 96,105:DRAW 543,105:MOVE 96,134:DRAW
543,134:MOVE 96,133:DRAW 210,133:MOVE 9
7,133:DRAW 97,104
640 MOVE 97,106:DRAW 210,106:MOVE 96,220
:DRAW 543,220:MOVE 543,219:DRAW 417,219:
MOVE 417,219:DRAW 417,136:MOVE 415,220:D
RAW 415,134:MOVE 417,136:DRAW 543,136:MO
VE 541,136:DRAW 541,220
650 MOVE 96,247:DRAW 543,247:MOVE 227,24
7:DRAW 227,220:MOVE 428,247:DRAW 428,295
:MOVE 543,295:DRAW 96,295:MOVE 246,75:DR
AW 331,75:MOVE 348,75:DRAW 529,75
660 LOCATE 35,18:PRINT"Datum"
670 LOCATE 49,18:PRINT"Unterschrift"
680 LOCATE 14,13:PRINT" Konto Nr. "
690 LOCATE 35,13:PRINT" Auftraggeber "
700 LOCATE 14,8:PRINT"Verwendungszweck (
nur f)r Empfänger)"
710 LOCATE 60,8:PRINT " DM "
720 LOCATE 14,6:PRINT"Konto Empfänger"
730 LOCATE 31,6:PRINT" bei "
740 LOCATE 14,3:PRINT"Empfänger (genaue
Anschrift) "
750 LOCATE 56,3:PRINT"Bankleitzahl"
760 PRINT#5," >>>>> ";I$;" BITTE KONTONU

```

```

MMER WÄHLEN ";I$;CHR$(243);:PRINT#5,TAB(
45);"#" ;KN1;I$;" 1 ";I$;" #";KN2;I$;
" 2 ";I$
770 '
780 'EINGABEN
790 '
800 N$=INKEY$
810 IF VAL(N$)=1 THEN KN=KN1:GOTO 840
820 IF VAL(N$)=2 THEN KN=KN2:GOTO 840
830 GOTO 800
840 I=N+1:NU(I)=KN:PRINT#2,I$;" VON KONT
O #";NU(I);" ";I$:CLS#5:PRINT#5," >>>>>
";I$;" BITTE AUSFÜLLEN ";I$:PRINT I$
850 LOCATE 14,5:INPUT"";E$(I)
860 IF LEN(E$(I))>40 THEN LOCATE 14,5:PR
INT SPC(50):CLS#5:SOUND 1,50,100,15:PRIN
T#5," >>>>> ";I$;" MAX. 40 ZEICHEN ";I$:
FOR W=1 TO 1000:NEXT:GOTO 850
870 CLS#5
880 LOCATE 56,5:INPUT"";BLZ
890 IF BLZ>99999999 THEN LOCATE 56,5:PRI
NT SPC(12):CLS#5:SOUND 1,50,100,15:PRINT
#5," >>>>> ";I$;" MAX. 8 STELLEN ";I$:FO
R W=1 TO 1000:NEXT:GOTO 880
900 LOCATE 14,7:INPUT"";KTO$
910 IF LEN(KTO$)>10 THEN LOCATE 14,7:PRI
NT SPC(12):CLS#5:SOUND 1,50,100,15:PRINT
#5," >>>>> ";I$;" MAX. 9 STELLEN ";I$:FO
R W=1 TO 1000:NEXT:GOTO 900
920 CLS#5
930 LOCATE 31,7:INPUT"";BK$
940 IF LEN(BK$)>37 THEN LOCATE 31,7:PRIN
T SPC(40):CLS#5:SOUND 1,50,100,15:PRINT#
5," >>>>> ";I$;" MAX. 37 ZEICHEN ";I$:FO
R W=1 TO 1000:NEXT:GOTO 930
950 CLS#5
960 LOCATE 14,10:INPUT"";VZ1$(I)
970 IF LEN(VZ1$(I))>38 THEN LOCATE 14,10
:PRINT SPC(40):CLS#5:SOUND 1,50,100,15:P
RINT#5," >>>>> ";I$;" MAX. 38 ZEICHEN ";
I$:FOR W=1 TO 1000:NEXT:GOTO 960
980 LOCATE 14,11:INPUT"";VZ2$(I)
990 IF LEN(VZ2$(I))>38 THEN LOCATE 14,11
:PRINT SPC(40):CLS#5:SOUND 1,50,100,15:P
RINT#5," >>>>> ";I$;" MAX. 38 ZEICHEN ";
I$:FOR W=1 TO 1000:NEXT:GOTO 980
1000 LOCATE 14,12:INPUT"";VZ3$(I)
1010 IF LEN(VZ3$(I))>38 THEN LOCATE 14,1
2:PRINT SPC(40):CLS#5:SOUND 1,50,100,15:
PRINT#5," >>>>> ";I$;" MAX. 38 ZEICHEN "
;I$:FOR W=1 TO 1000:NEXT:GOTO 1000
1020 CLS#5
1030 LOCATE 55,11:INPUT"";BETR(I)
1040 IF BETR(I)>999999 THEN LOCATE 55,11
:PRINT SPC(13):CLS#5:SOUND 1,50,100,15:P
RINT#5," >>>>> ";I$;" MAX. DM 999999 ";I
$:FOR W=1 TO 1000:NEXT:GOTO 1030
1050 CLS#5:LOCATE 14,14:PRINT KN
1060 LOCATE 30,14:PRINT NAM$
1070 LOCATE 33,16:INPUT"";DAT$(I)

```

```

1080 IF LEN(MID$(I)) <> 8 THEN LOCATE 33,1
6:PRINT SPC(10):CLS#5:SOUND 1,50,100,15:
PRINT#5," >>>> ";I$;" FORMAT: TT.MM.JJ
";I$:FOR W=1 TO 1000:NEXT:GOTO 1070
1090 CLS#5:PRINT#5," >>>> ";I$;" EINGAB
EN RICHTIG ? ";I$;CHR$(243);" (J/N)"
1100 R$=UPPER$(INKEY$):IF R$="" THEN 110
0
1110 IF R$<>"N" THEN PRINT I$:GOTO 1130
1120 IF R$="N" THEN PRINT I$:CLS:GOTO 60
0
1130 N=N+1
1140 '
1150 'DRUCKEN
1160 '
1170 DR=VAL(MID$(BIN$(INP(&F500)),8),2,1)
)-1
1180 IF DR THEN CLS#5:PRINT#5," >>>> ";
I$;" AUSDRUCK ";I$:PRINT#8,CHR$(7) ELSE
PRINT#5," >>>> ";I$;" DRUCKER NICHT BER
EIT ";I$;SPC(49):SOUND 1,50,30,15:FOR W=
1 TO 300:NEXT:FOR W=1 TO 100:CLS#5:NEXT:
GOTO 1170
1190 PRINT#8,E$(I);:PRINT#8,TAB(42)BLZ
1200 PRINT#8
1210 PRINT#8,KTO$;:PRINT#8,TAB(17)BK$
1220 PRINT#8:PRINT#8
1230 PRINT#8,VZ1$(I):PRINT#8,VZ2$(I);:PR
INT#8,TAB(40)"DM ";:PRINT#8,USING"#####
.##";BETR(I);:PRINT#8,"***":PRINT#8,VZ3$
(I)
1240 PRINT#8
1250 PRINT#8,KN;:PRINT#8,TAB(20)NAM$
1260 PRINT#8:PRINT#8
1270 PRINT#8,TAB(20)DAT$(I):PRINT#8,CHR$
(7)
1280 '
1290 ' KONTROLLAUSDRUCK
1300 '
1310 CLS#5:PRINT#5," >>>> ";I$;" KONTRO
LLAUSDRUCK ? ";I$;CHR$(243);" (J/N)"
1320 A$=UPPER$(INKEY$):IF A$="" THEN 132
0
1330 IF A$="J" THEN CLS#5:PRINT#5," >>>>
> ";I$;" NORMALPAPIER EINLEGEN ";I$;CHR$
(243);TAB(71);I$;" TASTE ";I$:CALL &BB06
:GOTO 1360
1340 IF A$<>"J" THEN 1450
1350 GOTO 1320
1360 PRINT#8,CHR$(45);TAB(80) CHR$(45):F
OR L=1 TO 5:PRINT#8:NEXT
1370 PRINT#8,"JBERWEISUNGSauftrag von KT
O#";KN;" ";NAM$
1380 PRINT#8:PRINT#8:PRINT#8
1390 PRINT#8,"DATUM";TAB(10)"EMPfänger";
TAB(30)"VERWENDUNGSZWECK";TAB(70)"BETRAG
(DM)":PRINT#8,CHR$(27)CHR$(45)CHR$(1);ST
RING$(80,32);CHR$(27)CHR$(45)CHR$(0):PRI
NT#8
1400 PRINT#8,DAT$(I);:PRINT#8,TAB(10)LEF

```

```

T$(E$(I),17);:PRINT#8,TAB(30)VZ1$(I)
1410 PRINT#8,TAB(10) MID$(E$(I),18,17);:
PRINT#8,TAB(30)VZ2$(I):PRINT#8,TAB(10) M
ID$(E$(I),35,15);:PRINT#8,TAB(30)VZ3$(I)
;:PRINT#8,TAB(70) USING"#####.##";BETR(
I)
1420 PRINT#8,CHR$(27)CHR$(45)CHR$(1);STR
ING$(80,32);CHR$(27)CHR$(45)CHR$(0)
1430 FOR L=1 TO 6:PRINT#8:NEXT:PRINT#8,C
HR$(45);TAB(80)CHR$(45)CHR$(12)
1440 '
1450 'SAVEN
1460 '
1470 CLS#5:PRINT#5," >>>> ";I$;" DATEN
WERDEN GESPEICHERT ";I$
1480 OPENOUT DT$
1490 WRITE#9,N
1500 FOR I=1 TO N
1510 WRITE#9,NU(I),DAT$(I),E$(I),VZ1$(I)
,VZ2$(I),VZ3$(I),BETR(I)
1520 NEXT
1530 CLOSEOUT
1540 DATBAK$=LEFT$(DT$,8)+".BAK"
1550 /ERA,DATBAK$
1560 GOTO 460
1570 '
1580 'GESAMTLISTE
1590 '
1600 CLS:CLS#2:CLS#5:SOUND 1,100,50,15
1610 PRINT#2," ";I$;" G E S A M T L I S
T E ";TAB(38)"1 = KTO#";KN1;" 2 = KTO
#";KN2;I$:PRINT#2,"#";TAB(3)"DATUM";TAB(
13)"EMPfänger";TAB(38)"VERWENDUNGSZWECK"
;TAB(69)"BETRAG"
1620 FOR I=1 TO N
1630 IF NU(I)=KN1 THEN NUM=1 ELSE IF NU(
I)=KN2 THEN NUM=2
1640 'IF NU(I)=KN2 THEN NUM=2
1650 PRINT NUM;TAB(4)DAT$(I);:PRINT TAB(
14) USING"\ "E$(I)
;:PRINT TAB(39) USING"\
";VZ1$(I);:PRINT TAB(70) USIN
G"#####.##";BETR(I)
1660 IF I MOD 18=0 THEN CLS#5:PRINT#5,"
>>>> ";I$;" TASTE ";I$:CALL &BB18
1670 NEXT
1680 PRINT TAB(2)STRING$(77,154)
1690 PRINT#5," >>>> ";I$;" TASTE = MENU
E ";I$:CALL &BB06:GOTO 460
1700 '
1710 'FEHLERRoutine
1720 '
1730 IF ERR=32 THEN CLS:CLS#5:PRINT#5,"
>>>> ";I$;" DATEI NICHT VORHANDEN / DIS
KETTENFEHLER ";I$:SOUND 1,20,300,15:FOR
W=1 TO 3000:NEXT:RESUME 460
1740 CLS:CLS#5:PRINT#5," >>>> ";I$;" PR
OGRAMMFEHLER ";I$;ERR;" IN ";ERL:SOUND 1
,20,300,15:FOR W=1 TO 3000:NEXT:RESUME 4
60

```

1750 '

1760 'PROGRAMMENDE

1770 '

1780 X=1:CLS#5:PRINT#5," >>>>> ";I\$;" IN
NERHALB 10 SEK. NACH BREAK MIT TAB INS M
ENUE ";I\$;CHR\$(243):WHILE X<11:LOCATE#5,
57,1:PRINT#5,X;:X=X+1:SOUND 1,80,10,15:F
OR W=1 TO 1000:NEXT:WEND:CALL 0

1790 '