

# HELLO

```
10 POKE &B4E8,255:GOSUB 15000
20 ON BREAK GOSUB 20000:c$="HELLO V2.0":
  !B,2
30 DEFINT a-z:s=1:m=2:f0=13:f1=0:f2=15:z
  eichen=0
40 BORDER f0:INK 0,f0:INK 1,f0:INK 2,f2:
  INK 3,f1,f2:SPEED INK 40,10:PEN 1
50 MODE 2:LOCATE 67,2:PRINT C$:LOCATE 1,
  1:CAT:DIM anz(4):!GCHAR,17,13,@zeichen:I
  F zeichen<>75 THEN 110
60 spalte=-3
70 FOR a=1 TO 4:spalte=spalte+20
80 FOR zeile=4 TO 24:!GCHAR,spalte,zeile
```

```

,@zeichen
90 IF zeichen=75 THEN anz(a)=anz(a)+1:PR
INT CHR$(24),LOCATE spalte-2,zeile:PRINT
USING"##",s,:PRINT CHR$(24),:PRINT"
":s=s+1
100 NEXT zeile,a:s=s-1:INK 1,f1:GOTO 100
0
110 m=1:INK 1,f0:INK 2,f0:MODE 1
120 LOCATE 1,25:PEN 3:PRINT"WARTEN...":P
EN 1:LOCATE 27,2:PRINT c$:LOCATE 1,1:CAT
130 s=1:PEN 2:spalte=-3:FOR a=1 TO 2:spa
lte=spalte+20:FOR zeile=4 TO 24:IGCHAR,s
palte,zeile,@zeichen
140 IF zeichen=75 THEN anz(a)=anz(a)+1:L
OCATE spalte-4,zeile:PRINT"  ",USING"##"
,s,:PRINT"  ":s=s+1
150 NEXT zeile,a:s=s-1:INK 1,f1:INK 2,f2
1000 PEN 1:LOCATE 1,25:PRINT CHR$(18),"N
ummer (H - HELP)? ";
1010 i$="":WHILE i$="":i$=INKEY$:WEND:PR
INT i$;
1020 IF ASC(i$)>126 THEN 1000
1030 IF ASC(i$)<49 OR ASC(i$)>57 THEN 10
000
1040 i2$="":WHILE i2$="":i2$=INKEY$:WEND
:IF i2$=CHR$(127)THEN PRINT CHR$(8),CHR$
(16),:GOTO 1010
1050 IF ASC(i2$)>48 AND ASC(i2$)<58 THEN
PRINT i2$;
1060 i$=i$+i2$
1070 GOSUB 5000:m$=MID$(name$,10,3):IF m
$<>"COM"AND m$<>"ASM"AND m$<>"PRN"AND m$
<>"TXT"AND m$<>"OVR"THEN CLS:LOCATE 1,25
:PRINT CHR$(18),"Loading: ";name$:BORDER
1:INK 0,1:INK 1,24:INK 2,20:INK 3,6:POK
E &B4EB,0:RUN name$
1080 LOCATE 1,25:PRINT CHR$(18),:INPUT"C
P/M-File!: CP/M laden (j/n)":a$
1090 a$=UPPER$(a$):IF a$="J"THEN i$="C",
GOTO 10070
1100 RUN 20
5000 i$=UPPER$(i$)
5010 IF i$=""THEN RUN 20
5020 IF ASC(i$)<49 OR ASC(i$)>57 THEN 10
000
5030 i=VAL(i$)
5040 IF i<1 OR i>s THEN RUN 20
5050 IF m=1 THEN IF i>anz(1)THEN j=21:l=
1 ELSE j=1:l=0
5060 IF m=2 THEN IF i>anz(3)+anz(2)+anz(
1)THEN j=61:l=3 ELSE IF i>anz(2)+anz(1)T
HEN j=41:l=2 ELSE IF i>anz(1)THEN j=21:l
=1 ELSE j=1:l=0
5070 vorspalten=0:FOR k=1 TO 1:vorspalte
n=vorspalten+anz(k):NEXT k
5080 FOR k=j TO j+11:IGCHAR,k,(3+(i-vors
palten)),@zeichen:name$=name$+CHR$(zeich
en):NEXT k:RETURN
10000 IF i$="S"THEN LOCATE 1,25:PRINT CH
R$(18),"Saving HELLO!":SAVE"hello":!ERA,
"hello.bak":!ATTRIBUT,"hello.bas","s":RU
N 20
10010 IF i$="Q"THEN MODE 1:IBASIC
10020 LOCATE 1,25
10030 IF i$<>"A"THEN 10050 ELSE PRINT CH
R$(18),:INPUT"Attribut (S,D,R,W)":j$:j$=
UPPER$(j$):IF j$<>"S"AND j$<>"D"AND j$<>
"R"AND j$<>"W"THEN RUN 20
10040 IF j$<>"D"THEN LOCATE 1,25:PRINT C
HR$(18),:INPUT"Nummer (attr)":i$:GOSUB 5
000:ATTRIBUT,name$,j$:RUN 20 ELSE LOCAT

```



```

E 1,25:PRINT CHR$(18);:INPUT"Filename";n
ame$;:ATTRIBUT,name$,j$:RUN 20
10050 IF i$="E"THEN PRINT CHR$(18);:INPU
T"Nummer (era)";i$:GOSUB 5000:LOCATE 1,2
5:PRINT name$;" ";:INPUT"    Sicher (j/n)
";i$:i$=UPPER$(i$):IF i$<>"J"THEN RUN EL
SE:ERA,name$:RUN 20
10060 IF i$="D"THEN IF PEEK(33000)=0 THE
N POKE 33000,1:IB:RUN 20 ELSE POKE 33000
,0:IA:RUN 20
10070 IF i$="C"THEN BORDER 1:INK 0,1:INK
1,24:INK 2,20:INK 3,6:POKE &B4E8,0:ICPM
10080 IF i$="R"THEN PRINT CHR$(18);:INPU
T"Nummer (ren)";i$:GOSUB 5000:LOCATE 1,2
5:PRINT CHR$(18);:INPUT"neuer Name:";n$:
n$=UPPER$(n$):LOCATE 1,25:PRINT CHR$(18)
;:PRINT name$;" --> ";n$:IREN,n$,name$:R
UN 20
10090 IF i$="L"THEN MODE 1:LOCATE 27,1:P
RINT c$:LOCATE 1,5:INPUT"Bitte Namen des
Kassetten-Files eingeben";name$:ICAS:IN
K 0,1:INK 1,24:INK 2,20:INK 3,6:BORDER 1
:CLS:LOCATE 1,24:PRINT"LOADING: ";name$:
RUN name$
10500 IF i$<>"H"AND i$<>"P"THEN RUN 20
10510 IF i$<>"H"THEN 10800
10520 LOCATE 1,25:PRINT CHR$(18):IF m=1
THEN WINDOW#2,8,34,4,20 ELSE WINDOW#2,28
,34,4,20
10530 WINDOW SWAP 0,2:CALL &3F00:PRINT C
HR$(24):CLS:PRINT:PRINT"          ";c$:PRI
NT
10540 PRINT" A - ATTR (SYS,DIR,R/O,R/W"
10550 PRINT" C - CP/M 2.2"
10560 PRINT" D - DISC wechseln (A/B)"
10570 PRINT" E - ERASE File"
10580 PRINT" H - Diese Seite"
10590 PRINT" L - LOAD Tape-File"
10600 PRINT" P - PRINT Directory"
10610 PRINT" Q - BASIC 1.0"
10620 PRINT" R - RENAME File"
10630 PRINT" S - SAVE 'HELLO'"
10640 PRINT
10650 PRINT" NUMMER - File laden"
10660 PRINT" REST - Directory lesen"
10670 CALL &BB18:PRINT CHR$(24):CLS:CALL
&3F0C:WINDOW SWAP 2,0:GOTO 1000
10800 IF i$<>"P"THEN RUN 20
10810 LOCATE 1,25:PRINT CHR$(18):IF m=1
THEN WINDOW#2,8,34,4,20 ELSE WINDOW#2,28
,34,4,20
10820 WINDOW SWAP 0,2:CALL &3F00:PRINT C
HR$(24);:CLS:PRINT:PRINT"          ";c$:PR
INT:PRINT:PRINT" DIRECTORY-PRINT:"
10830 WHILE INP(&F500)<>26:LOCATE 1,10:P
RINT" Drucker einschalten!":WEND:LOCATE
1,10:PRINT SPACE$(26)
10840 LOCATE 1,16:PRINT" Bitte Taste dru
ecken!":CALL &BB18
10870 LOCATE 1,16:PRINT SPACE$(26):LOCAT
E 1,16:PRINT" Printing...";CHR$(24):WIND
OW SWAP 2,0:POKE &BB5A,&C3:POKE &BB5B,&2
B:POKE &BB5C,&BD:CAT:POKE &BB5A,&CF:POKE
&BB5B,&0:POKE &BB5C,&94:CALL &3F0C:GOTO
1000
15000 FOR i=&3F00 TO &3F17:READ p:POKE i
,p:NEXT i:RETURN
15010 DATA 33,0,192,17,0,64,1,0,64,237,1
76,201,33,0,64,17,0,192,1,0,64,237,176,2
01
20000 RUN 20

```