

```

10 ##### [4E56]
20 ## [D1AA]
30 ## ----> Terminkalender <---- ## [A7DA]
40 ## [91AE]
50 ## By Patrick Schuster ## [3324]
60 ## 12.08.1986 ## [C130]
70 ## [75B4]
80 ##### [B264]
90 [8560]
100 DIM menu$(12),a(12),b(12),day$(7),d [FAC2]
ay(7),eintr$(12,32),monla(12),mona(1 [607E]
2) [ACE8]
110 ON ERROR GOTO 2470
120 rag=0:GOSUB 130:GOTO 180
130 mona$=" Januar<2>":ma=1:m$=" *Menue* [65A2]
":i$=CHR$(24) [9854]
140 invon$=CHR$(22)+CHR$(1):invoff$=CHR$ [F942]
(22)+CHR$(0) [A62E]
150 RESTORE 1890:FOR t=1 TO 7:READ day$ [CDE4]
(t):day(t)=t:NEXT t [5EA2]
160 RETURN [73F8]
170 [E844]
180 PEN 1:INK 0,0:INK 2,15:INK 3,6:INK 1 [CBDA]
,26:BORDER 0:PAPER 0
190 CLS:MODE 1:GOSUB 220:LOCATE 1,23:GOS [D7F2]
UB 220 [A92A]
200 GOTO 250 [CAE0]
210 [9AF2]
220 PRINT CHR$(150);STRING$(38,154);CHR$ [E268]
(156);CHR$(149);STRING$(38,207);CHR$
(149);CHR$(147);STRING$(38,154);CHR$
(153); [D7F2]
230 RETURN [A92A]
240 [CAE0]
250 LOCATE 13,2:PRINT "Termin-Kalender"; [9AF2]
[9AF2]
260 WINDOW#0,1,40,4,22:WINDOW #2,9,39,5, [E268]
21
270 LOCATE 1,5:PRINT "Geben sie das Jahr [E26E]
ein ";:LINE INPUT";jahr$:jahr=VAL(
jahr$) [814E]
280 IF jahr<1512 OR jahr>2222 THEN 270 [8B78]
290 GOSUB 2210:CLS
300 WINDOW SWAP 1,0:LOCATE 33,24:PRINT i [87CA]
nvoff$;jahr$:WINDOW SWAP 1,0 [2040]
310 GOSUB 2190 [B1A4]
320 [D226]
330 '- Hauptmenue - [63A8]
340 [1682]
350 WINDOW SWAP 1,0:LOCATE 18,24:PRINT "
Hauptmenue";:WINDOW SWAP 1,0
360 RESTORE 1850:FOR t=1 TO 6:READ menue [90A2]
$(t):a$=menue$(t):READ a(t),b(t):x=a
(t):y=b(t):GOSUB 1780:NEXT t [144C]
370 GOSUB 2190 [3884]
380 flag=0 [4AF4]
390 wahl=1:px=2:py=3
400 PEN 1:PRINT invoff$;:LOCATE a(wahl),

```

```

b(wahl):PRINT CHR$(24);menue$(wahl); [C6FA]
CHR$(24);invon$; [13BA]
410 GOTO 1950 [E0E0]
420 [087A]
430 IF in=9 THEN 470 [C74A]
440 GOTO 400
450 PEN 1:PRINT invoff$;:LOCATE a(wahl), [4D6C]
b(wahl):PRINT menue$(wahl);invon$;:R [CCE8]
ETURN [A900]
460 [031E]
470 IF wahl=3 AND flag=0 THEN GOTO 620
480 IF wahl=6 AND flag=0 THEN CLS:GOSUB
2390:IF dis=5 THEN 490 ELSE FOR t=1
TO 2000:NEXT t:CLS:GOTO 350
490 IF wahl=6 AND flag=0 THEN CLS:WINDOW
SWAP 1,0:LOCATE 18,24:PRINT "Direct
ory ";:WINDOW SWAP 1,0:PEN 3:CLS:CAT
:GOSUB 1910:CLS:GOTO 350 [A4F8]
500 IF wahl=1 AND flag=0 THEN GOTO 760 [0DFA]
510 IF wahl=2 AND flag=0 THEN GOTO 1160 [0654]
520 IF wahl=2 AND flag=2 THEN CLS:GOTO 3
50 [9232]
530 IF wahl=1 AND flag=2 THEN 1220 [9DA2]
540 IF flag=3 THEN GOTO 750 [8FAC]
550 IF wahl=4 AND flag=0 THEN GOTO 1320 [365C]
560 IF flag=4 AND wahl=2 THEN CLS:GOTO 3
50 [5A3E]
570 IF flag=4 AND wahl=1 THEN 1380 [9ABC]
580 IF wahl=5 AND flag=0 THEN CLS:GOTO 1
540 [83A4]
590 IF wahl=2 AND flag=5 THEN CLS:GOTO 3
50 [3E46]
600 IF wahl=1 AND flag=5 THEN CLS:GOTO 1
600 [BC92]
610 GOTO 1950 [3FBE]
620 [F2F6]
630 '- Zeitraum - [8696]
640 [DCFA]
650 CLS:WINDOW SWAP 1,0:LOCATE 18,24:PRI
NT " Zeitraum ";:WINDOW SWAP 1,0:RES
TORE 1860:FOR t=1 TO 12:READ menue$(
t):a$=menue$(t):READ a(t),b(t):x=a(t
):y=b(t):GOSUB 1780:NEXT t [C3AA]
660 x=16:y=16:a$=" *Menue* ":GOSUB 1780 [E34E]
670 MOVE 222,128:DRAW 0,190,3 [1840]
680 MOVE 398,128:DRAW 0,190,3 [D75E]
690 FOR t=1 TO 3:MOVE 48,128+(48*t):DRAW
R 526,0,2:MOVE 48,126+(48*t):DRAW (
33*16)-2,0,2:NEXT t [7192]
700 MOVE 224,128:DRAW 172,0,2:MOVE 224,
126:DRAW 172,0,2 [346E]
710 LOCATE 4,2:PEN 2:PRINT CHR$(214);STR
ING$(32,143);CHR$(212);invon$;CHR$(8
);:PEN 1:PRINT CHR$(214);invoff$ [CAC2]
720 FOR t=3 TO 13:LOCATE 37,t:PEN 1:PRIN
T CHR$(143);:NEXT t:LOCATE 37,14:PRI
NT CHR$(212); [7A48]
730 LOCATE 26,15:PEN 1:PRINT CHR$(143);:
LOCATE 26,16:PRINT CHR$(143);:LOCATE
26,17:PRINT CHR$(212); [F56C]
740 flag=3:px=3:py=4:wahl=1:flag=3:GOTO
400 [2C54]
750 mona$=menue$(wahl):ma=wahl:GOSUB 219
0:GOTO 1950 [D7F8]
760 [0100]
770 '- Eingeben - [3838]
780 [2704]
790 eing=1 [EEA2]
800 WINDOW SWAP 0,1:LOCATE 18,24:PRINT i
nvoff$;" Eingeben ";:WINDOW SWAP 0,1
:CLS [CD0A]
810 PRINT CHR$(150);STRING$(38,154);CHR$
(156);:LOCATE 8,1:PRINT CHR$(158); [E946]
820 FOR t=2 TO 18:LOCATE 1,t:PRINT CHR$(
149);TAB(8);CHR$(149);:LOCATE 40,t:P
RINT CHR$(149);:NEXT t:LOCATE 8,19:P
RINT CHR$(155) [8328]
830 LOCATE 1,19:PRINT CHR$(147);STRING$(
38,154);CHR$(153); [2C90]
840 blatt=0:GOSUB 860:'Erstes Blatt [594C]
850 GOTO 950 [B468]
860 IF blatt=1 THEN kont=(mona(ma)+17):k
ont=(kont MOD 7) ELSE kont=mona(ma)+
1 [EE4E]
870 IF kont MOD 7>7 THEN kont=((kont MOD
7) MOD 7) [62D4]
880 FOR t=1 TO 16:LOCATE 2,t+1:IF kont=8
THEN kont=1 [43CC]
890 IF blatt*16+t>monla(ma) THEN PRINT "
<6>":GOTO 920 [BCF2]
900 IF kont=0 THEN kont=7 [2160]
910 PRINT LEFT$(day$(kont),2);" ";USING
"##";blatt*16+t;:PRINT ".":kont=kon
t+1:LOCATE 9,t+1:PRINT LEFT$(eintr$(
ma,(blatt*16)+t),32); [0E7A]
920 NEXT t [381C]
930 IF blatt=1 THEN LOCATE 2,17:PRINT "<
6>":LOCATE 9,17:PRINT "<30>"; [6350]
940 RETURN [A23A]
950 'eing=1 [6AEC]

```

Listing. Alle Termine fest im Griff

```

960 t$=eintr$(ma,(blatt*16+eing))+STRING
$(31-LEN(eintr$(ma,(blatt*16+eing))
,128) [2A86]
970 LOCATE 9,eing+1:PRINT invoff$;i$;t$;
i$ [87E4]
980 IF INKEY(0)=0 THEN 1080 [5F2C]
990 y$=INKEY$ [2380]
1000 IF INKEY(2)=0 THEN 1100 [9F62]
1010 IF INKEY(3)=128 THEN IF INKEY(23)=1
28 THEN CLS:GOTO 350 [962A]
1020 IF INKEY(11)=128 THEN IF INKEY(23)=
128 THEN eintr$(ma,(blatt*16+eing))
="":GOTO 960 [8886]
1030 IF INKEY(4)=128 THEN IF INKEY(23)=1
28 AND blatt=0 THEN blatt=1:eing=1:
CLS#2:GOSUB 860:GOSUB 1070:GOTO 950 [C45C]
1040 IF INKEY(12)=128 THEN IF INKEY(23)=
128 AND blatt=1 THEN blatt=0:eing=1
:CLS#2:GOSUB 860:GOSUB 1070:GOTO 95
0 [82BC]
1050 IF INKEY(9)=0 THEN 1120 [AF7E]
1060 GOTO 960 [858E]
1070 LOCATE 9,eing+1:PRINT t$;:RETURN [DCF0]
1080 IF eing=1 THEN GOTO 960 [7D20]
1090 GOSUB 1070:eing=eing-1:GOTO 960 [1A3E]
1100 IF blatt=0 AND eing=16 OR blatt=1 A
ND eing=monla(ma)-16 THEN 960 [3940]
1110 GOSUB 1070:eing=eing+1:GOTO 960 [042C]
1120 LOCATE 9,eing+1:PRINT "<31>"; [7DCC]
1130 IF LEN(eintr$(ma,eing))>30 THEN PRI
NT CHR$(7);:LOCATE 9,eing:PRINT "Di
eses Feld ist voll !!";:FOR t=1 TO
2000:NEXT t:GOSUB 1070:GOTO 950 [FD90]
1140 GOSUB 20000:eingabe$=b$:IF LEN (ein
gabe$)>30 THEN 1130 [D6C2]
1150 eintr$(ma,eing+blatt*16)=eingabe$:W
INDOW#0,1,40,4,22:GOTO 950 [761A]
1160 '----- [35FC]
1170 '- Drucken - [55EC]
1180 '----- [3A00]
1190 CLS:WINDOW SWAP 1,0:LOCATE 18,24:PR
INT " Drucken<2>";:WINDOW SWAP 1,0 [2240]
1200 DATA " Drucken ",11,10," *Menue* ",
22,10 [C546]
1210 flag=2:RESTORE 1200:FOR t=1 TO 2:RE
AD menue$(t),a(t),b(t):a$=menue$(t)
:x=a(t):y=b(t):GOSUB 1780:MOVE 318,
176:DRAWR 0,46,3:NEXT:px=2:py=1:wah
l=1:GOTO 400 [48CA]
1220 IF INP(&F500)=90 THEN LOCATE 1,17:P
RINT "<2>Bitte schalten sie den Dru
cker ein !";:PRINT CHR$(7);:GOTO 12
20 [ADA E]
1230 CLS [1690]
1240 PRINT#8,CHR$(27);"x";CHR$(1); [144C]
1250 PRINT#8,STRING$(40,"*");PRINT#8,"*
Terminausdruck fuer";TAB(23);mona$;
TAB(32);jahr;TAB(40);"*":PRINT#8,ST
RING$(40,"*");:PRINT#8:PRINT#8 [0B8C]
1260 druck=mona(ma)+1:IF druck=8 THEN dr
uck=1 [5EA4]
1270 FOR t=1 TO monla(ma) [2DD8]
1280 PRINT#8,day$(druck);TAB(12);:PRINT#
8,USING "##";t;:PRINT#8,".";TAB(18)
;eintr$(ma,t) [0100]
1290 druck=druck+1:IF druck=8 THEN druck
=1 [9348]
1300 NEXT t [A26E]
1310 PRINT#8:PRINT#8,STRING$(40,"*");PRI
NT#8,"* Terminkalender * By Patrick
Schuster *":PRINT#8,STRING$(40,"*")
):GOTO 1160 [0C6E]
1320 '----- [E344]
1330 '- Laden - [D118]
1340 '----- [E348]
1350 CLS:WINDOW SWAP 1,0:LOCATE 18,24:PR
INT "<2>Laden<3>";:WINDOW SWAP 1,0 [10EC]
1360 DATA "<2>Laden<2>",11,10," *Menue*
",22,10 [6704]
1370 flag=4:RESTORE 1360:FOR t=1 TO 2:RE
AD menue$(t),a(t),b(t):a$=menue$(t)
:x=a(t):y=b(t):GOSUB 1780:MOVE 318,
176:DRAWR 0,46,3:NEXT:px=2:py=1:wah
l=1:GOTO 400 [B8EA]
1380 LOCATE 10,13:PRINT invoff$;"Welches
File --><4>";:LOCATE 27,13:LINE IN
PUT "",wahl$ [6B44]
1390 PRINT invoff$ [D98C]
1400 IF LEN(wahl$)>8 THEN 1380 [E58A]
1410 GOSUB 2390:IF dis=5 THEN 1430 [1A4C]
1420 FOR t=1 TO 2000:NEXT t:CLS:GOTO 132
0 [5AEE]
1430 OPENIN wahl$ [DA42]
1440 INPUT#9,jahr,ma [8940]
1450 FOR t=1 TO 7:INPUT#9,day$(t),day(t)
:NEXT t [CD44]
1460 INPUT#9,mona$ [F4A4]
1470 FOR t=1 TO 12 [B036]
1480 FOR r=1 TO 32 [8F38]

```

```

1490 INPUT#9,eintr$(t,r) [035E]
1495 IF EOF THEN CLOSEIN:GOTO 1530 [66A8]
1500 NEXT r [CBEE]
1505 IF EOF THEN CLOSEIN:GOTO 1530 [1798]
1510 NEXT t [CA74]
1520 CLOSEIN [79EA]
1530 GOSUB 130:WINDOW SWAP 1,0:LOCATE 33
,24:PRINT invoff$;jahr;:WINDOW SWAP
1,0:LOCATE 10,12:PRINT "<41>";:GOS
UB 2190:GOTO 1360 [5928]
1540 '----- [76B4]
1550 '- Speichern - [379A]
1560 '----- [AE88]
1570 CLS:WINDOW SWAP 1,0:LOCATE 18,24:PR
INT "Speichern ";:WINDOW SWAP 1,0 [F56E]
1580 DATA Speichern,11,10," *Menue* ",22
,10 [8EFE]
1590 flag=5:RESTORE 1580:FOR t=1 TO 2:RE
AD menue$(t),a(t),b(t):a$=menue$(t)
:x=a(t):y=b(t):GOSUB 1780:MOVE 318,
176:DRAWR 0,46,3:NEXT:px=2:py=1:wah
l=1:GOTO 400 [D8FC]
1600 LOCATE 1,13:PRINT invoff$;"Name der
abgespeicherten Datei ";:jahr [8AF0]
1610 GOSUB 2390:IF dis=5 THEN 1630 [4A54]
1620 FOR t=1 TO 2000:NEXT t:CLS:GOTO 154
0 [BAFA]
1630 wahl$=STR$(jahr):OPENOUT wahl$ [87BC]
1640 PRINT#9,jahr,ma [7C3E]
1650 FOR t=1 TO 7:PRINT#9,day$(t),day(t)
:NEXT t [9842]
1660 PRINT#9,mona$ [81A2]
1670 FOR t=1 TO 12 [403A]
1680 FOR r=0 TO 31 [8D38]
1690 PRINT #9,eintr$(t,r) [D89C]
1700 NEXT r [B1F2]
1710 NEXT t [B478]
1720 CLOSEOUT [52B0]
1730 LOCATE 1,13:PRINT "<39>":GOSUB 2210
:GOTO 1580 [501E]
1740 : [CD4C]
1750 '***** [2EA4]
1760 '* Sub. Print Menue Icons (x,y,a$) [2F46]
1770 '***** [D6AB]
1780 LOCATE x-1,y-1:PRINT invon$;:PEN 2:
PRINT CHR$(215);CHR$(8);:PEN 3:PRIN
T CHR$(213);STRING$(LEN(a$),143);CH
R$(212);CHR$(8);:PEN 2:PRINT CHR$(2
14); [D358]
1790 LOCATE x-1,y:PEN 2:PRINT CHR$(143);
:PEN 1:PRINT A$;:PEN 2:PRINT CHR$(1
43); [465E]
1800 LOCATE x-1,y+1:PEN 2:PRINT CHR$(212
);CHR$(8);:PEN 3:PRINT CHR$(214);ST
RING$(LEN(a$),143);CHR$(215);CHR$(8
);:PEN 2:PRINT CHR$(213); [4566]
1810 RETURN [BF94]
1820 '***** [C9A0]
1830 '* Sub. Data Menue Icons (x,y,a$) [B05C]
1840 '***** [B9A4]
1850 DATA " Eingeben ",6,4,Ausdrucken,6,
10," Zeitraum ",6,16,"<2>Laden<2>",
25,4,Speichern,25,10,Directory,25,1
6 [BAD8]
1860 DATA " Januar<2>",5,4," Februar ",5
,7,"<2>Maerz<2>",5,10,"<2>April<2>"
,5,13 [EAC0]
1870 DATA "<3>Mai<3>",16,4,"<2>Juni<3>",
16,7,"<2>Juli<3>",16,10," August<2>"
,16,13 [3808]
1880 DATA "September",27,4," Oktober ",2
7,7,"November ",27,10,"Dezember ",2
7,13 [4CBB]
1890 DATA Montag,Dienstag,Mittwoch,Donne
rstag,Freitag,Samstag,Sonntag [D532]
1900 '***** Warteschleife [B692]
1910 LOCATE 4,18:PEN 1:PRINT "** Bitte d
ruecken sie die COPY-Taste **"; [B5DA]
1920 IF INKEY(9)=0 THEN LOCATE 4,18:PRIN
T "<37>";:RETURN [7FB4]
1930 GOTO 1920 [9F24]
1940 '===== [0B2E]
1950 '= Sub. Inkeyroutiene fuer Sub. Ico
n I/II = [F0A0]
1960 '= Bewegung mit Cursor / Auswahl mi
t COPY = [3A2C]
1970 '===== [3834]
1980 in=11 [80D0]
1990 IF rag=1 AND INKEY(0)=0 THEN rag=0:
PRINT invoff$;:LOCATE 16,16:PRINT m
$;:in=11:LOCATE 16,13:PRINT CHR$(2
4);" August<2>";CHR$(24);invon$:GOT
O 2060 [9F5E]

```

```

2000 IF rag=1 THEN PRINT invoff$;:LOCATE
    16,13:PRINT " August<2>";CHR$(24);
    :LOCATE 16,16:PRINT m$;CHR$(24);inv
    on$;in=11:GOTO 2060 [9F04]
2010 y$=INKEY$ [CEC2]
2020 IF INKEY(0)=0 THEN in=0:GOTO 2100 [CA14]
2030 IF INKEY(2)=0 THEN in=2:GOTO 2120 [5D22]
2040 IF INKEY(8)=0 THEN in=8:GOTO 2150 [B142]
2050 IF INKEY(1)=0 THEN in=1:GOTO 2170 [792C]
2060 IF INKEY(9)=0 AND rag=1 THEN CLS:ra
    g=0:GOTO 350 [F54C]
2070 IF rag<>1 THEN IF INKEY(9)=0 THEN i
    n=9 [CC9C]
2080 IF in=11 THEN 1970 [489E]
2090 GOTO 430 [A2B6]
2100 IF wahl=1 OR wahl=py+1 OR wahl=py*2
    +1 OR wahl=py*3+1 OR wahl=py*4+1 TH
    EN 400 [4E04]
2110 GOSUB 450:wahl=wahl-1:GOTO 400 [C8E2]
2120 IF flag=3 AND wahl=8 THEN rag=1:GOS
    UB 450:GOTO 400 [6906]
2130 IF wahl=py OR wahl=py*2 OR wahl=py*
    3 OR wahl=py*4 OR wahl=py*5 THEN 40
    0 [0158]
2140 GOSUB 450:wahl=wahl+1:GOTO 400 [0CE4]
2150 IF wahl<=py THEN 400 [2850]
2160 GOSUB 450:wahl=wahl-py:GOTO 400 [D55C]
2170 IF wahl>=((px*py)-py)+1 THEN 400 [6CA4]
2180 GOSUB 450:wahl=wahl+py:GOTO 400 [015C]
2190 ' [2526]
2200 WINDOW SWAP 1,0:LOCATE 3,24:PRINT m
    ona$;:WINDOW SWAP 1,0:RETURN [AB80]
2210 '***** [4B1C]
2220 '* Berechnung des 1. jedes Monats u
    nd des Anfangswochentages * [65E6]
2230 '***** [CB20]
2240 nt=429+INT(365.25*(jahr-1)) [6E7C]
2250 IF nt<694098 THEN nt=nt+1 [258C]
2260 IF nt<621050 THEN nt=nt+1 [6362]
2270 IF nt<584526 THEN nt=nt+1 [3984]
2280 IF nt>=767148 THEN nt=nt-1 [B90E]
2290 IF nt>=803672 THEN nt=nt-1 [9402]
2300 IF nt>=840196 THEN nt=nt-1 [48F6]
2310 w=(nt-2)/7:w=ROUND(7*(w-INT(w)),0) [CA7C]
2320 IF jahr MOD 400=0 THEN schaltjahr=-
    1:GOTO 2360 [52D0]
2330 IF jahr MOD 100=0 THEN schaltjahr=0
    :GOTO 2360 [1670]

```

```

2340 schaltjahr=jahr MOD 4=0 [8960]
2350 DATA 31,28,31,30,31,30,31,31,30,31,
    30,31 [3E74]
2360 RESTORE 2350:FOR t=1 TO 12:READ mon
    la(t):NEXT t:monla(2)=28-schaltjahr [0A1A]
2370 mona(1)=w-1:FOR t=2 TO 12:m=(mona(t
    -1)-1)+monla(t-1):mona(t)=(m MOD 7)
    +1:NEXT t [6C80]
2380 RETURN [8E9A]
2390 '----- [D6D8]
2400 '- Laufwerkabfrage - [B960]
2410 '----- [6FCA]
2420 dis=1 [652C]
2430 OUT(&FA7E),1:FOR i=1 TO 1000:NEXT:O
    UT(&FB7F),4:OUT(&FB7F),(-PEEK(&A700
    )+2):st=INP(&FB7F):OUT(&FA7E),0:rd=
    st AND 32 [4132]
2440 IF rd=0 THEN LOCATE 1,19:PRINT "Dis
    kette befindet sich nicht im Laufwe
    rk";:RETURN [4DB8]
2450 wp=st AND 64:IF wp=64 THEN LOCATE 2
    ,19:PRINT "<3>Diskette ist Schreibg
    eschuetzt<5>";:RETURN [0F98]
2460 dis=5:RETURN [EA70]
2470 FOR t=1 TO 1000:NEXT t:CLS:RESUME 3
    50 [ADCC]
20000 y=eing+1:x=9 [63DE]
20010 s=0:b$="" [1668]
20020 LOCATE x,y:PRINT CHR$(246); [9432]
20030 IF x=9 THEN 20050 [E030]
20040 LOCATE x-1,y:PRINT MID$(b$,s,1); [9EB8]
20050 a$=INKEY$:IF a$="" THEN GOTO 20050 [3756]
20060 IF INKEY(79)=0 AND x>5 THEN 20130 [AEB0]
20070 IF INKEY(18)=0 THEN 20150 [01AC]
20080 IF ASC(A$)<32 OR ASC(A$)>126 THEN
    20020 [DD3E]
20090 IF X=39 THEN 20100 ELSE x=x+1:s=s+
    1:LOCATE x,y:PRINT a$;:b$=b$+a$ [D5C2]
20100 GOTO 20020 [B3C0]
20110 : [179C]
20120 : [069E]
20130 IF x=9 THEN 20140 ELSE x=x-1:s=s-1
    :LOCATE x+1,y:PRINT " ";:LOCATE 9,
    y:b$=LEFT$(b$,s):PRINT b$;" " [8EA4]
20140 GOTO 20020 [2BC8]
20150 RETURN [DFF0]

```

Listing. Alle Termine fest im Griff (Schluß)