

DISK

```
10 OUT (&FA7E),1 >CC
20 '##### >LB
30 '# # >LC
40 '# Grand # >LD
50 '# Ecran # >LE
60 '# # >LF
70 '#SAVE'DISK # >LG
80 '# # >LH
90 '##### >LJ
100 INK 0,13:BORDER 13:INK 1,0:MODE >DB
2
```

```
110 PAPER 0:PEN 1 >LE
120 A=&BC00:B=&BD00:H=HINEM >VD
130 OUT a,2:OUT b,50 >NJ
140 OUT a,6:OUT b,34 >NR
150 OUT a,7:OUT b,35 >NV
160 OUT a,1:OUT b,0 >NQ
170 FOR I=1 TO 77:PRINT USING "&";" >NM
    ";CHR$(164);"BIGHEAD SOFTWARE 1
888 ";:NEXT
180 OUT A,1:OUT B,48 >NV
190 OUT (&FA7E),1 >LQ
200 FOR I=1 TO 3000:NEXT:CLS >WA
210 INK 0,0:BORDER 0 >NY
220 OUT A,1:OUT B,40 >NG
```

```
230 OUT A,2:OUT B,&2E >PK
240 OUT A,6:OUT B,&19 >PB
250 OUT A,7:OUT B,&1B >PN
260 IF INP(&F500) AND 10<>0 THEN OU >QL
    T A,7:OUT B,&1E
270 MODE 0:INK 0,0:BORDER 0:FOR I=1 >XM
    TO 15:INK I,0:NEXT
280 GOSUB 490 >JC
290 OUT (&FA7E),1 >LR
300 GOSUB 570 >HE
310 LOAD'DISK.BIN",&C000 >TK
320 GOSUB 600 >HA
330 CALL &8036 >JD
340 CLS >UB
```

```

350 INK 1,1:INK 2,2:INK 3,11:INK 4, >JY
26:INK 5,20:INK 14,26:INK 15,11
360 CALL &8000 >HH
370 SYMBOL AFTER 32 >NH
380 SYMBOL 125,&60,&10,&3C,&66,&7E, >HJ
&60,&3C
390 SYMBOL 123,&6,&8,&3C,&66,&7E,&6 >FN
0,&3C
400 SYMBOL 93,&1E,&30,&38,&6C,&38,& >GR
30,&F0
410 SYMBOL 64,&60,&10,&78,&C,&7C,&C >FP
C,&7C
420 SYMBOL 92,0,0,&3C,&66,&60,&3E,& >FU
8,&18
430 SYMBOL 93,0,&30,&8,&66,&66,&66, >GY
&66,&3E
440 SYMBOL 94,&18,&24 >PV
450 SYMBOL 47,191,191,191,191,1 >LW
91,191,191
460 SYMBOL 92,253,253,253,253,2 >LN
53,253,253
470 GOSUB 630 >HK
480 RUN"DISC >MA
490 OUT (&FA7E),1 >LU
500 FOR I=1 TO 999:NEXT >RM
510 OUT (&FB7F),4 >LR
520 OUT (&FB7F),2-PEEK(&A700) >WA
530 DK=INP(&FB7F) >MT
540 OUT (&FA7E),0 >LN
550 IF (DK AND 32)=0 THEN CALL 0 >WY
560 RETURN >ZG
570 B=1:a$="2100C0ED5F77237CB720F80 >HE
EOA2100C01100401ABE2813477E3006C632
300A1804C6323803B83801787713237CB72
0E30DC20D80C90000002100C01100400100
40EDB0C9"
580 FOR A=&8000 TO &8000+67:POKE A, >AF
VAL("&" + MID$(A$,A-&8000+1*B,2)):B=B
+1:NEXT
590 RETURN >ZK
600 ENT 1,2,-1,1,2,1,1:ENV 1,3,30,4 >UC
:ENV 2,4,7,4:ENV 3,15,15,5:FOR I=95
6 TO 239 STEP-20:SOUND 1,1,7,13,1,1
:SOUND 2,1/2,7,13,1,1:SOUND 4,1/4,7
,13,1,1
610 NEXT >EC
620 RETURN >ZD
630 SYMBOL 239,0,0,0,0,0,255 >VK
640 SYMBOL 240,&0,&0,&1F,&20,&20,&2 >JL
7,&28,&28
650 SYMBOL 241,&0,&0,&FF,&0,&0,&0,& >DE
0,&0
660 SYMBOL 242,&0,&0,&FB,&4,&4,&E4, >GC
&14,&14

```

```

670 SYMBOL 243,&28,&28,&27,&20,&20, >JT
&1F,&0,&0
680 SYMBOL 244,&14,&14,&E4,&4,&4,&F >GG
8,&0,&0
690 SYMBOL 245,&28,&28,&28,&28,&28, >LJ
&28,&28,&28
700 SYMBOL 246,&14,&14,&14,&14,&14, >LH
&14,&14,&14
710 SYMBOL 247,&0,&0,&0,&FF,&0,&0,& >DH
0,&0
720 RETURN >ZE

```

DISC

```

10 '***** >LA
20 '* * >LB
30 '* DISK * >LC
40 '* (c)BIGHEAD * >LD
50 '* SOFTWARE * >LE
60 '* 1989 * >LF
70 '* * >LG
80 '*SAVE"DISC * >LH
90 '***** >LJ
100 ON BREAK GOSUB 2930 >QP
110 DIM B$(3,100) >AJ
120 INK 0,26:BORDER 13:INK 1,26 >XZ
130 PAPER 0:PEN 1 >LG
140 DIM a$(23) >FD
150 MODE 2:ORIGIN 0,0,320,640,0,400 >HJ
:CLG 1:ORIGIN 0,0,0,640,0,400
160 RESTORE >HB
170 ON BREAK GOSUB 2930 >QX
180 GOSUB 530 >HG
190 effa=0:reno=0:cata=0:depr=0:rec >JL
u=0
200 WINDOW 1,80,1,25:po%=Y% >VP
210 GOSUB 700 >GK
220 GRAPHICS PAPER 0 >PT
230 I%=1 >UB
240 ymax%=y%+n%+1 >LA
250 ymin%=y%+1 >WF
260 cmax%=n%+1 >TF
270 I%=1 >UF
280 LOCATE X%+1,Y%+1 >NZ
290 J%=Y%+1 >QH
300 PAPER 1 >TE
310 PEN 0 >ZG
320 PRINT A$(I%) >EA
330 PAPER 0:PEN 1 >LJ
340 C%=1 >TH
350 A$=INKEY$ >PB
360 IF A$=CHR$(240) OR A$="↑" AND J >ZY
%>ymin%-1 THEN GOSUB 450

```

```

370 IF A$=CHR$(241) OR A$="↓" AND J >ZB
%<Ymax%+1 THEN GOSUB 490
380 IF A$="X" OR A$=" " OR a$=CHR$( >ZQ
13) THEN catA=0:E=0:R=0:rE=0:D=0:GO
TO 1470
390 GOTO 350 >ZG
400 LOCATE X%+1,J%:PRINT A$(I%):RET >GA
URN
410 PAPER 1:PEN 0 >LH
420 LOCATE X%+1,J%:PRINT A$(I%) >YW
430 PAPER 0:PEN 1 >LK
440 RETURN >ZD
450 GOSUB 400 >HC
460 IF I%-1=0 THEN c%=c2%:i%=cmax%: >GA
j%=ymax%:GOSUB 410:RETURN
470 IF LEFT$(A$(I%-1),1)=CHR$(247) >FG
THEN J%=J%-2:C%=C%-1:I%=I%-2:GOSUB
410:RETURN
480 c%=C%-1:I%=I%-1:J%=J%-1:GOSUB 4 >MZ
10:RETURN
490 GOSUB 400 >HG
500 IF I%=cmax% THEN c%=1:I%=1:j%=y >CH
min%:GOSUB 410:RETURN
510 IF LEFT$(A$(I%+1),1)=CHR$(247) >FT
THEN c%=C%+1:J%=J%+2:I%=I%+2:GOSUB
410:RETURN
520 c%=C%+1:I%=I%+1:J%=J%+1:GOSUB 4 >MH
10:RETURN
530 READ n%,x%,y% >LH
540 A$(1)="Annulation" >VM
550 maxi%=LEN(A$(1)) >NE
560 c2%=1 >AA
570 FOR I%=2 TO n%+1 >MB
580 READ a$(I%) >RA
590 IF a$(I%)<>" " THEN c2%=c2%+1 >XA
600 IF LEN(A$(I%))>maxi% THEN maxi% >PH
=LEN(a$(I%))
610 NEXT I% >UD
620 FOR I%=1 TO n%+1 >MW
630 IF a$(I%)="" THEN a$(I%)=STRING >NM
$(maxi%,247)
640 IF LEN(A$(I%))<>MAXI% THEN P%=L >WV
EN(A$(I%))+1:FOR J%=P% TO MAXI%:A$(
I%)=A$(I%)+" ":NEXT j%
650 NEXT >EG
660 DATA 11,3,3 >QD
670 DATA Copie disc,Formatage,Edite >ZJ
ur,Speeder,,Copier fichier,Effacer,
Renommer,Cataloguer,Déprotéger,Récu
pérer
680 RETURN >ZK
690 IF I%=1 THEN GOTO 350 >RH
700 o%=1 >UK
710 LOCATE X%,po%:PRINT CHR$(240)+S >KP

```

```

TRING$(MAXI%,241)+CHR$(242)
720 FOR p%=y%+1 TO y%+n%+1 >TA
730 LOCATE x%,P%:PRINT CHR$(245)+a$ >RB
(o%)+CHR$(246)
740 o%=o%+1 >QC
750 NEXT p% >VF
760 LOCATE X%,po%+N%+2:PRINT CHR$(2 >RB
43)+STRING$(MAXI%,239)+CHR$(244)
770 GOSUB 410 >HJ
780 INK 1,0 >NA
790 RETURN >AB
800 STOP >FA
810 '***** >RK
820 '* FORMATEUR * >TA
830 '***** >TB
840 MEMORY &8E20:a$="21678e3a638e32 >YA
308e3a448e0609360023360023773c23360
22310f23a638e571e000e4121678edf648e
3a638efe27c83c32638e21678e060911040
0771910fc18da0052c607":FOR i=1 TO 1
39 STEP 2:POKE &8E21+(i-1)/2,VAL("&
"+MID$(A$,i,2)):NEXT
850 D=0:F=39 >BF
860 WINDOW 35,52,15,18:PAPER 0:CLS: >VH
PRINT:PRINT" Piste Départ:";d;
870 PRINT" Piste Arriv.: 39"; >BK
880 WINDOW 1,80,1,25 >NV
890 PLOT 34*8,112,1:DRAW 34*8,175: >YU
DRAW 55*8,175:DRAW 55*8,112:DRAW 34
*8,112
900 WINDOW 1,80,1,25 >NM
910 PAPER 1:PEN 0:LOCATE 36,16:PRIN >ER
T"Piste Départ:";d;
920 PAPER 0:PEN 1:LOCATE 36,17:PRIN >DF
T"Piste Arriv.:";f;
930 a$=INKEY$:IF a$="" THEN 930 >XG
940 IF (a$=CHR$(241) OR a$="" ) THE >CB
N 990
950 IF (a$=CHR$(242) OR a$="" ) AND >MP
d>0 THEN d=d-1
960 IF (a$=CHR$(243) OR a$="" ) AND >ND
d<f THEN d=d+1
970 PAPER 1:PEN 0:LOCATE 49,16:PRIN >GW
T d;
980 GOTO 930 >AF
990 PAPER 0:PEN 1:LOCATE 36,16:PRIN >EA
T"Piste Départ:";d;
1000 PAPER 1:PEN 0:LOCATE 36,17:PRI >EU
NT"Piste Arriv.:";f;
1010 a$=INKEY$:IF a$="" THEN 1010 >YX
1020 IF (a$=CHR$(240) OR a$="" ) TH >DN
EN 910
1030 IF (a$=CHR$(241) OR a$="" ) TH >EC
EN 1080

```

```

1040 IF (a$=CHR$(242) OR a$="" ) AN >NY
D f>d THEN f=f-1
1050 IF (a$=CHR$(243) OR a$="" ) AN >PE
D f<42 THEN f=f+1
1060 PAPER 1:PEN 0:LOCATE 49,17:PRI >HW
NT f;
1070 GOTO 1010 >LH
1080 WINDOW 35,52,15,18:PAPER 0:CLS >DK
:PEN 1:WINDOW 1,80,1,25:
1090 PLOT 34*8,112,1:DRAW 34*8,175 >ZF
:DRAW 55*8,175:DRAW 55*8,112:DRAW 3
4*8,112
1100 LOCATE 41,16:PRINT"Format":LOC >RP
ATE 38,17:PRINT"(D)ata (C)pu"
1110 A$=INKEY$:IF a$="" THEN 1110 >YZ
1120 IF a$="D" OR a$="d" THEN D=1:G >GU
OTO 1160
1130 IF (a$=CHR$(240) OR a$="" ) TH >DV
EN 860
1140 IF a$="C" OR a$="c" THEN C=1:G >GT
OTO 1160
1150 GOTO 1110 >LH
1160 WINDOW 35,56,15,18:PAPER 0:CLS >DN
:PEN 1:WINDOW 1,80,1,25:
1170 PLOT 34*8,112,1:DRAW 34*8,175 >WA
:DRAW 600,175:DRAW 600,112:DRAW 34*
8,112
1180 LOCATE 36,16:PRINT"Insérez la >CA
disquette":LOCATE 36,17:PRINT"
à formater."
1190 WHILE INKEY$<>"":WEND:WHILE IN >TE
KEY$="" :WEND
1200 GOSUB 1300 >VK
1210 WINDOW 1,40,1,25:PAPER 0:CLS:W >LA
INDOW 41,65,15,18:PAPER 1:CLS
1220 WINDOW 1,80,1,25 >PX
1230 PAPER 0:PEN 1:LOCATE 3,5:PRINT >QV
"Formatage pistes";d;"a";f
1240 IF D=1 THEN POKE &8E44,&C1:CAL >RB
L &8E21:GOTO 150
1250 IF C=1 THEN POKE &8E44,&41:CAL >RK
L &8E21:GOTO 150
1260 PAPER 1:PEN 0 >LF
1270 PAPER 1:PEN 0:WINDOW 41,80,1,2 >NZ
5:PAPER 1:CLS:WINDOW 41,80,5,25
1280 PRINT"ATTENTION: la loi 85 >PJ
-600, titre V,article 47 du 3 jui
illet 1985, n'autoriseq'une copie de
sauvegarde réservée à votre usa
ge personnel."
1290 FOR T%=1 TO 2000:NEXT:RETURN >BJ
1300 OUT (&FA7E),1 >LD
1310 FOR la=1 TO 999:NEXT >TY
1320 OUT (&FB7F),4 >LL

```

```

1330 OUT (&FB7F),2-PEEK(&A700) >XZ
1340 DK=INP(&FB7F) >HM
1350 OUT (&FA7E),0 >LH
1360 IF (DK AND 32)=0 THEN PAPER 0: >TG
PEN 1:LOCATE 1,25:PRINT"Lecteur de
disquette vide...":GOTO 160
1370 IF dir=1 THEN dir=0:RETURN >AC
1380 IF (DK AND 64) THEN PAPER 0:PE >BY
N 1:LOCATE 1,25:PRINT"Disquette pro
tégée...":GOTO 160
1390 RETURN >FG
1400 PAPER 1:PEN 0:LOCATE 50,23:PRI >PZ
NT"Inserez la disquette"
1410 LOCATE 50,24:PRINT"& Appuyez s >HM
ur une touche....";
1420 WHILE INKEY$<>"":WEND >VN
1430 WHILE INKEY$="" :WEND >UD
1440 PAPER 1:PEN 0:LOCATE 50,23:PRI >ZJ
NT"
"
1450 LOCATE 50,24:PRINT" >RN
";
1460 RETURN >FE
1470 ON c% GOTO 1480,1540,1550,1560 >NF
,1570,1580,1590,1600,1610,1620,1630
1480 FOR Y=25 TO 1 STEP -2 >RG
1490 WINDOW 1,80,y,y:PAPER 0:CLS >AZ
1500 NEXT >KH
1510 FOR Y=24 TO 2 STEP -2 >RA
1520 WINDOW 1,80,y,y:PAPER 0:CLS >AT
1530 NEXT:CALL 0 >LD
1540 GOSUB 1260:ch=1:ON ERROR GOTO >XH
3080:WINDOW 1,1,1,1:PEN 0:RUN"COPIE
UR
1550 GOTO 810 >FF
1560 ch=2:ON ERROR GOTO 3080:WINDOW >DY
1,1,1,1:PEN 0:RUN"EDIT
1570 ch=3:ON ERROR GOTO 3080:WINDOW >HG
1,1,1,1:PEN 0:RUN"SPEEDER
1580 ch=4:GOSUB 1260:ON ERROR GOTO >UC
3080:WINDOW 1,1,1,1:PEN 0:RUN"cop2
1590 effa=1:GOTO 1980 >PN
1600 reno=1:GOTO 1980 >QH
1610 cata=1:GOTO 1980 >PN
1620 depr=1:GOTO 1980 >QA
1630 recu=1:POKE &A701,229:GOTO 198 >DC
0
1640 'procedure depro >YD
1650 MODE 2:CALL &BC02 >PL
1660 dir=1:GOSUB 1300 >PT
1670 CALL &BB4E >WG
1680 PEN 1:PAPER 0 >MF
1690 PRINT"Ne vous fiez pas au(x) m >XJ
essage(s) d'erreur(s)...."

```

```

1700 MEMORY &9FFF >MQ
1710 RESTORE 1750 >LX
1720 FOR io=&A000 TO &A023:READ a$: >CW
POKE io,VAL("&" + A$):NEXT
1730 N$=b$(c,i) >UA
1740 FOR i=1 TO LEN(N$):POKE &A023+ >VC
i,ASC(MID$(N$,i,1)):NEXT:POKE &A001
,LEN(N$):CALL &A000
1750 DATA 06,08,21,24,a0,11,2f,a0,c >QA
d,77,bc,d0,c5,21,70,01,cd,83,bc,c1,
09,eb,21,66,ae,06,04,73,23,72,23,10
,fa,c3,7a,bc
1760 cop=c >RA
1770 C=0 >VE
1780 A$="" >CJ
1790 LOCATE x,y:PRINT" " >BE
1800 a$=INKEY$:IF A$="" THEN 1800 >ZD
1810 IF ASC(a$)=32 AND c<1 THEN 180 >AB
0
1820 IF A$=CHR$(127) AND c>0 THEN G >VD
OSUB 1940:GOTO 1800
1830 IF a$=CHR$(127) THEN 1800 >WL
1840 IF A$=CHR$(13) THEN GOTO 1900 >ZN
1850 IF C=12 THEN GOTO 1800 >UE
1860 LOCATE x+c,y:PRINT a$: >WH
1870 C=C+1 >JF
1880 IF C=8 THEN c=C+1 >PQ
1890 GOTO 1800 >NE
1900 FOR lo=x TO X+11:LOCATE lo,y:b >DE
$=B$+COPYCHR$(#0):NEXT
1910 IF LEFT$(b$,1)="" OR LEFT$(B$ >QZ
,1)="" THEN 1800
1920 dir=0:GOSUB 1300:ùREN,"0:"+b$, >TR
"0:"+b$(cop,i)
1930 GOTO 160 >FF
1940 C=c-1 >JF
1950 IF C=8 THEN C=C-1 >PQ
1960 LOCATE x+c,y:PRINT"- " >VN
1970 RETURN >GA
1980 x%=10 >JD
1990 ERASE b$:DIM b$(3,100) >UB
2000 WINDOW X%,x%+62,2,24:PAPER 0:C >YC
LS:WINDOW 1,80,1,25
2010 LOCATE x%,2:PRINT CHR$(240)+ST >DJ
RING$(62,241)+CHR$(242)
2020 LOCATE x%+1,3:PRINT" X fic >TX
hiers CATALOGUE
X"
2030 FOR Y%=3 TO 24 >LH
2040 LOCATE x%,y%:PRINT CHR$(245) >BB
2050 LOCATE x%+63,y%:PRINT CHR$(246 >DH
)
2060 NEXT >KK
2070 LOCATE x%,25:PRINT CHR$(243)+S >EQ

```

```

TRING$(62,239)+CHR$(244)
2080 LOCATE 1,1 >WH
2090 dir=1:GOSUB 1300 >PQ
2100 POKE &BB5A,&C9:CALL &BC9B,&400 >UV
0:POKE &BB5A,&CF
2110 nb%=0:T0t%=0 >LT
2120 n1%=0 >GA
2130 WINDOW X%+2,80,5,25 >RU
2140 C=1 >UH
2150 Q%=1 >AJ
2160 FOR i=&4000 TO &4800 STEP 14 >XG
2170 IF PEEK(1)<>255 THEN 2290 >WQ
2180 FOR n%=1 TO 8 >LE
2190 b$(c,q%)=b$(c,q%)+CHR$(PEEK(1+ >FE
N%))
2200 NEXT >KF
2210 b$(c,Q%)=b$(c,Q%)+". " >RT
2220 FOR E%=0 TO 2 >GD
2230 b$(c,Q%)=b$(c,Q%)+CHR$(PEEK(1+ >QX
N%+E%) AND 127)
2240 NEXT >KK
2250 PRINT b$(c,Q%);USING " ## ko"; >XU
PEEK(1+12):Q%=Q%+1
2260 N1%=N1%+1:IF n1%=20 THEN C=2:W >TW
INDOW 33,80,5,25
2270 IF n1%=40 THEN c=3:WINDOW 53,8 >GR
0,5,25
2280 nb%=nb%+1:T0t%=T0t%+PEEK(1+12) >DU
2290 NEXT:WINDOW 1,80,1,25 >VX
2300 LOCATE 12,3:PRINT"X";nb% >XP
2310 LOCATE 60,3:PRINT tot%;" KoX" >BG
2320 LOCATE 12,5:IF COPYCHR$(#0)="" >ED
" THEN LOCATE 30,10:PRINT" X Pas de
catalogue. X ":GOTO 160
2330 IF Cata=1 THEN WHILE INKEY$="" >TE
:WEND:GOTO 160
2340 X=X%+2:Y=5 >CE
2350 I=1 >VG
2360 C=1 >VB
2370 GOSUB 2490 >XK
2380 A$=INKEY$ >WH
2390 IF (A$="" OR A$="Z") AND effa >RL
=1 THEN GOSUB 2840
2400 IF (A$=CHR$(13) OR A$="X") AND >VD
recu=1 THEN ùREN,"0:"+B$(c,i),b$(c
,i):ùUSER,0:GOTO 160
2410 IF (A$=CHR$(13) OR A$="X") AND >XE
effa=1 THEN GOTO 2860
2420 IF (A$=CHR$(13) OR A$="X") AND >XQ
reno=1 THEN GOTO 1760
2430 IF (A$=CHR$(13) OR A$="X") AND >XD
depr=1 THEN GOTO 1640
2440 IF (A$=CHR$(240) OR A$="↑") AN >AD
D Y>5 THEN GOSUB 2510:I=I-1:Y=Y-1:G

```

```

OSUB 2490
2450 IF (A$=CHR$(241) OR A$="↓") AN >UY
D Y<24 THEN GOTO 2770
2460 IF (A$=CHR$(243) OR A$="→") AN >TQ
D C<3 THEN GOTO 2620
2470 IF (A$=CHR$(242) OR A$="←") AN >TN
D C>1 THEN GOTO 2520
2480 GOTO 2380 >NE
2490 LOCATE X,Y:PRINT"X"+LEFT$(b$(c >MC
,i),12)"X"
2500 RETURN >FA
2510 PAPER 0:PEN 1:LOCATE X,Y:PRINT >HJ
LEFT$(b$(c,i),12):RETURN
2520 IF C=3 THEN LOCATE 33,y >VV
2530 IF C=2 THEN LOCATE 12,y >VR
2540 IF COPYCHR$(#0)="" THEN GOTO >EV
2380
2550 GOSUB 2510 >XC
2560 C=C-1 >JE
2570 IF C=2 THEN I=I-20 >QQ
2580 IF C=1 THEN I=I-20 >QQ
2590 IF C=2 THEN X=33:GOSUB 2490 >YY
2600 IF C=1 THEN X=12:GOSUB 2490 >YK
2610 GOTO 2380 >MK
2620 IF C=1 THEN LOCATE 33,y >VU
2630 IF C=2 THEN LOCATE 53,y >VY
2640 IF COPYCHR$(#0)="" THEN GOTO >EW
2380
2650 GOSUB 2510 >XD
2660 C=C+1 >JD
2670 IF C=2 THEN I=I+20 >QP
2680 IF C=3 THEN I=I+20 >QR
2690 IF C=2 THEN X=33:GOSUB 2490 >YZ
2700 IF C=3 THEN X=53:GOSUB 2490 >YU
2710 GOTO 2380 >NA
2720 ' >YD
2730 ' >YE
2740 ' >YF
2750 ' >YG
2760 ' >YH
2770 LOCATE X,Y+1 >LF
2780 IF COPYCHR$(#0)="" THEN GOTO >EB
2380
2790 GOSUB 2510 >XJ
2800 Y=Y+1 >ND
2810 I=I+1 >KC
2820 GOSUB 2490 >XK
2830 GOTO 2380 >ND
2840 IF effa=1 AND LEN(b$(c,i))=12 >DG
THEN LOCATE x-1,y:PRINT">b$(c,i)<
":b$(c,i)=b$(c,i)+"<":GOSUB 2490:RE
TURN
2850 IF effa=1 AND LEN(b$(c,i))=13 >PQ
THEN LOCATE x-1,y:b$(c,i)=LEFT$(b$(

```

```

c,1),12):PRINT "B$(c,1)" :GOSUB
2490:RETURN
2860 WINDOW 1,40,1,24:PAPER 0:CLS >AC
2870 dir=0:GOSUB 1300 >PW
2880 FOR C=1 TO 3 >CC
2890 FOR I=1 TO nb% >MW
2900 IF LEN(b$(c,1))=13 THEN b$(c,1) >JC
)=LEFT$(b$(c,1),12):PRINT b$(c,1)"
est effacé." :ùERA,b$(c,1)
2910 NEXT >LD
2920 NEXT >LE
2930 WINDOW 1,80,1,25 >PG
2940 GOTO 160 >FH
2950 PAPER 0:PEN 1:WINDOW 1,80,1,25 >CE
2960 LOCATE 30,10:PRINT CHR$(240)ST >CV
RING$(14,241)CHR$(242)
2970 LOCATE 30,11:PRINT CHR$(245)" >GB
Insérez DISK "CHR$(246)
2980 LOCATE 30,12:PRINT CHR$(243)ST >CM
RING$(14,239)CHR$(244)
2990 WHILE INKEY$="":WEND >VH
3000 WINDOW 30,40,10,12:PAPER 0:CLS >ZZ
:WINDOW 41,70,10,12:PAPER 1:CLS:PAP
ER 0
3010 WINDOW 1,1,1,1:PEN 0 >TP
3020 ON ERROR GOTO 3080 >QC
3030 IF ch=1 THEN RUN"COPIEUR >XG
3040 IF ch=2 THEN RUN"EDIT >UG
3050 IF ch=3 THEN RUN"SPEEDER >XV
3060 IF ch=4 THEN RUN"COP2 >UR
3070 STOP >LJ
3080 IF DERR=146 THEN RESUME 2950 >AW
3090 RESUME 160 >AD
3100 GOTO 160 >EG

```

SCREEN

```

10 ' ***** >LA
20 ' * >LB
30 ' * IMAGE DE * >LC
40 ' *PRESENTATION* >LD
50 ' * >LE
60 ' *SAVE"SCREEN * >LF
70 ' *+ RUN * >LG
80 ' ***** >LH
90 INK 14,25 >VH
100 MODE 0:INK 0,0:BORDER 0 >UU
110 INK 1,1:INK 2,11:INK 3,2:INK 4, >LN
26:INK 5,20
120 X=0:Y=0:K=50 >LE
130 A=0.516:B=0.98333:C=0.45363 >YC
140 T=TIME >VJ

```

```

150 FOR I%=1 TO 642 >LA
160 Z=Y-SGN(X)*SQR(ABS(B*X+C)) >ZZ
170 Y=A-X:X=Z >WE
180 PLOT K*X+320,250-(K*Y),INT(RND >GZ
*5)+1
190 NEXT >EF
200 FOR I%=1 TO 100:PLOT INT(RND*64 >TK
0),INT(RND*400),INT(RND*5)+1:NEXT
210 PEN 15:INK 14,26:INK 15,11 >WE
220 LOCATE 1,1:PRINT CHR$(164)"BIGH >UY
EAD SOFTWARE"
230 FOR X=0 TO 17*32 STEP 4 >TB
240 FOR Y=4 TO 18 STEP 2 >QQ
250 IF TEST(X,380+Y)=15 THEN PLOT 4 >PQ
0+X,Y*2,15:DRAW 45+X,(Y*2)+5:DRAW 4
5+X,(Y*2.1)+5,14
260 NEXT Y,X >GH
270 LOCATE 1,1:PRINT "DISK"+STRING$ >LD
(16,32)
280 FOR X=0 TO 4*32 STEP 4 >RG
290 FOR Y=0 TO 18 STEP 2 >QR
300 IF TEST(X,380+Y)=15 THEN PLOT 2 >TW
50+X,350+Y*2,14
310 NEXT:NEXT >BB
320 LOCATE 1,1:PRINT" " >UV
330 SAVE"DISK",B,&C000,&4000 >WD

```

COP 2

```

10 ' ***** >LA
20 ' * >LB
30 ' * COPIEUR * >LC
40 ' * FICHIER * >LD
50 ' * >LE
60 ' *SAVE"COP2 * >LF
70 ' ***** >LG
80 BORDER 0:INK 0,0 >MQ
90 CLEAR >DH
100 FOR I=42165 TO 42619:READ A%:PO >PH
KE I,A%:NEXT
110 CALL 42165 >KA
120 DATA &c3,&57,&a5,&00,&00,&4e,&4 >WX
f,&4d,&20,&44,&55,&20,&46,&49,&43,&
48,&49,&45,&52,&20,&45,&4e,&20,&45,
&4e,&54,&52,&45,&45,&20,&3f,&20
130 DATA &4e,&4f,&4d,&20,&44,&55,&2 >HD
0,&46,&49,&43,&48,&49,&45,&52,&20,&
45,&4e,&20,&53,&4f,&52,&54,&49,&45,
&20,&3f,&20
140 DATA &41,&55,&54,&52,&45,&20,&4 >ZU
6,&49,&43,&48,&49,&45,&52,&20,&28,&
4f,&2f,&4e,&29,&20,&3f,&20

```

```

150 DATA &00,&00,&00,&00,&00,&00,&0 >HY
0,&00,&00,&00,&00,&00,&00,&00,&00,
&00,&00,&00,&00,&00,&00,&00,
&00,&00,&00,&00,&00,&00,&00,&00
,&00
160 DATA &00,&00,&00,&00,&00,&00,&0 >EZ
0,&00,&00,&00,&00,&00,&00,&00,&00,
&00,&00,&00,&00,&00,&00,&00,
&00,&00,&00
170 DATA &00,&00,&00,&00,&00,&00,&0 >KH
0,&00,&00,&00,&00,&00,&00,&00,&00,
&00,&00,&00,&00,&00
180 DATA &3e,&02,&cd,&0e,&bc,&3e,&0 >BK
0,&06,&00,&0e,&00,&cd,&32,&bc,&3e,&
01,&06,&12,&48,&cd,&32,&bc
190 DATA &cd,&54,&bb,&cd,&72,&a6,&21 >HV
,&ba,&a4,&cd,&48,&a6,&06,&11,&36,&0
0,&23,&10,&fb,&21,&06,&a5,&0E,&00,&
3a,&bb,&a4
200 DATA &cd,&55,&a6,&21,&16,&a5,&17 >CK
1,&41,&21,&06,&a5,&11,&72,&01,&cd,&
77,&bc,&da,&a2,&a5,&cd,&46,&a6,&c3,
&70,&a5
210 DATA &32,&28,&a5,&ed,&53,&29,&a >ZC
5,&ed,&43,&2d,&a5,&11,&2f,&a5,&01,&
18,&00,&09,&01,&28,&00,&ed,&b0,&2a,
&29,&a5,&cd,&83,&bc
220 DATA &22,&2b,&a5,&cd,&7a,&bc,&c >TF
d,&72,&a6,&21,&d5,&a4,&cd,&48,&a6,&
11,&17,&a5,&01,&11,&00,&ed,&b0,&21,
&17,&a5,&0e,&00
230 DATA &3a,&b9,&a4,&cd,&55,&a6,&17 >AT
9,&fe,&00,&ca,&eb,&a5,&21,&27,&a5,&
71,&21,&27,&a5,&46,&21,&17,&a5,&11,
&72,&01,&cd,&8c,&bc
240 DATA &da,&01,&a6,&cd,&46,&a6,&c >AZ
3,&c5,&a5,&01,&18,&00,&09,&eb,&21,&
2f,&a5,&01,&28,&00,&ed,&b0,&ed,&4b,
&2b,&a5,&2a,&29,&a5
250 DATA &ed,&5b,&2d,&a5,&3a,&28,&a >UZ
5,&cb,&87,&cd,&98,&bc,&cd,&8f,&bc,&
cd,&72,&a6,&21,&f0,&a4,&06,&16,&7e,
&cd,&5a,&bb,&23
260 DATA &10,&f9,&cd,&06,&bb,&cd,&5 >BH
a,&bb,&f6,&20,&fe,&6f,&ca,&70,&a5,&
fe,&6e,&c2,&24,&a6,&c7,&37,&c9,&06,
&1b,&7e,&cd,&5a,&bb
270 DATA &23,&10,&f9,&21,&06,&a5,&c >TR
9,&fe,&00,&ca,&5f,&a6,&06,&0c,&c3,&
61,&a6,&06,&10,&cd,&06,&bb,&fe,&0d,
&ca,&71,&a6,&0c
280 DATA &cd,&5a,&bb,&77,&23,&10,&f >DC
0,&c9,&cd,&78,&bb,&26,&01,&2c,&cd,&
75,&bb,&c9

```

COPIEUR

```

10 ' ***** >LA
20 ' * >LB
30 ' * COPIEUR * >LC
40 ' * DISQUETTE * >LD
50 ' * >LE
60 ' *SAVE"COPIEUR* >LF
70 ' ***** >LG
80 CLEAR >DG
90 CALL &BB4E >HA
100 FOR T=42000 TO 42057 >QV
110 READ a$:POKE t,VAL("&"A$) >XP
120 NEXT >DJ
130 ON BREAK GOSUB 630 >QK
140 ON ERROR GOTO 630 >PK
150 WINDOW 1,40,1,25:PAPER 0:CLS:WI >HT
NDOW 1,80,1,25:PAPER 1:PEN 0:LOCATE
45,15:PRINT"Format (S)ysteme (D)at
a ?"
160 F$=INKEY$:IF F$="" THEN 160 >XG
170 F$=UPPER$(F$) >LV
180 IF F$="S" THEN f=65:GOTO 210 >YF
190 IF F$="D" THEN f=193:GOTO 210 >YE
200 GOTO 160 >YF
210 PAPER 0:PEN 1:LOCATE 45,15:PRIN >ZG
T STRING$(25,143);:
220 PAPER 1:PEN 0:LOCATE 45,15:PRIN >ZH
T"Introduisez la disquette source":
LOCATE 45,16:PRINT"et appuyez sur u
ne touche..."
230 WHILE INKEY$="" :WEND >UY
240 WINDOW 45,80,15,16:PAPER 1:CLS: >LK
WINDOW 1,80,1,25:PAPER 0:PEN 1
250 GOSUB 640 >HG
260 TAMP=4488:CPT=0 >PW
270 LOCATE 2,6 >QB
280 FOR PT=0 TO 39 >LP
290 FOR SC=0 TO 8 >FG
300 IF CPT=0 THEN 320 >NC
310 IF CPT MOD 72=0 THEN GOSUB 390 >ZT
320 TAMP=TAMP+512:CPT=CPT+1 >XV
330 LOCATE 2,4:PRINT"Lecture... >GA
"
340 LOCATE 2,6+sc:PRINT"Piste "pt". >XZ
..Secteur"sc
350 CALL 42000,pt,sc+f,tamp >WN
360 NEXT sc >YF
370 FOR Y%=15 TO 6 STEP -1:LOCATE 2 >FA
,y%:PRINT SPACE$(25):NEXT
380 NEXT pt >AB
390 PAPER 1:PEN 0:LOCATE 45,15:PRIN >LY
T"Introduisez la disquette destinat

```

ion":LOCATE 45,16:PRINT"et appuyez

```

sur une touche..."
400 WHILE INKEY$="" :WEND >UX
410 WINDOW 45,80,15,16:PAPER 1:CLS: >LJ
WINDOW 1,80,1,25:PAPER 0:PEN 1
420 GOSUB 640 >HF
430 TAMP=4488 >PB
440 FOR PT=0 TO 39 >RC
450 FOR SC=0 TO 8 >LT
460 TAMP=TAMP+512 >MC
470 LOCATE 2,4:PRINT"Ecriture..." >EQ
480 LOCATE 2,6+sc1:PRINT"Piste "pt1 >AY
"...Secteur"sc1
490 CALL 42005,pt1,sc1+f,tamp >XJ
500 NEXT sc1 >EC
510 FOR Y%=15 TO 6 STEP -1:LOCATE 2 >EE
,y%:PRINT SPACE$(25):NEXT
520 NEXT pt1 >FJ
530 tamp=4488 >PC
540 IF cpt=360 THEN LOCATE 2,17:PRI >AJ
NT"Operations Terminees...":WHILE I
NKEY$<>"" :WEND:WHILE INKEY$="" :WEND
:GOTO 130
550 PAPER 1:PEN 0:LOCATE 45,15:PRIN >ZP
T"Introduisez la disquette source":
LOCATE 45,16:PRINT"et appuyez sur u
ne touche..."
560 WHILE INKEY$="" :WEND >UE
570 WINDOW 45,80,15,16:PAPER 1:CLS: >LR
WINDOW 1,80,1,25:PAPER 0:PEN 1
580 GOSUB 640 >JC
590 RETURN >ZK
600 DATA 3E,66,C3,17,A4,3E,4E,32,3F >KJ
,A4,DD,6E,00,DD,66,01,DD,4E,02
610 DATA ED,43,48,A4,DD,56,04,1E,00 >KP
,ED,53,46,A4,0E,07,CD,0F,B9,C5
620 DATA ED,4B,48,A4,ED,5B,46,A4,CD >PP
,66,C6,C1,CD,18,B9,C9,00,00,00,00
630 CALL 0 >GH
640 OUT (&FA7E),1 >LQ
650 FOR I=1 TO 999:NEXT >RU
660 OUT (&FB7F),4 >LY
670 OUT (&FB7F),2-PEEK(&A700) >WG
680 DK=INP(&FB7F) >MZ
690 OUT (&FA7E),0 >LV
700 IF (DK AND 32)=0 THEN PAPER 0:P >YJ
EN 1:LOCATE 1,10:PRINT"Lecteur de d
isquette vide...":WHILE INKEY$<>"" :
WEND:WHILE INKEY$="" :WEND:GOTO 150
710 IF (DK AND 64) THEN PAPER 0:PEN >CV
1:LOCATE 1,10:PRINT"Disquette prot
egee...":WHILE INKEY$<>"" :WEND:WHIL
E INKEY$="" :WEND:GOTO 150
720 RETURN >ZE

```

EDIT

```

10 ' ***** >LA
20 ' * >LB
30 ' *MINI-EDITEUR* >LC
40 ' * >LD
50 ' *SAVE"EDIT * >LE
60 ' ***** >LF
70 CLEAR >DF
80 DIM a$(15,3) >NB
90 ON BREAK GOSUB 620 >PB
100 MODE 2:INK 0,26:INK 1,0:BORDER >MG
13:lig=100
110 FOR I=&9000 TO &9073 STEP 8 >WF
120 FOR J=0 TO 7:READ z$ >QU
130 Z=VAL("&"z$):c=C+z:POKE i+J,z >CR
140 NEXT:READ c$:IF c<>VAL("&"C$) >QF
THEN PRINT"Erreur ligne ";lig
150 C=0:lig=lig+10:NEXT:CALL &9000 >CZ
160 DATA 01,28,90,21,24,90,cd,d1,32 >BD
c
170 DATA bc,21,3f,90,cd,d4,bc,22,42 >CH
b
180 DATA 40,90,79,32,42,90,21,43,2b >BK
1
190 DATA 90,cd,d4,bc,22,44,90,79,45 >CE
c
200 DATA 32,46,90,c9,00,00,00,00,1d >BW
1
210 DATA 30,90,c3,47,90,c3,5d,90,40 >BJ
a
220 DATA 4c,4f,41,44,53,45,c3,53,2c >BG
e
230 DATA 41,56,45,53,45,c3,00,84,2b >BT
b
240 DATA 00,00,00,85,00,00,00,fe,18 >BU
3
250 DATA 03,28,05,3e,07,c3,5a,bb,24 >CF
d
260 DATA eb,dd,56,04,dd,4e,02,1e,36 >CU
d
270 DATA 00,df,40,90,c9,fe,03,28,3a >CN
1
280 DATA 05,3e,07,c3,5a,bb,eb,dd,3e >CX
a
290 DATA 56,04,dd,4e,02,1e,00,df,28 >CQ
4
300 DATA 44,90,c9,00,00,00,00,00,19 >BY
d
310 MEMORY &3FFF:p=0:S=&C1 >VP
320 ùLOADSEC,p,s,&4000:C=1 >VZ
330 MODE 2:GOSUB 600:LOCATE 1,2 >YV
340 PLOT 1,90,1:DRAW 1,360:DRAW 630 >DF
,360:DRAW 630,90:DRAW 1,90:PLOT 5,8

```

```

8: DRAW 632,88: DRAW 632,358
350 PLOT 100,365: DRAW 100,390: DRAW >NC
540,390: DRAW 540,365: DRAW 100,365
360 PRINT: PRINT >MY
370 ON BREAK GOSUB 620 >QQ
380 FOR i=&4000+D TO &40FF+D STEP 1 >AV
6
390 PRINT " "; HEX$(1,4); " : "; >XF
400 FOR j=0 TO 15: PRINT HEX$(PEEK(1 >VY
+J),2); " "; : NEXT
410 PRINT " : "; : FOR j=0 TO 15: z=P >KM
EEK(1+J)
420 IF z<32 THEN PRINT ". "; ELSE PRI >NW
NT CHR$(z);
430 NEXT: PRINT: NEXT >QW
440 GOTO 740 >ZF
450 A$=INKEY$: a$=UPPER$(A$) >WX
460 IF a$=" " THEN d=ABS(d-256): GOT >FT
0 330
470 ON BREAK GOSUB 620 >QR
480 LOCATE 10,25 >EB
490 IF a$="S" THEN INPUT "Secteur : >MQ
&", s$: S=VAL("&"+S$): GOSUB 600
500 IF a$="P" THEN INPUT "Piste : ", >NR
p: IF p>43 THEN 480 ELSE GOSUB 600
510 IF a$="W" THEN ULOADSEC, p, s, &50 >YL
00: ss=s: sp=p: w=1: USAVESEC, p, s, &4000
520 IF a$="L" THEN ULOADSEC, p, s, &40 >NK
00: GOTO 330
530 IF a$="E" THEN END >PY
540 IF a$="U" AND W=1 THEN USAVESEC >VG
, sp, ss, &5000: w=0
550 IF a$<>"V" THEN 450 >PQ
560 LOCATE 10,25: INPUT "Adresse : &" >RG
, a$: A=VAL("&"+A$): IF a=0 THEN 560
570 LOCATE 10,25: PRINT SPACE$(50); >BB
580 LOCATE 10,25: INPUT "Valeur : &" >JQ
v$: V=VAL("&"+V$): POKE a, v
590 GOTO 330 >ZG
600 PAPER 0: PEN 1: WINDOW 1,80,1,25 >BR
610 LOCATE 20,2: PRINT "Secteur : &" >HA
HEX$(s,2); " Piste : "; p; " Page
: "; -1*(D=256): LOCATE 1,25: PRINT SP
ACE$(70); : RETURN
620 RUN "disc >AE
630 GOSUB 1140: INPUT "Piste: ", p: IF p >ZE
>43 THEN 1270: GOTO 740 ELSE GOSUB 6
00: GOSUB 1270: GOTO 740
640 GOSUB 1140: INPUT "Secteur: &", s$: >HV
S=VAL("&"+S$): GOSUB 600: GOSUB 1270:
GOTO 740
650 GOSUB 1140: INPUT "Adresse: &", a$ >ML
: A=VAL("&"+A$): IF a=0 THEN 650
660 ' >TC

```

```

670 INPUT "Valeur: &", v$: V=VAL("&"+V$ >RT
): POKE a, v
680 GOTO 330 >ZG
690 IF W=1 THEN USAVESEC, sp, ss, &500 >JF
0: w=0: GOTO 330 ELSE GOTO 740
700 ULOADSEC, p, s, &4000: GOTO 330 >ZE
710 ULOADSEC, p, s, &5000: ss=s: sp=p: w= >QY
1: USAVESEC, p, s, &4000: GOTO 330
720 C=2: GOTO 740 >FG
730 d=ABS(d-256): GOTO 330 >TZ
740 ' >TB
750 ' >TC
760 WINDOW 1,80,21,25 >PK
770 IF C=2 THEN RESTORE 1100: le=80 >BC
780 IF C=1 THEN RESTORE 1120: le=80 >BE
790 mo=2 >ZK
800 fb$=CHR$(241): fh$=CHR$(240): ok$ >XA
=" ": ret$=CHR$(13)
810 nor$=CHR$(15)+CHR$(0)+CHR$(14)+ >JA
CHR$(1)
820 inv$=CHR$(15)+CHR$(1)+CHR$(14)+ >JZ
CHR$(0)
830 do$=CHR$(7): soh$=CHR$(1) >WB
840 ' >TC
850 READ n >LB
860 FOR i=0 TO n >YK
870 READ m$(i) >MC
880 cc$=cc$+LEFT$(M$(i),1) >UE
890 lt=MAX(LEN(M$(i)),lt) >UX
900 NEXT i >NH
910 mg=(LE-lt)/2: md=mg+lt >VE
920 ch=1 >XG
930 PAPER 0: PEN 1 >LQ
940 FOR i=0 TO n >YJ
950 LOCATE mg-1, i*1+1: PRINT "/X"; M$ >VF
(i); TAB(Md); "Xc";
960 NEXT >FA
970 LOCATE mg, ch*1+1: PRINT inv$; m$( >YU
CH); TAB(MD); nor$;
980 r$=INKEY$: IF r$="" THEN 980 >XE
990 LOCATE mg, ch*1+1: PRINT m$(CH); T >LB
AB(MD);
1000 IF (R$=fb$ OR R$="↓") THEN ch= >ZT
(CH+1) MOD (N+1): GOTO 970
1010 IF (R$=fh$ OR R$="↑") THEN ch >AB
=(CH+n) MOD (N+1): GOTO 970
1020 IF (r$=ret$ OR r$=" " OR r$="X >KA
") THEN 1050
1030 X=INSTR(CC$,UPPER$(R$)): IF x=0 >MJ
THEN 970
1040 ch=X-1 >VA
1050 IF (ch=0 AND c=1) THEN 740 >WT
1060 IF (ch=0 AND c=2) THEN C=1: GOT >EH
0 740

```

```

1070 PAPER 0: PEN 1 >LE
1080 IF C=1 THEN ON ch GOTO 700,710 >HJ
,720,730
1090 IF C=2 THEN ON ch GOTO 630,640 >HY
,650,690
1100 DATA 4 >MK
1110 DATA Annulation,Piste,Secteur, >DB
Modification,Undo
1120 DATA 4 >NB
1130 DATA Annulation,Charger,Ecrire >KM
,Modifier,Page suivante
1140 WINDOW 1,80,1,25 >PY
1150 T=33:t1=10 >ZA
1160 FOR X%=1 TO 15 >LH
1170 FOR y%=1 TO 3 >LJ
1180 LOCATE x%+t,y%+t1: >RM
1190 a$(X%,Y%)=COPYCHR$(#0) >VE
1200 IF x%=15 AND y%=1 THEN LOCATE >MK
1+t,1+t1: PRINT CHR$(150)STRING$(13,
154)CHR$(156);
1210 IF x%=15 AND y%=2 THEN LOCATE >LJ
1+t,2+t1: PRINT CHR$(149)STRING$(13,
32)CHR$(149);
1220 IF x%=15 AND y%=3 THEN LOCATE >MV
1+t,3+t1: PRINT CHR$(147)STRING$(13,
154)CHR$(153);
1230 NEXT >KH
1240 NEXT >KJ
1250 WINDOW t+2,T+15-1,t1+2,t1+2 >ZY
1260 RETURN >FC
1270 WINDOW 1,80,1,25:T=33:t1=10 >ZH
1280 FOR X%=1 TO 15 >LL
1290 FOR y%=1 TO 3 >LN
1300 LOCATE x%+t,y%+t1: PRINT A$(x%, >GP
y%);
1310 NEXT: NEXT: RETURN >TH

```

SPEEDER

```

10 '***** >LA
20 ' * >LB
30 '*Vitesse:+30%* >LC
40 ' * >LD
50 '*SAVE"SPEEDER* >LE
60 '***** >LF
70 FOR I=&1000 TO &1012: READ a: POKE >LN
x,a: NEXT
80 CALL &1000: CALL &BBBA: CALL &BC02 >YP
: MODE 1: PEN 1: PAPER 0
90 LOCATE 1,1: PRINT "Speeder:+30%": P >RT
RINT: NEW
100 DATA 33,10,16,223,7,16,201,13,1 >CN
98,7,35,0,200,0,1,1,10,0,3

```