

```

10 COPYRIGHTS GEORGES HECKER *** BESLE SUR VILAINE >LA
*** 12 DECEMBRE 87
15 REDEPART GOTO 55 SAVE "RS >LF
XMODES".B,41507,192
18 >LJ
20 SYMBOL AFTER 126 >NG
25 MEMORY 41506 >BK
30 GOSUB 65:FOR bk=1 TO 200:NEXT >ZC
35 CHAIN MERGE"REDEF CAR.ASC".40 >AL
40 GOSUB 10000:FOR bk=1 TO 200:NEXT >BH
45 CHAIN MERGE"DELETE.ASC".50,DELETE 10000- >LH
50 DIM sp(75):DIM m$(60):buf$(1)=STRING$(75,CHR$(157)): >WF
buf$(2)=buf$(1):k$=STRING$(50,CHR$(233)):FOR i=1 TO 60:
m$(i)=STRING$(75,CHR$(157)):NEXT i
55 GOSUB 95:GOSUB 265 >QA
60 CALL &BB48:RESTORE:ON ERROR GOTO 2780:EVERY 15000.3 >YP
GOSUB 2430:GOTO 210
65 OPENOUT"BUFFER" >PT
70 MEMORY HIMEM-1 >MK
75 CLOSEOUT >LD
80 GOSUB 7000:CALL 41507 >RK
85 DIM f$(45) >BA
90 RETURN >TH
95 MODE 2:BORDER 10:INK 0.0:INK 1.18:CLS >GM
100 WINDOW#2,1,80,1,25:PAPER#2,1:PEN#2,0:CLS#2 >GD
105 WINDOW#0,2,79,22,25:PAPER#0,1:PEN#0,0:CLS#0 >RH
110 WINDOW#1,2,79,2,21:PAPER#1,0:PEN#1,1:CLS#1 >QG
115 GOSUB 120:GOSUB 150:GOSUB 170:RETURN >JT
120 FOR i=1 TO 25 >CB
125 LOCATE#2,1,1:PRINT#2,CHR$(233):LOCATE#2,80,1:PRINT >UX
#2,CHR$(233);
130 NEXT i >NC
135 LOCATE#2,1,1:PRINT#2,STRING$(80,CHR$(233)): >RM
140 LOCATE#2,33,1:PRINT#2,">> MISSIVES <<" >LH
142 LOCATE #2,1,1:PRINT #2,">>P<<":LOCATE #2,76,1:PRINT >MU
#2,">>P<<"
145 RETURN >ZF
150 CLS >UA

```

```

155 LOCATE#0,1,4:PRINT#0,CHR$(24):STRING$(78,CHR$(233)) >NM
:CHR$(24);
160 LOCATE#0,1,1:PRINT#0,CHR$(24):STRING$(78,CHR$(233)) >MD
:CHR$(24)
165 RETURN >ZH
170 CLS#1 >EE
175 FOR i=1 TO 20 >CG
180 LOCATE#1,1,1:PRINT#1,USING"##":1 >EA
185 LOCATE#1,3,1:PRINT#1,CHR$(243) >CP
190 LOCATE#1,4,1:PRINT#1,STRING$(75,CHR$(157)): >RA
195 NEXT i >FD
200 RETURN >YH
205 GOSUB 150 >HC
210 LOCATE 2,2:PRINT CHR$(7):EI >ZT
215 LOCATE 2,2 >PG
220 PRINT"INTRODUIRE LE TEXTE ";CHR$(24);"-T-";CHR$(24 >HM
);" REDIGER LE TEXTE ";CHR$(24);"-R-";CHR$(24);"
ACCES SUR LE DISQUE ";CHR$(24);"-A-";CHR$(24);
225 LOCATE 2,3 >PJ
230 PRINT"SAUVEGARDER LE TEXTE ";CHR$(24);"-S-";CHR$(24 >JM
);" VISUALISER LE TEXTE ";CHR$(24);"-V-";CHR$(24);"
AZERTY <--> QWERTY ";CHR$(24);"-C-";CHR$(24);
235 c$=INKEY$:WHILE c$=""GOTO 235:WEND >HR
240 c$=UPPER$(c$) >LL
245 IF INSTR("TRASVCPEF",c$)=0 THEN GOTO 235 >MH
250 h=- (c$="T")-2*(c$="R")-3*(c$="A")-4*(c$="S")-5*(c$= >MJ
"V")-6*(c$="C")-7*(c$="P")-8*(c$="E")-9*(c$="F")
255 ON h GOSUB 295,565,2345,495,1945,2260,3000,4000,555 >WJ

260 LOCATE 2,2:PRINT CHR$(7):GOTO 210 >EN
265 LOCATE 5,2 >QE
270 PRINT CHR$(24);"POUR POUVOIR CONTINUER DONN >MT
EZ LE MOT DE PASSE ";CHR$(24)
275 LOCATE 30,3:PRINT CHR$(24);STRING$(18,CHR$(233)):CH >HD
R$(24)
280 f=0:w=33:s=3:x=24:b=-1:l=12:PEN#0,1:GOSUB 1705:PEN# >EF
0,0
285 IF t$<>"LITTERATURE "THEN GOTO 275 >GP
290 PRINT CHR$(7):RETURN >VH
295 DI:GOSUB 360 >LR
296 r=0 >QG
297 FOR i=1 TO 60 >DF
298 IF m$(i) <> STRING$(75,CHR$(157)) THEN r=-1 >MJ
299 NEXT i >PJ
300 IF r THEN GOSUB 395 ELSE GOSUB 150 >DE
305 LOCATE 12,2:PRINT CHR$(24): >YG
310 PRINT"DONNEZ LE NOM DU TEXTE A >AK
CHARGER";CHR$(24)
315 LOCATE 20,3:PRINT SPACE$(40) >AP
320 f=0:w=35:s=3:x=24:b=-1:l=8:GOSUB 1705 >JF
325 w$=MID$(t$,1,8):w$=w$+".MIS":LOCATE 2,2:PRINT CHR$( >DH
7);
330 OPENIN w$ >MG
335 FOR i=1 TO 60 >CJ
340 INPUT#9,m$(i) >MD
345 NEXT i >FA
350 CLOSEIN >EK
352 ah=1:GOSUB 650 >ME

```

```

355 RETURN >ZJ
360 FOR bk=1 TO 1000:NEXT:GOSUB 150 >CU
365 LOCATE 3,2:PRINT CHR$(24);"LECTEUR DE DISQUETTES"; >MW
CHR$(24)
370 LOCATE 3,3:PRINT CHR$(24);"PREPAREZ LA DISQUETTE!"; >MA
CHR$(24)
375 LOCATE 29,2:PRINT CHR$(24);"INSEREZ LA DANS LE DDI" >NC
;CHR$(24)
380 GOSUB 1880 >QK
385 IF NOT tds THEN GOTO 365 >VJ
390 RETURN >ZH
395 GOSUB 150 >JC
400 LOCATE 20,2:PRINT CHR$(24);"DESIREZ VOUS SAUVEGARDE >LP
R VOTRE TEXTE";CHR$(24)
405 LOCATE 33,3:PRINT"DUI ";CHR$(24);"-?";CHR$(24);" N >DE
ON"
410 f=0:w=37:s=3:x=24:b=-1:l=3:GOSUB 420 >HG
415 IF t$="DUI"THEN GOSUB 495:GOSUB 150:RETURN ELSE RET >EN
URN
420 k=1 >NK
425 WHILE k<=2 >UK
430 GOSUB 1705 >QB
435 IF t$<>"NON"AND t$<>"DUI"THEN GOTO 430 >JZ
440 k=k+1:LOCATE 33,1:PRINT CHR$(24);" CONFIRMER ";CHR$ >GE
(24);
445 WEND >DB
450 LOCATE 33,1:PRINT CHR$(24);STRING$(11,CHR$(233));CH >HR
R$(24)
455 RETURN >ZK
460 LOCATE 33,4:PRINT"DUI ";CHR$(24);"-?";CHR$(24);" N >DG
ON"
465 j=w:g=f:ag=s:ae=lg:xx=x >YP
470 f=0:w=37:s=4:x=24:b=-1:l=3:GOSUB 420 >JF
475 ap=0:IF t$<>"DUI"THEN ap=-1:GOTO 490 >HM
480 FOR i=1 TO 60:m$(i)=STRING$(75,CHR$(157)):NEXT i:k$ >DD
=STRING$(50,CHR$(233))
485 e=-3:GOSUB 1185:e=3:GOSUB 1170 >BV
490 GOSUB 150:f=g:w=j:s=ag:lg=ae:x=xx:GOSUB 650:m=0:RET >HR
URN
495 DI:GOSUB 150 >LQ
500 LOCATE 12,2:PRINT CHR$(24); >YD
505 PRINT"DONNEZ LE NOM DU TEXTE A >CE
SAUVEGARDER";CHR$(24)
510 LOCATE 20,3:PRINT SPACE$(40) >AL
515 f=0:w=35:s=3:x=24:b=-1:l=8:GOSUB 1705 >KD
520 w$=t$+" MIS":LOCATE 2,2:PRINT CHR$(7);:CALL &BB18:C >KT
ALL &BB18
525 OPENOUT w$ >AC
530 FOR i=1 TO 60 >CF
535 PRINT#9,m$(i) >MG
540 NEXT i >NH
545 CLOSEOUT >TE
550 RETURN >ZF
555 i=10000:DI:GOSUB 2430:EI:GOSUB 2455:CLS#1:MODE12:L >GW
OCATE#1,16,5:PRINT#1,"TERMINE":MODE22:LOCATE 1,2:PRINT
STRING$(77,CHR$(157));:LOCATE 1,3:PRINT STRING$(77,CHR
$(157));:LOCATE 35,1:PRINT CHR$(24);STRING$(12,CHR$(233
));CHR$(24)
560 LOCATE 1,2:END >MY
565 DI:GOSUB 150:EI >NX
570 LOCATE 3,2 >QB
575 PRINT CHR$(24);" NUMERO DE LA PAGE CHOISIE ";C >JV
HR$(24)
580 LOCATE 45,2 >YB
585 PRINT CHR$(24);" NUMERO DE LA LIGNE CHOISIE ";C >KR
HR$(24)
590 LOCATE 4,3 >QF
595 PRINT CHR$(24);"-1-";CHR$(24);" ";CHR$(24);"-2 >TV
-";CHR$(24);" ";CHR$(24);"-3-";CHR$(24);" ";C
HR$(24);"-7-";CHR$(24);
600 LOCATE 48,3 >XJ
605 PRINT CHR$(24);"-01-";CHR$(24);" ";CHR$(24);" >QH
-7?-";CHR$(24);" ";CHR$(24);"-20-";CHR$(24)
610 f=0:w=32:s=3:x=24:b=0:i$="##":l=1:GOSUB 1705 >QN
615 IF VAL(t$)<1 OR VAL(t$)>3 THEN LOCATE 2,2:PRINT CHR >NA
$(7):GOTO 610
620 pa=VAL(t$):ah=((pa-1)*20)+1 >YY
625 f=0:w=60:s=3:x=24:b=0:i$="###":l=2:GOSUB 1705 >RC
630 IF VAL(t$)<1 OR VAL(t$)>20 THEN LOCATE 2,2:PRINT CH >PQ
R$(7):GOTO 625
635 lg=VAL(t$) >XF
640 f=1:w=4:ak=75:x=24:GOSUB 150:GOSUB 650:GOSUB 695 >XX
645 RETURN >AA
650 CLS#1 >EG
655 FOR i=1 TO 20 >CK
660 LOCATE#1,1,i:PRINT#1,USING"##";i+(ah-1) >MH
665 LOCATE#1,3,i:PRINT#1,CHR$(243) >CT
670 LOCATE#1,4,i:PRINT#1,m$(i+(ah-1)); >FD
675 NEXT i >PG
680 LOCATE 2,2:PRINT"A-";buf$(1);:LOCATE 2,3:PRINT"B-"; >LA
buf$(2);
685 RETURN >AE
690 z=0 >RC
695 po=1 >AF
700 m=-1:a=0:rec=0:ret=0:stp=0:y=0:fi=0:sup=0:a=0:e=0: >JE
aa=0
705 IF ay THEN LOCATE 2,4:PRINT"IMPRESSION":LOCATE 68,4 >DR
:PRINT"IMPRESSION"
710 po$=CHR$(22)+CHR$(1)+CHR$(24)+CHR$(95)+CHR$(24)+CHR >PT
$(22)+CHR$(0)
715 s=lg+(ah-1) >ZK
720 LOCATE#f,1,lg:PRINT#f,USING"##";s >GK
725 LOCATE#f,w,lg >MF
730 PRINT#f,CHR$(x);m$(s);CHR$(x); >CF
735 LOCATE#f,(w-1)+(po-1),lg >WM
740 PRINT#f,po$ >LN
745 WHILE m >XG
746 ap=0 >YH
750 qtt=50-INT(LEN(k$)):qtt=qtt/2:LOCATE#0,15,4:PRINT C >HG
HR$(24);STRING$(qtt,CHR$(233));k$;STRING$(qtt,CHR$(233
));CHR$(24)
755 IF po>67 THEN LOCATE 2,2:PRINT CHR$(7); >KD
760 rep$=INKEY$:IF rep$<>""THEN GOTO 760 >HV
765 rep$=INKEY$:WHILE rep$=""GOTO 765:WEND >NW
770 IF (ASC(rep$)>64 AND ASC(rep$)<123)THEN vit=-1:GOTO >TD
1100 ELSE vit=0

```

```

772 GOSUB 1030:IF (ASC(rep$)>127 AND ASC(rep$)<140) THEN >JD
vit=-1:GOTO 1100 ELSE vit=0
775 IF INKEY(66)=0 THEN rep$="ESC":GOSUB 902:IF ap THEN >BD
GOTO 695 ELSE GOTO 1100
780 IF rep$=CHR$(59) THEN rep$=CHR$(154):GOTO 1100 >TL
785 IF rep$=CHR$(34) THEN rep$=CHR$(155):GOTO 1100 >TK
790 IF rep$=CHR$(44) THEN rep$=CHR$(156):GOTO 1100 >TH
795 IF rep$=CHR$(32) THEN rep$=CHR$(157):GOTO 1100 >TL
800 IF rep$=CHR$(13) THEN stp=NOT stp:m=NOT m >NG
805 IF INKEY(79)=0 THEN al=NOT al >AD
810 IF INKEY(68)=32 THEN rec=NOT rec:m=NOT m:GOTO 1150 >YR
815 IF INKEY(0)=0 THEN ret=-1:m=NOT m:GOTO 1100 >PA
820 IF INKEY(2)=0 THEN ret=+1:m=NOT m:GOTO 1100 >PW
825 IF INKEY(0)=32 THEN ret=-1:aa=-1:m=NOT m:GOTO 1100 >YH
830 IF INKEY(2)=32 THEN ret=+1:aa=-1:m=NOT m:GOTO 1100 >YD
835 IF INKEY(0)=128 THEN fi=+1:m=NOT m:GOTO 1100 >QD
840 IF INKEY(2)=128 THEN fi=-1:m=NOT m:GOTO 1100 >QD
845 IF INKEY(68)=0 THEN y=-1:GOTO 1100 >EH
850 IF INKEY(1)=160 AND NOT y THEN GOSUB 2490:GOTO 700 >WF
855 IF INKEY(8)=160 AND NOT y THEN GOSUB 2465:GOTO 700 >WW
860 IF INKEY(1)=128 AND NOT y THEN GOSUB 2730:GOTO 700 >WH
865 IF INKEY(8)=128 AND NOT y THEN GOSUB 2750:GOTO 700 >WY
870 IF INKEY(8)=0 THEN po=po-1:GOSUB 1635:GOTO 1150 >VU
875 IF INKEY(1)=0 THEN po=po+1:GOSUB 1655:GOTO 1150 >VR
880 IF INKEY(8)=32 AND NOT y THEN LOCATE#f,w,lg:PRINT#f >DA
,CHR$(x);m$(s);CHR$(x);po=po-5:GOSUB 1635:GOTO 1150
885 IF INKEY(1)=32 AND NOT y THEN LOCATE#f,w,lg:PRINT#f >CG
,CHR$(x);m$(s);CHR$(x);po=po+5:GOSUB 1655:GOTO 1150
890 IF INKEY(0)=160 THEN sup=-1:m=NOT m:GOTO 1100 >TA
895 IF INKEY(2)=160 THEN a=-1:m=NOT m:GOTO 1100 >PJ
900 IF INKEY(16)=0 THEN GOSUB 1675:GOTO 755 >KC
901 GOTO 1100 >EK
902 u$=INKEY$:IF u$<>"" THEN GOTO 902 >DB
903 u$=INKEY$:WHILE u$="":BORDER 14:GOTO 903:WEND:BORDE >FF
R 10
905 IF INKEY(67)=0 THEN e=+1:m=NOT m >DA
910 IF INKEY(59)=0 THEN e=-1:m=NOT m >CH
915 IF INKEY(58)=0 THEN e=+3:m=NOT m >DD
920 IF INKEY(50)=0 THEN e=+2:m=NOT m >CY
925 IF INKEY(51)=0 THEN e=-2:m=NOT m >CG
930 IF INKEY(43)=0 THEN e=-3:m=NOT m >CE
935 IF INKEY(26)=0 THEN CALL 41683:FOR bq=0 TO 2:LOCATE >VU
#bq,1,1:PRINT#bq,CHR$(24):NEXT bq
940 IF INKEY(64)=0 THEN rep$=CHR$(141+z) >GG
945 IF INKEY(65)=0 THEN rep$=CHR$(142+z) >HF
950 IF INKEY(57)=0 THEN rep$=CHR$(143+z) >HD
955 IF INKEY(56)=0 THEN rep$=CHR$(144+z) >HJ
960 IF INKEY(49)=0 THEN rep$=CHR$(145+z) >HH
965 IF INKEY(48)=0 THEN rep$=CHR$(146+z) >HN
970 IF INKEY(41)=0 THEN rep$=CHR$(147+z) >HC
975 IF INKEY(40)=0 THEN rep$=CHR$(148+z) >HH
980 IF INKEY(33)=0 THEN rep$=CHR$(149+z) >HG
985 IF INKEY(32)=0 THEN rep$=CHR$(150+z) >HC
990 IF INKEY(25)=0 THEN rep$=CHR$(151+z) >HB
995 IF INKEY(24)=0 THEN rep$=CHR$(152+z) >HG
1000 IF INKEY(69)=0 THEN GOSUB 2455:GOSUB 460:GOSUB 246 >ZC
0
1005 IF INKEY(53)=0 THEN GOSUB 555 >AC

```

```

1010 IF INKEY(27)=0 THEN n=s:c=s:GOSUB 2205 >LC
1015 IF INKEY(35)=0 THEN ay=-1:LOCATE 2,4:PRINT"IMPRESS >CZ
ION":LOCATE 68,4:PRINT"IMPRESSION"
1020 IF INKEY(9)=0 THEN PRINT#8:PRINT#8,CHR$(27);CHR$(6 >CB
4)
1025 IF INKEY(45)=0 THEN z=z+20:IF z=40 THEN z=0 >FP
1027 IF INKEY(63)=0 THEN rep$=CHR$(153) >FZ
1028 IF INKEY(34)=0 THEN ay=0:LOCATE 2,4:PRINT CHR$(24) >ZM
;STRING$(10,CHR$(233));CHR$(24):LOCATE 68,4:PRINT CHR$(
24);STRING$(10,CHR$(233));CHR$(24)
1029 RETURN >FF
1030 IF INKEY(15)=0 THEN rep$=CHR$(128)'ETR >FR
1035 IF INKEY(13)=0 THEN rep$=CHR$(129)'EGR >FW
1040 IF INKEY(14)=0 THEN rep$=CHR$(130)'CED >FJ
1045 IF INKEY(5)=0 THEN rep$=CHR$(131)'OCR >EG
1050 IF INKEY(20)=0 THEN rep$=CHR$(132)'EAG >FJ
1055 IF INKEY(12)=0 THEN rep$=CHR$(133)'ITR >FR
1060 IF INKEY(4)=0 THEN rep$=CHR$(134)'ICR >EF
1065 IF INKEY(10)=0 THEN rep$=CHR$(135)'ECR >FT
1070 IF INKEY(11)=0 THEN rep$=CHR$(136)'UCR >FQ
1075 IF INKEY(3)=0 THEN rep$=CHR$(137)'UTR >EP
1080 IF INKEY(7)=0 THEN rep$=CHR$(138)'ACR >EQ
1085 IF INKEY(6)=0 THEN rep$=CHR$(139)'AGR >EW
1087 RETURN >FK
1095 IF INKEY(34)=0 AND INKEY(66)=0 THEN ay=0:LOCATE 2, >LH
4:PRINT CHR$(24);STRING$(10,CHR$(233));CHR$(24):LOCATE
68,4:PRINT CHR$(24);STRING$(10,CHR$(233));CHR$(24):rep$
="ESC"
1100 IF NOT m AND stp THEN GOSUB 1200'REPONSE TERMINEE >CP
1105 IF m AND (NOT al AND NOT y) THEN GOSUB 1375:IF vit T >MP
HEN GOTO 1150'IMPRESS
1110 IF m AND (al AND NOT y) THEN al=NOT al:GOSUB 1480'DE >UE
LETE
1115 IF m AND (NOT al AND y) THEN GOSUB 1510'INSERTION >HD
1120 IF ret<>0 THEN GOSUB 1200:GOSUB 1220:rep$="":GOTO >BH
695'CURSEUR
1125 IF fi<>0 THEN GOSUB 1200:GOSUB 1415:GOTO 695'DEPLA >QZ
CEMENT PAGE
1130 IF a<>0 THEN DI: GOSUB 1330:EI:GOTO 695'AJOUTER LI >KE
GNES
1135 IF sup<>0 THEN DI: GOSUB 1240:EI:GOTO 695'ENLEVER >NW
LIGNES
1140 IF e>0 THEN GOSUB 1170:GOSUB 1200:GOTO 695 >NW
1145 IF e<0 THEN GOSUB 1185:GOSUB 1200:GOTO 695 >NF
1150 rep$="" >XJ
1155 WEND >JG
1160 IF rec THEN m$(s)=STRING$(75,CHR$(157)):GOTO 695 >XM
1165 RETURN >FG
1170 IF e=3 THEN buf$(1)=STRING$(75,CHR$(157)):LOCATE 2 >MJ
,2:PRINT"A-";buf$(1):RETURN
1175 FOR i=1 TO 2:IF e=i THEN buf$(i)=m$(s):LOCATE 4,i+ >RX
1:PRINT buf$(i)
1180 NEXT:RETURN >MY
1185 IF e=-3 THEN buf$(2)=STRING$(75,CHR$(157)):LOCATE >PN
2,3:PRINT"B-";buf$(2):RETURN
1190 FOR i=-1 TO -2 STEP -1:IF e=i THEN m$(s)=buf$(ABS(i) >ZH
)
1195 NEXT:RETURN >ME

```

```

1200 IF NOT rec AND aa THEN aa=0:GOSUB 2530:LOCATE#f,w, >JP
lg:PRINT#f,m$(s):RETURN
1205 IF NOT rec THEN LOCATE#f,w,lg:PRINT#f,m$(s); >UG
1210 IF NOT rec AND ay THEN n=s:c=s:GOSUB 2202 >NB
1215 RETURN >FC
1220 lg=lg+ret >BA
1225 IF lg>20 THEN lg=20:LOCATE 2,2:PRINT CHR$(7); >TW
1230 IF lg<1 THEN lg=1:LOCATE 2,2:PRINT CHR$(7); >QZ
1235 RETURN >FE
1240 GOSUB 1285 >XF
1245 FOR i=s+1 TO(60-sup) >TL
1250 m$(i)=m$(i+sup) >NZ
1255 NEXT i >VJ
1260 FOR i=60-(sup-1)TO 60 >UQ
1265 m$(i)=STRING$(75,CHR$(157)) >ZA
1270 NEXT i >VF
1275 GOSUB 150:GOSUB 650 >TB
1280 RETURN >FE
1285 GOSUB 150:LOCATE 5,2:PRINT CHR$(24);"SUPPRIMER CO >AF
MBIEN DE LIGNES";CHR$(24);" ";CHR$(24);"INSER
ER COMBIEN DE LIGNES";CHR$(24)
1290 LOCATE 16,3:PRINT CHR$(24);"-??-";CHR$(24) >PY
1295 LOCATE 56,3:PRINT CHR$(24);"-??-";CHR$(24) >PH
1300 j=w:IF sup<>0 THEN w=17 ELSE w=57 >EU
1305 g=f:ag=s:xx=x:f=0:s=3:x=24:b=0:i$="##":l=2 >RY
1310 GOSUB 1705 >XA
1315 IF VAL(t$)>(60-ag)THEN LOCATE 2,2:PRINT CHR$(7):60 >GH
TO 1310
1320 IF sup<>0 THEN sup=VAL(t$)ELSE a=VAL(t$) >PB
1325 f=g:w=j:s=ag:x=xx:RETURN >AF
1330 GOSUB 1285 >XF
1335 FOR i=60 TO((s+1)+a)STEP-1 >YM
1340 m$(i)=m$(i-a) >LC
1345 NEXT i >VJ
1350 FOR i=s+1 TO s+a >NL
1355 m$(i)=STRING$(75,CHR$(157)) >ZA
1360 NEXT i >VF
1365 GOSUB 150:GOSUB 650 >TB
1370 RETURN >FE
1375 IF rep$=CHR$(242)OR rep$=CHR$(243)THEN RETURN >VC
1380 IF rep$=CHR$(240)OR rep$=CHR$(241)THEN RETURN >VU
1385 IF rep$="ESC"THEN rep$="":RETURN >FC
1390 MID$(m$(s),po,1)=rep$ >UV
1395 LOCATE#f,po+(w-1),lg:PRINT#f,CHR$(x);rep$;CHR$(x); >CX

1400 po=po+1:IF po>74 THEN po=74:LOCATE 2,2:PRINT CHR$( >DE
7);
1405 IF po<68 THEN LOCATE#f,po+(w-1),lg:PRINT#f,po$;ELS >JB
E IF po<76 THEN LOCATE#f,po+(w-1),lg:PRINT#f,CHR$(233);

1410 RETURN >EK
1415 ah=ah+fi >NA
1420 IF ah<1 THEN ah=1:LOCATE 2,2:PRINT CHR$(7)::RETURN >AF

1425 IF ah>41 THEN ah=41:LOCATE 2,2:PRINT CHR$(7)::RETU >CA
RN
1430 IF fi<1 THEN GOSUB 1440 ELSE GOSUB 1460 >JU
1435 RETURN >FG

```

```

1440 LOCATE#f,1,1:PRINT#f,CHR$(11) >CT
1445 LOCATE#f,1,1:PRINT#f,USING"###";ah; >HH
1450 PRINT#f,CHR$(243);m$(ah); >YC
1455 RETURN >FJ
1460 LOCATE#f,78,20:PRINT#f,CHR$(10) >EZ
1465 LOCATE#f,1,20:PRINT#f,USING"###";ah+19; >MW
1470 PRINT#f,CHR$(243);m$(ah+19); >AD
1475 RETURN >GA
1480 po=po-1:IF po<1 THEN po=1:LOCATE 2,2:PRINT CHR$(7) >BL
;
1485 MID$(m$(s),po,1)=CHR$(157):rep$=CHR$(157) >PJ
1490 LOCATE#f,po+(w-1),lg:PRINT#f,CHR$(x);rep$;CHR$(x); >CT

1495 IF po<68 THEN LOCATE#f,po+(w-1),lg:PRINT#f,po$;ELS >JR
E IF po<76 THEN LOCATE#f,po+(w-1),lg:PRINT#f,CHR$(233);

1500 LOCATE#f,po+w,lg:PRINT#f,CHR$(x);MID$(m$(s),po+1,1 >PT
);CHR$(x)
1505 RETURN >FE
1510 LOCATE 35,1:PRINT"INSERTION" >DC
1515 rep$="":av=po >MD
1520 rep$=INKEY$:WHILE rep$="":GOTO 1520:WEND >PN
1525 IF INKEY(1)=128 OR INKEY(1)=32 THEN LOCATE 2,2:PRI >LQ
NT CHR$(7)::rep$="":GOTO 1520
1530 IF INKEY(8)=128 OR INKEY(8)=32 THEN LOCATE 2,2:PRI >LB
NT CHR$(7)::rep$="":GOTO 1520
1532 IF INKEY(18)=0 THEN LOCATE 2,2:PRINT CHR$(7)::rep$ >PC
="":GOTO 1520
1535 IF rep$=CHR$(32)THEN rep$=CHR$(157) >HA
1540 IF rep$=CHR$(59)THEN rep$=CHR$(154) >HC
1545 IF rep$=CHR$(34)THEN rep$=CHR$(155) >HB
1550 IF rep$=CHR$(44)THEN rep$=CHR$(156) >HZ
1555 LOCATE 2,2:PRINT CHR$(7); >YC
1560 IF INKEY(68)=0 THEN po=av:LOCATE 35,1:PRINT CHR$(2 >WZ
4);STRING$(9,CHR$(233));CHR$(24);y=NOT y:RETURN
1565 IF INKEY(8)=0 THEN av=av-1:po=av:GOSUB 1635:GOTO 1 >DG
515
1570 IF INKEY(1)=0 THEN av=av+1:po=av:GOSUB 1655:GOTO 1 >DV
515
1575 IF rep$=CHR$(240)OR rep$=CHR$(241)THEN GOTO 1515 >WY
1580 IF INKEY(79)=0 THEN po=av:GOSUB 1480:GOTO 1515 >VR
1585 IF INKEY(16)=0 THEN po=av:GOSUB 1675:GOTO 1515 >VU
1590 IF rep$=CHR$(242)OR rep$=CHR$(243)THEN GOTO 1515 >WZ
1595 p$=MID$(m$(s),1,av) >RR
1600 q$=MID$(m$(s),av+1,ak-(av+1)) >BW
1605 p$=p$+rep$ >AC
1610 m$(s)=p$+q$ >CF
1615 LOCATE#f,w,lg:PRINT#f,CHR$(x);m$(s);CHR$(x); >WC
1620 rep$="":av=av+1:IF av>74 THEN av=74:LOCATE 2,2:PRI >NP
NT CHR$(7);
1625 IF av<68 THEN LOCATE#f,av+(w-1),lg:PRINT#f,po$;ELS >JB
E IF av<76 THEN LOCATE#f,av+(w-1),lg:PRINT#f,CHR$(233);

1630 GOTO 1520 >MF
1635 IF po<1 THEN po=1:rep$="":LOCATE 2,2:PRINT CHR$(7) >AP
;
1640 IF po<68 THEN LOCATE#f,po+(w-1),lg:PRINT#f,po$;ELS >JH
E IF po<76 THEN LOCATE#f,po+(w-1),lg:PRINT#f,CHR$(233);

```

```

1645 LOCATE#f,po+(w),lg:PRINT#f,CHR$(x);MID$(m$(s),po+1>TV
,1);CHR$(x);
1650 RETURN >FF
1655 IF po>74 THEN po=74:rep$="":LOCATE 2,2:PRINT CHR$( >CW
7);
1660 IF po<68 THEN LOCATE#f,po+(w-1),lg:PRINT#f,po$:ELS >JK
E IF po<76 THEN LOCATE#f,po+(w-1),lg:PRINT#f,CHR$(233);

1665 LOCATE#f,po+(w-2),lg:PRINT#f,CHR$(x);MID$(m$(s),po >WA
-1,1);CHR$(x);
1670 RETURN >FH
1675 d$=MID$(m$(s),1,po-1) >UB
1680 e$=MID$(m$(s),po+1,ak-(po+1))+CHR$(157) >LV
1685 m$(s)=d$+e$ >BD
1690 LOCATE#f,w,lg:PRINT#f,CHR$(x);m$(s);CHR$(x); >WF
1695 IF po<68 THEN LOCATE#f,po+(w-1),lg:PRINT#f,po$:ELS >JU
E IF po<76 THEN LOCATE#f,po+(w-1),lg:PRINT#f,CHR$(233);

1700 RETURN >FB
1705 m=-1:al=0:rec=0:ret=0:stp=0 >BA
1710 LOCATE#f,w-1,s >NQ
1715 PRINT#f,CHR$(243):CHR$(x);STRING$(1,CHR$(32));CHR$ >UK
(x);CHR$(242)
1720 t$="" >EB
1725 LOCATE#f,w,s >MN
1730 WHILE m AND LEN(t$)<=1 >VY
1735 rep$=INKEY$:WHILE rep$="" :GOTO 1735:WEND >PF
1740 IF INKEY(18)=0 THEN stp=NOT stp:m=NOT m >MD
1745 IF INKEY(79)=0 THEN al=NOT al >BH
1750 IF INKEY(16)=0 THEN rec=NOT rec:m=NOT m >MF
1755 IF INKEY(8)=0 THEN ret=-1:m=NOT m >FR
1760 IF INKEY(1)=0 THEN ret=+1:m=NOT m >FC
1765 IF NOT b AND (ASC(rep$)<48 OR ASC(rep$)>57) AND ASC( >DL
rep$)<>46 THEN PRINT#f,CHR$(7);:rep$="" :TEST CODE ASCII

1770 IF NOT m AND stp THEN GOSUB 1805 >CQ
1775 IF m AND NOT al THEN GOSUB 1840 >BD
1780 IF m AND al THEN GOSUB 1820 >XC
1785 IF ret<>0 THEN GOSUB 1865 >XF
1790 WEND >KB
1795 IF rec THEN GOTO 1705 >TQ
1800 RETURN >FC
1805 IF b=-1 THEN LOCATE#f,w-1,s:PRINT#f," ";CHR$(x):t$ >UA
;SPACE$(1-LEN(t$));CHR$(x);" ";
1810 IF b=0 THEN bo=VAL(t$):LOCATE#f,w-1,s:PRINT#f," "; >LJ
CHR$(x)::PRINT#f,USING i$;bo::PRINT#f,SPACE$(1-LEN(i$))
;CHR$(x);" ";
1815 RETURN >FJ
1820 rep$=CHR$(8)+CHR$(16) >UK
1825 IF LEN(t$)>=1 THEN t$=LEFT$(t$,LEN(t$)-1):PRINT#f, >MU
CHR$(x);rep$;CHR$(x);ELSE PRINT#f,CHR$(7);
1830 al=NOT al >VG
1835 RETURN >GA
1840 IF NOT ao THEN rep$=UPPER$(rep$) >EV
1845 IF LEN(t$)=1 THEN PRINT#f,CHR$(7)::RETURN >QM
1850 PRINT#f,CHR$(x);rep$;CHR$(x); >DR
1855 t$=t$+rep$ >BH
1860 RETURN >FJ

```

```

1865 IF b=-1 THEN LOCATE#f,w-1,s:PRINT#f," ";CHR$(x);t$ >UG
;SPACE$(1-LEN(t$));CHR$(x);" ";
1870 IF b=0 THEN bo=VAL(t$):LOCATE#f,w-1,s:PRINT#f," "; >LQ
CHR$(x)::PRINT#f,USING i$;bo::PRINT#f,SPACE$(1-LEN(i$))
;CHR$(x);" ";
1875 RETURN >GE
1880 OUT(&FA7E),1 >LH
1885 FOR i=1 TO 2000:NEXT >TY
1890 OUT(&FB7F),4 >LF
1895 OUT(&FB7F),2-PEEK(PEEK(&BE7D)+256*PEEK(&BE7E)) >WQ
1900 dk=INP(&FB7F) >MQ
1905 OUT(&FA7E),0 >LE
1910 IF (dk AND 32)=0 THEN LOCATE 55,2:PRINT CHR$(24):"D >QL
ISQUETTE NON INSEREE";CHR$(24):PRINT CHR$(7);:tds=0:CA
LL &BB18:GOTO 1940
1915 IF (dk AND 64) THEN LOCATE 55,3:PRINT CHR$(24);"PROT >LU
ECTION EN ECRITURE";CHR$(24):PRINT CHR$(7);:tds=0:CALL
&BB18:GOTO 1940
1920 tds=-1 >WF
1925 LOCATE 55,2:PRINT CHR$(24);"DISQUETTE EN PLACE >EC
";
1930 LOCATE 55,3:PRINT"DISQUETTE NON PROTEGEE ";CHR$(24 >EJ
)
1935 CALL &BB18 >VE
1940 RETURN >FH
1945 DI:GOSUB 150 >LK
1950 au=0:v=0 >MF
1955 LOCATE 3,2 >YA
1960 PRINT"IMPRESSION SUR ECRAN DEPART ";CHR$(24); >HN
"- -";CHR$(24);" DEFILEMENT EDITER SUR PAPIER"
1965 LOCATE 11,3 >EF
1970 PRINT CHR$(24);"--???" :CHR$(24);" ARRIVE >DJ
E ";CHR$(24);"- -";CHR$(24);" DEFILEMENT ";C
HR$(24);"--???" :CHR$(24)
1975 f=0:w=13:s=3:x=24:b=-1:l=3:GOSUB 1705 >KB
1980 IF t$="" OR t$="OUI" THEN au=-1 ELSE au=0 >KB
1985 IF au=0 THEN t$="NON" ELSE t$="OUI" >FA
1990 LOCATE w-2,s:PRINT CHR$(24);"--";t$; "--";CHR$(24) >YM
1995 f=0:w=63:s=3:x=24:b=-1:l=3:GOSUB 1705 >LA
2000 IF t$="" OR t$="NON" THEN v=0 ELSE v=-1 >HV
2005 IF v=0 THEN t$="NON" ELSE t$="OUI" >EH
2010 LOCATE w-2,s:PRINT CHR$(24);"--";t$; "--";CHR$(24) >YW

2015 f=0:w=37:s=2:x=24:b=-1:l=2:GOSUB 1705 >KQ
2020 IF t$="" THEN t$="1" >QN
2025 IF VAL(t$)<1 OR VAL(t$)>60 THEN GOTO 2015 ELSE n=V >DX
AL(t$)
2030 LOCATE w,s:PRINT CHR$(24);:PRINT USING"###":n::PRIN >NY
T CHR$(24)
2035 f=0:w=37:s=3:x=24:b=-1:l=2:GOSUB 1705 >KU
2040 IF t$="" THEN t$="60" >RR
2045 IF VAL(t$)<1 OR VAL(t$)>60 THEN GOTO 2035 ELSE c=V >DP
AL(t$)
2050 LOCATE w,s:PRINT CHR$(24);:PRINT USING"###":c::PRIN >NN
T CHR$(24)
2055 IF c<n THEN LOCATE 2,2:PRINT CHR$(7):GOTO 2015 >UQ
2060 IF au THEN GOSUB 2075 >TG
2065 IF v THEN GOSUB 2200 >RQ

```



```

2070 RETURN >FC
2075 CLS#1 >LG
2080 k=1:am=0:an=-1:PEN#1,1:PAPER#1,0:CLS#1 >ML
2085 FOR as=n TO c >LN
2090 LOCATE 2,2:PRINT CHR$(7) >XJ
2095 IF k>20 THEN LOCATE#1,78,20:PRINT#1,CHR$(10):lg=20 >LL
ELSE lg=k
2100 LOCATE#1,1,lg:PRINT#1," " >BJ
2105 p=74:i=0:ai=2:aj=4 >RH
2110 i=i+1 >JF
2115 v$=MID$(m$(as),i,1) >RX
2120 d=ASC(v$) >RE
2125 IF ASC(v$)=154 THEN v$=CHR$(59) >CX
2130 IF ASC(v$)=155 THEN v$=CHR$(34) >CL
2135 IF ASC(v$)=156 THEN v$=CHR$(44) >CU
2140 IF d=143 THEN:MODE12:am=-1:an=0:GOTO 2110 >PU
2145 IF d=144 THEN:MODE22:an=-1:am=0:GOTO 2110 >PB
2150 IF ASC(v$)>139 THEN v$=CHR$(32) >CP
2155 IF d>160 AND d<173 THEN v$=CHR$(d) >DF
2160 IF (am AND (ai-INT(ai)<0)) THEN ai=ai+0.5 >MN
2165 IF am THEN LOCATE#1,ai,lg:PRINT#1,v$:ai=ai+1:aj=aj >MZ
+2:p=p-1
2170 IF an THEN LOCATE#1,aj,lg:PRINT#1,v$:aj=aj+1:ai=ai >FG
+0.5
2175 IF i<p THEN GOTO 2110 >TT
2180 k=k+1 >KG
2185 IF k=21 OR k=41 THEN CALL &BB18:CALL &BB18:CALL &B >ZH
B18
2190 NEXT as >EE
2195 RETURN >GA
2200 PRINT#8,CHR$(27);CHR$(64) >YM
2202 IF b1 THEN PRINT #8,CHR$(27)+"M"; ELSE PRINT #8,CH >KA
R$(27)+"P";
2205 FOR as=n TO c >LG
2210 PRINT#8," " >MX
2215 FOR i=1 TO 74 >LQ
2220 v$=MID$(m$(as),i,1) >RU
2225 d=ASC(v$) >TA
2230 IF d>156 THEN v$=CHR$(32) >WD
2235 IF (d>127 AND d<157)OR(d>160 AND d<173) THEN v$=f$(d >CU
-127)
2236 IF (d>144 AND d<148) THEN IF i<74 THEN PRINT#8," " >RH
ELSE PRINT#8," "
2240 IF i<74 THEN PRINT#8,v$:ELSE PRINT#8,v$ >MT
2242 IF d=148 THEN IF i<74 THEN PRINT#8," " >CC
8," "
2243 IF (d>150 AND d<153) THEN IF i<74 THEN PRINT#8," " >GG
ELSE PRINT#8," "
2245 NEXT i >VJ
2250 NEXT as >EB
2255 RETURN >FH
2260 DI:GOSUB 150:LOCATE 5,2 >WW
2265 PRINT CHR$(24);" A ";CHR$(24);" ";CHR$(24);" Z "; >ZH
CHR$(24);" ";CHR$(24);" E ";CHR$(24);" ";CHR$(24);" R
";CHR$(24);" ";CHR$(24);" T ";CHR$(24);" ";CHR$(24);
" Y ";CHR$(24)
2270 LOCATE 46,2 >EC
2275 PRINT CHR$(24);" Q ";CHR$(24);" ";CHR$(24);" W "; >ZY

```

```

CHR$(24);" ";CHR$(24);" E ";CHR$(24);" ";CHR$(24);" R
";CHR$(24);" ";CHR$(24);" T ";CHR$(24);" ";CHR$(24);
" Y ";CHR$(24)
2280 LOCATE 30,3 >DH
2285 PRINT"---> ";CHR$(24);"-1-";CHR$(24);" ";CHR$(24) >DV
);"-2-";CHR$(24);" <---"
2290 c$=INKEY$:WHILE c$="" :GOTO 2290:WEND >JD
2295 IF INSTR("12",c$)=0 THEN GOTO 2290 >EK
2300 h=- (c$="1")-2*(c$="2") >TL
2305 ON h GOSUB 2315,2330 >RC
2310 LOCATE 2,2:PRINT CHR$(7):GOSUB 150:RETURN >QX
2315 KEY DEF 67,0,97,65:KEY DEF 59,0,122,90:KEY DEF 69, >EW
0,113,81
2320 KEY DEF 71,0,119,87:KEY DEF 29,0,109,77:KEY DEF 38 >EP
,0,58,42
2325 RETURN >FF
2330 KEY DEF 67,0,113,81:KEY DEF 59,0,119,87:KEY DEF 69 >EB
,0,97,65
2335 KEY DEF 71,0,122,90:KEY DEF 29,0,58,42:KEY DEF 38, >EK
0,109,77
2340 RETURN >FC
2345 DI:GOSUB 150:GOSUB 360 >VA
2350 CLS#1 >LC
2355 WINDOW#0,2,79,2,18:PAPER#0,0:PEN#0,1:CLS#0 >RR
2360 CAT >ZA
2365 CALL &BB18 >VC
2370 LOCATE#1,6,19 >MW
2375 PRINT#1,CHR$(24);"DONNEZ LE NOM DU FICHIER">KH
A CHOISIR ":";CHR$(24)
2380 LOCATE#1,55,18:PRINT#1,"--> ";CHR$(24);" >NQ
. ";CHR$(24)
2385 LOCATE#1,55,20:PRINT#1,"--> ";CHR$(24);" >NN
. ";CHR$(24)
2390 f=1:w=61:s=18:x=24:b=-1:l=12:GOSUB 1705 >MH
2395 g$=t$ >JK
2400 LOCATE#1,61,19:PRINT#1,"CONFIRMATION";CHR$(7) >WF
2405 f=1:w=61:s=20:x=24:b=-1:l=12:GOSUB 1705 >MX
2410 h$=t$ >HJ
2415 IF g$<h$ THEN LOCATE#1,1,20:PRINT CHR$(7):GOTO 239 >AY
0
2416 IF ab THEN RETURN ELSE ab=0 >ZP
2420 IF g$<>"AND h$<>" THEN LOCATE #1,6,19 ELSE GOTO 2 >ZM
429
2421 PRINT#1,CHR$(24);"EFFACER [ E ] REN >GE
OMMER [ R ]";CHR$(24)
2422 c$=INKEY$:WHILE c$="" :GOTO 2422:WEND >JX
2423 c$=UPPER$(c$) >MD
2424 IF INSTR("RE",c$)=0 THEN GOTO 2422 >EG
2425 h=- (c$="E")-2*(c$="R") >TB
2426 ON h GOSUB 5000,6000 >RY
2427 GOTO 2350 >NC
2429 WINDOW#0,2,79,19,21:CLS#0:WINDOW#0,2,79,22,25:FAPE >UD
R#0,1:PEN#0,0:GOSUB 150:RETURN
2430 w$="SAUVEGAR"+"MIS":LOCATE 29,4:PRINT CHR$(7); >XH
2435 GOSUB 2455 >YC
2440 LOCATE 28,4:PRINT CHR$(24);"SAUVEGARDE AUTOMATIQUE >FM
";CHR$(24);:GOSUB 525
2445 IF i<10000 THEN GOSUB 2460 >YC

```

```

2447 IF ay=-1 THEN LOCATE 2,4:PRINT"IMPRESSION":LOCATE  >JH
68,4:PRINT"IMPRESSION"
2450 PRINT CHR$(7);:RETURN >WC
2455 LOCATE#0,1,4:PRINT#0,CHR$(24);STRING$(78,CHR$(233) >BD
);CHR$(24);:RETURN
2460 qtt=50-INT(LEN(k$)):qtt=qtt/2:LOCATE#0,15,4:PRINT >ZU
CHR$(24);STRING$(qtt,CHR$(233));k$;STRING$(qtt,CHR$(233
));CHR$(24):RETURN
2465 j=w:g=f:ag=s:ae=lg:xx=x:bm=al:bb=rec:bd=ret:bh=stp >NV
:bn=m
2470 f=0:w=15:s=4:x=24:b=-1:l=50:ao=-1:GOSUB 1705:ao=0 >ZM
2475 k$=t$ >KC
2480 GOSUB 150:f=g:w=j:s=aq:lg=ae:x=xx:al=bm:rec=bb:ret >XA
=bd:stp=bh:m=bn:GOSUB 650:m=0
2485 RETURN >GC
2490 FOR ax=1 TO LEN(k$) >RM
2495 j$=MID$(k$,ax,1) >FZ
2500 aw=(po-1)+ax >LY
2505 IF aw<75 THEN MID$(m$(s),aw,1)=j$ >EQ
2510 NEXT ax >EF
2515 LOCATE#f,w,lg:PRINT#f,CHR$(x);m$(s);CHR$(x): >WC
2520 po=po+LEN(k$):IF po>68 THEN po=68 >FL
2525 RETURN >FH
2530 IF MID$(m$(s),75,1)=CHR$(158)THEN PRINT CHR$(7)::R >FP
ETURN
2535 IF m$(s)=STRING$(75,CHR$(157))THEN PRINT CHR$(7):: >JF
RETURN
2540 ns=0 >FD
2545 GOSUB 2565 >YG
2550 IF INSTR(11$,CHR$(157))=0 THEN PRINT CHR$(7)::RETU >CT
RN
2555 GOSUB 2645 >YG
2560 RETURN >FG
2565 11$=m$(s):ac=LEN(11$) >VC
2570 FOR t1=ac TO 1 STEP-1 >TE
2575 1b$=MID$(11$,t1,1) >RV
2580 IF 1b$=CHR$(157)OR 1b$=CHR$(32)THEN ac=ac-1 ELSE t >BW
1=1
2585 NEXT t1 >GE
2590 11$=MID$(11$,1,ac) >RX
2595 FOR t1=1 TO ac >MJ
2600 1b$=MID$(11$,t1,1) >RH
2605 IF 1b$=CHR$(157)OR 1b$=CHR$(32)THEN MID$(11$,t1,1) >AH
=CHR$(158)ELSE t1=ac
2610 NEXT t1 >FD
2615 FOR t1=1 TO ac >MB
2620 1b$=MID$(11$,t1,1) >RK
2625 IF 1b$=CHR$(32) THEN MID$(11$,t1,1)=CHR$(157) >UY
2630 NEXT t1 >FF
2635 RETURN >FK
2640 >YE
2645 IF LEN(11$)=74 THEN o$=11$:GOTO 2720 >HW
2650 FOR t1=1 TO LEN(11$) >TV
2655 IF MID$(11$,t1,1)=CHR$(157)THEN ns=ns+1 >MB
2660 NEXT t1 >FJ
2665 t=74-LEN(11$) >MX
2670 IF ns=0 THEN PRINT CHR$(7)::GOTO 2720 >JX
2675 FOR bf=1 TO ns:sp(bf)=t\ns:NEXT >FB

```

```

2680 FOR bf=1 TO t-ns*(t\ns):sp(bf)=sp(bf)+1:NEXT >VD
2685 bf=1:o$="" >VG
2690 FOR t1=1 TO LEN(11$) >TZ
2695 o$=o$+MID$(11$,t1,1) >TW
2700 IF MID$(11$,t1,1)<>CHR$(157)THEN 2715 >JX
2705 o$=o$+STRING$(sp(bf),CHR$(157)) >EJ
2710 bf=bf+1 >BA
2715 NEXT t1 >FK
2720 o$=o$+CHR$(158):m$(s)=o$ >WF
2725 RETURN >FK
2730 FOR t1=74 TO po STEP -1 >VH
2735 MID$(m$(s),t1,1)=CHR$(157) >YW
2740 NEXT t1 >FH
2745 RETURN >GB
2750 FOR t1=1 TO po >MF
2755 MID$(m$(s),t1,1)=CHR$(157) >YY
2760 NEXT t1 >FK
2765 RETURN >GD
2780 RESUME 205 >AJ
3000 b1=0:LOCATE #2,1,1:PRINT #2,">>P<<":LOCATE #2,76,1 >GK
:PRINT #2,">>P<<":RETURN
4000 b1=-1:LOCATE #2,1,1:PRINT #2,">>E<<":LOCATE #2,76, >HL
1:PRINT #2,">>E<<":RETURN
5000 !ERA,@h$:RETURN >QE
6000 acn$=h$:LOCATE #1,6,19:PRINT#1,CHR$(24);"DONNEZ >XD
LE NOUVEAU NOM DU FICHIER:";CHR$(24)
6030 ab=-1:GOSUB 2380 >PX
6040 IF g$<>"AND h$<>" THEN !REN,@h$,@acn$ >KN
6050 ab=0:RETURN >MN
7000 FOR XWA= 41507 TO 41699 >UK
7005 READ XWB$:POKE XWA,VAL("&"+XWB$) >FN
7010 NEXT XWA >QF
7015 DATA 01,2C,A2,21,5C,A2,C3,D1 >ZT
7020 DATA BC,3D,A2,C3,60,A2,C3,73 >ZU
7025 DATA A2,C3,8B,A2,C3,9E,A2,C3 >ZX
7030 DATA B6,A2,4D,4F,44,45,30,B1 >ZR
7035 DATA 4D,4F,44,45,31,B1,4D,4F >ZF
7040 DATA 44,45,30,B2,4D,4F,44,45 >ZQ
7045 DATA 31,B2,4D,4F,44,45,32,B2 >ZF
7050 DATA 00,00,00,00,00,FE,00,C0 >YB
7055 DATA 3E,00,32,C8,B1,3E,CC,32 >ZK
7060 DATA CF,B1,3E,33,32,D0,B1,C9 >ZC
7065 DATA FE,00,C0,3E,01,32,C8,B1 >ZG
7070 DATA 11,CF,B1,21,87,A2,01,04 >ZQ
7075 DATA 00,ED,B0,C9,88,44,22,11 >ZK
7080 DATA FE,00,C0,3E,00,32,C8,B1 >ZC
7085 DATA 3E,F0,32,CF,B1,3E,0F,32 >ZK
7090 DATA D0,B1,C9,FE,00,C0,3E,01 >ZX
7095 DATA 32,C8,B1,11,CF,B1,21,B2 >ZH
7100 DATA A2,01,04,00,ED,B0,C9,C0 >ZM
7105 DATA 30,0C,03,FE,00,C0,3E,02 >ZZ
7110 DATA 32,C8,B1,11,CF,B1,21,CA >ZM
7115 DATA A2,01,08,00,ED,B0,C9,80 >ZL
7120 DATA 40,20,10,08,04,02,01,00 >YF
7125 DATA 06,FF,21,00,C0,7E,A8,77 >ZE
7130 DATA 23,3E,00,BC,20,F7,C9,00 >ZK
7135 DATA 00 >VK
7140 RETURN >FF

```

## **D**DELETE.ASC (version disquette)

10 'COPYRIGHTS GEORGES HECKER \*\*\* BESLE SUR VILAINE >LA  
\*\*\* 16 JANVIER 88  
18 \*\*\* VERSION DISQUETTE >LJ●  
\*\*\*

## **R**REDEF CAR.ASC

10000 SYMBOL 129,&60,&30,&3C,&66,&7E,&60,&3C >JQ  
10005 KEY 129,CHR\$(129) >QL  
10010 SYMBOL 132,&6,&C,&3C,&66,&7E,&60,&3C >HM  
10015 KEY 132,CHR\$(132) >QZ  
10020 SYMBOL 139,&60,&30,&78,&C,&7C,&CC,&76 >JR  
10025 KEY 139,CHR\$(139) >QQ  
10030 SYMBOL 130,&0,&0,&3C,&66,&60,&3E,&8,&18 >KT  
10035 KEY 130,CHR\$(130) >QX  
10040 SYMBOL 137,&60,&30,&66,&66,&66,&3E >JZ  
10045 KEY 137,CHR\$(137) >QN  
10050 SYMBOL 135,&18,&66,&3C,&66,&7E,&60,&3C >JF  
10055 KEY 135,CHR\$(135) >QK  
10060 SYMBOL 131,&18,&66,&3C,&66,&66,&66,&3C >JR  
10065 KEY 131,CHR\$(131) >QC  
10070 SYMBOL 138,&18,&66,&78,&C,&7C,&CC,&76 >JJ  
10075 KEY 138,CHR\$(138) >QU  
10080 SYMBOL 136,&18,&66,&66,&66,&66,&66,&3E >JQ  
10085 KEY 136,CHR\$(136) >QQ  
10090 SYMBOL 128,&66,&0,&3C,&66,&7E,&60,&3C >JC  
10095 KEY 128,CHR\$(128) >QU  
10100 SYMBOL 133,&66,&0,&38,&18,&18,&18,&3C >HQ  
10105 KEY 133,CHR\$(133) >QB

10110 SYMBOL 134,&18,&66,&38,&18,&18,&18,&3C >JU  
10115 KEY 134,CHR\$(134) >QE  
10120 SYMBOL 141,0,24,240,255,255,240,240,0 >JD  
10125 SYMBOL 142,0,242,242,255,255,242,242,0 >KK  
10130 SYMBOL 143,0,15,15,255,255,15,15,0 >FP  
10135 SYMBOL 144,0,79,79,255,255,79,79,0 >FP  
10140 SYMBOL 145,1,3,7,15,31,63,127,255 >EK  
10145 SYMBOL 146,128,192,224,240,248,252,254,255 >PX  
10150 SYMBOL 147,0,0,0,0,0,255,255,0 >BD  
10155 SYMBOL 148,0,24,24,24,24,255,255,24 >GX  
10160 SYMBOL 149,24,24,0,126,0,24,24,0 >DK  
10165 SYMBOL 150,24,24,66,126,66,24,24,0 >FF  
10170 SYMBOL 151,0,102,102,102,102,255,255,0 >JX  
10175 SYMBOL 152,0,24,24,24,24,60,60,0 >DN  
10180 SYMBOL 153,129,66,36,24,24,36,66,129 >HF  
10185 SYMBOL 155,108,108,108,0,0,0,0,0 >DH  
10190 SYMBOL 154,0,0,24,24,0,24,24,48 >CC  
10195 SYMBOL 156,0,0,0,0,0,24,24,18 >AC  
10200 SYMBOL 157,0,0,0,24,24,0,0,0 >ZY  
10202 SYMBOL 158,0,0,0,24,24,0,0,0 >ZB  
10205 FOR bx=1 TO 100:NEXT >UH  
10210 tr\$=CHR\$(8)+CHR\$(34):ag\$=CHR\$(8)+CHR\$(96) >QC  
10215 gr\$=CHR\$(8)+CHR\$(39):cr\$=CHR\$(8)+CHR\$(94) >QL  
10220 imb\$=CHR\$(27)+"K"+CHR\$(8)+CHR\$(0) >FQ  
10225 ced\$=CHR\$(0)+CHR\$(28)+CHR\$(34)+CHR\$(35)+CHR\$(34)+CHR\$(0)+CHR\$(0)+CHR\$(0) >EM  
10230 ced\$=imb\$+ced\$ >PA  
10235 itr\$=CHR\$(0)+CHR\$(0)+CHR\$(82)+CHR\$(30)+CHR\$(66)+CHR\$(0)+CHR\$(0)+CHR\$(0) >DP  
10240 itr\$=imb\$+itr\$ >PC  
10245 icr\$=CHR\$(0)+CHR\$(0)+CHR\$(34)+CHR\$(94)+CHR\$(34)+CHR\$(0)+CHR\$(0)+CHR\$(0) >CH  
10250 icr\$=imb\$+icr\$ >PR



```

10255 f$(1)="e"+tr$;f$(2)="e"+gr$;f$(3)=ced$ >MD
10260 f$(4)="a"+cr$;f$(5)="e"+ag$;f$(6)=itr$ >MW
10265 f$(7)=icr$;f$(8)="e"+cr$;f$(9)="u"+cr$ >NC
10270 f$(10)="u"+gr$;f$(11)="a"+cr$;f$(12)="a"+gr$ >TB
10275 f$(14)=CHR$(15);f$(15)=CHR$(18) >DA
10280 f$(16)=CHR$(27)+"W"+CHR$(1) >ZK
10285 f$(17)=CHR$(27)+"W"+CHR$(0) >ZQ
10290 f$(18)=CHR$(27)+"E" >RX
10295 f$(19)=CHR$(27)+"F" >RE
10300 f$(20)=CHR$(27)+"-"+CHR$(1) >ZB
10305 f$(21)=CHR$(27)+"-"+CHR$(0) >ZG
10310 f$(22)=CHR$(27)+"0" >RL
10315 f$(23)=CHR$(27)+"2" >RV
10320 f$(24)=CHR$(27)+"6" >RP
10325 f$(25)=CHR$(27)+"H" >RX
10330 f$(26)=CHR$(27)+CHR$(64) >XN
10335 f$(27)=CHR$(59) >NB
10340 f$(28)=CHR$(34) >ND
10345 f$(29)=CHR$(44) >NY
10350 f$(30)=CHR$(32) >NG
10355 SYMBOL 161,255,255,255,255,255,255,255 >PL
10360 f$(34)=imb$+CHR$(255)+CHR$(255)+CHR$(255)+CHR$(25 >GE
5)+CHR$(255)+CHR$(255)+CHR$(255)+CHR$(255) >YB
10365 SYMBOL 162,1,0,0,0,0,0,0 >YB
10370 f$(35)=imb$+CHR$(0)+CHR$(0)+CHR$(0)+CHR$(0)+CHR$(0) >KF
0)+CHR$(0)+CHR$(0)+CHR$(128) >KN
10375 SYMBOL 163,15,15,15,15,255,255,255 >KN
10380 f$(36)=imb$+CHR$(15)+CHR$(15)+CHR$(15)+CHR$(15)+C >BC
HR$(255)+CHR$(255)+CHR$(255)+CHR$(255) >KJ
10385 SYMBOL 164,24,24,60,60,126,126,255,255 >KJ
10390 f$(37)=imb$+CHR$(3)+CHR$(15)+CHR$(63)+CHR$(255)+C >VM
HR$(255)+CHR$(63)+CHR$(15)+CHR$(3) >PU
10395 SYMBOL 165,255,255,255,255,240,240,240,240 >PU
10400 f$(38)=imb$+CHR$(255)+CHR$(255)+CHR$(255)+CHR$(2 >JN
55)+CHR$(240)+CHR$(240)+CHR$(240)+CHR$(240) >KK
10405 SYMBOL 166,255,255,255,255,15,15,15,15 >KK
10410 f$(39)=imb$+CHR$(240)+CHR$(240)+CHR$(240)+CHR$(24 >GE
0)+CHR$(255)+CHR$(255)+CHR$(255)+CHR$(255) >PP
10415 SYMBOL 167,126,255,153,255,189,195,255,126 >PP
10420 f$(40)=imb$+CHR$(126)+CHR$(215)+CHR$(219)+CHR$(25 >GZ
1)+CHR$(251)+CHR$(219)+CHR$(215)+CHR$(126) >PC
10425 SYMBOL 168,255,254,252,248,240,224,192,128 >PC
10430 f$(41)=imb$+CHR$(255)+CHR$(254)+CHR$(252)+CHR$(24 >GL
8)+CHR$(240)+CHR$(224)+CHR$(192)+CHR$(128) >EZ
10435 SYMBOL 169,255,127,63,31,15,7,3,1 >EZ
10440 f$(42)=imb$+CHR$(128)+CHR$(192)+CHR$(224)+CHR$(24 >GN
0)+CHR$(248)+CHR$(252)+CHR$(254)+CHR$(255) >HN
10445 SYMBOL 170,56,56,146,124,16,40,40,40 >HN
10450 f$(43)=imb$+CHR$(32)+CHR$(16)+CHR$(215)+CHR$(248) >XH
+CHR$(215)+CHR$(16)+CHR$(32)+CHR$(0) >EU
10455 SYMBOL 171,1,3,7,15,31,63,127,255 >EU
10460 f$(44)=imb$+CHR$(1)+CHR$(3)+CHR$(7)+CHR$(15)+CHR$( >TT
31)+CHR$(63)+CHR$(127)+CHR$(255) >PB
10465 SYMBOL 172,128,192,224,240,248,252,254,255 >PB
10470 f$(45)=imb$+CHR$(255)+CHR$(127)+CHR$(63)+CHR$(31) >TV
+CHR$(15)+CHR$(7)+CHR$(3)+CHR$(1) >UY
10475 FOR bk=1 TO 200:NEXT >UY
10480 RETURN >NB

```

## DEBUT.ASC

```

10 "COPYRIGHTS GEORGES HECKER *** BESLE SUR VILAINES >LA
*** 12 DECEMBRE 87 >LA
18 " >LJ
VERSION CASSETTE >LJ
35 CHAIN MERGE "!"+"REDEFAR.ASC",40 >DK
45 CHAIN MERGE "!"+"DELETE.ASC",50,DELETE 10000->DH
60 CALL &BB48:RESTORE:GOTO 210 >ZR
65 OPENOUT "!"+"BUFFER" >RJ
220 PRINT"INTRODUIRE LE TEXTE ";CHR$(24);"-T-";CHR$(24 >BD
);" REDIGER LE TEXTE ";CHR$(24);"-R-";CHR$(24);" >BD
FIN DU PROGRAMME ";CHR$(24);"-A-";CHR$(24);" >BD
255 ON h GOSUB 295,545,555,495,1945,2260,3000,4000,555 >VG
330 OPENIN "!"+"w$ >LN
360 RETURN:FOR bk=1 TO 1000:NEXT:GOSUB 150 >LA
525 OPENOUT "!"+"w$ >MK
555 i=10000:CLS#1:MODE12:LOCATE#1,16.5:PRINT#1."TERMIN >AH
E":MODE22:LOCATE 1.2:PRINT STRING$(77,CHR$(157));:LOCA >AH
TE 1.3:PRINT STRING$(77,CHR$(157));:LOCATE 35.1:PRINT C >AH
HR$(24):STRING$(12,CHR$(233)):CHR$(24)●

```

## DELETE.ASC (version cassette)

```

10 "COPYRIGHTS GEORGES HECKER *** BESLE SUR VILAINES >LA
*** 12 DECEMBRE 87 >LA
18 " >LJ
VERSION CASSETTE >LJ●

```