

LISTING 1

20 SYMBOL	AFTER 32
30 SYMBOL	85.&7C.&C6.&C6.&FE.&C6.&C6.&7C.&0
40 SYMBOL	71.&3E.&30.&30.&30.&30.&30.&30.&0
50 SYMBOL	74.&FE.&FE.&0.&7C.&0.&FE.&FE.&0
60 SYMBOL	80.&FE.&C6.&C6.&C6.&C6.&C6.&C6.&0
70 SYMBOL	86.&7C.&C6.&C6.&C6.&7C.&0.&FE.&0
80 SYMBOL	70.&18.&7E.&5A.&5A.&5A.&7E.&18.&0
90 SYMBOL	76.&18.&3C.&66.&66.&66.&66.&66.&0
100 SYMBOL	68.&18.&3C.&66.&66.&66.&7E.&7E.&0
110 SYMBOL	83.&FE.&66.&30.&18.&30.&66.&FE.&0
120 SYMBOL	82.&FC.&66.&66.&78.&60.&60.&F0.&0
130 SYMBOL	67.&82.&82.&BA.&BA.&FE.&FE.&38.&0
140 SYMBOL	97.&0.&0.&72.&DC.&98.&DC.&72.&0
150 SYMBOL	98.&3C.&66.&66.&7C.&66.&66.&7C.&60
160 SYMBOL	103.&0.&0.&66.&66.&3C.&66.&66.&3C
170 SYMBOL	100.&3C.&60.&60.&3C.&66.&66.&3C.&0
180 SYMBOL	100.&7C.&60.&30.&7C.&C6.&C6.&7C.&0
190 SYMBOL	101.&0.&0.&3E.&60.&78.&60.&3E.&0
200 SYMBOL	122.&3E.&6.&6.&6.&66.&66.&66.&3C
210 SYMBOL	104.&0.&0.&DC.&66.&66.&66.&66.&6
220 SYMBOL	117.&38.&6C.&C6.&FE.&C6.&6C.&38.&0
230 SYMBOL	105.&0.&0.&18.&18.&18.&18.&1C.&0
240 SYMBOL	107.&0.&0.&E6.&6C.&78.&6C.&E6.&0
250 SYMBOL	108.&0.&C0.&60.&30.&38.&6C.&C6.&0
260 SYMBOL	109.&0.&0.&66.&66.&66.&66.&7D.&60
270 SYMBOL	110.&0.&0.&66.&66.&66.&3C.&18.&0
280 SYMBOL	106.&3E.&6.&6.&F.&6.&66.&66.&3C
290 SYMBOL	112.&0.&0.&7E.&66.&66.&66.&66.&0
300 SYMBOL	114.&0.&0.&3C.&66.&66.&66.&7C.&60
310 SYMBOL	115.&0.&0.&7E.&CC.&CC.&CC.&78.&0
320 SYMBOL	116.&0.&0.&7E.&18.&18.&18.&C.&0
330 SYMBOL	121.&0.&0.&66.&66.&66.&66.&3C.&0
340 SYMBOL	102.&0.&0.&7C.&40.&5C.&54.&7C.&10
350 SYMBOL	99.&0.&0.&42.&42.&5A.&5A.&7E.&18
360 SYMBOL	118.&0.&0.&66.&C3.&DB.&DB.&7E.&0
370 SYMBOL	119.&0.&0.&3C.&60.&3C.&6.&7C.&0
380 SYMBOL	129.&3C.&66.&C0.&C0.&C0.&C0.&66.&3C.&0
390 SYMBOL	130.&FC.&66.&66.&7C.&6C.&66.&E2.&0
400 SYMBOL	131.&F0.&60.&60.&60.&62.&66.&FE.&0
410 SYMBOL	132.&F8.&6C.&66.&66.&66.&6C.&F8.&0
420 RUN"salary2"	

LISTING 2

```
5 SOUND 1,64:SOUND 1,465
10 MODE 2:LOCATE 22,11:PRINT"PROGRAMMA MISUODOSIAS ":FOR I=1 TO 3000:
NEXT
20 DIM K(200),O$(200),H(200),H1(200),Y(200),K2(200),O2$(200),H2(200),H12(200),Y3
(200)
30 MODE 2:CLS:LOCATE 23,7:PRINT" PROSOXH : Apanthse sthn Ervthsh: "
40 LOCATE 5,9:PRINT" Exeiw apouhkeysei ton MISUODOTIKO PINAKA toy prohgoymenoy m
hna: [N/O]"
50 N$=INKEY$:IF N$="O" OR N$="o" THEN LOCATE 39,10:PRINT N$:FOR i=1 TO 500:NEXT:
GOTO 80
60 IF N$="N" OR N$="n" THEN LOCATE 39,10:PRINT N$:FOR i=1 TO 500:NEXT:G32=G32+1:
SK1=SK1+1:GOSUB 1530:GOTO 80
70 IF N$<>"N" OR N$<>"n" AND N$<>"O" OR N$<>"o" THEN 50
```

```

80 PAPER 0:PEN 1:MODE 2:CLS:LOCATE 31.2:PRINT" MENOY EPILOGHS "
90 LOCATE 13.3:PRINT"
100 LOCATE 24.5:PRINT" EISAGVGH STOIXEIVN ----- [1]"
110 LOCATE 24.7:PRINT" PINAKAS DEDOMENVN ----- [2]"
120 LOCATE 24.9:PRINT" EKTYPVSH ----- [3]"
130 LOCATE 24.11:PRINT" APOUHKEYSH DEDOMENVN ----- [4]"
140 LOCATE 24.13:PRINT" EPANAFORA DEDOMENVN ----- [5]"
150 LOCATE 24.15:PRINT" ODHGIES-PLHROFORIES ----- [6]"
160 LOCATE 13.16:PRINT"
170 LOCATE 25.21:PRINT" Pata to katalhlho plhktrō "
180 A$=INKEY$:IF A$<>"1" AND A$<>"2" AND A$<>"3" AND A$<>"4" AND A$<>"5" AND A$<>"6" THEN 180
190 IF A$="1" THEN W=W+1:GOSUB 390:GOSUB 720
200 IF A$="2" THEN GOSUB 1010
210 IF A$="3" THEN GOSUB 1270
220 IF A$="4" THEN GOSUB 1530
230 IF A$="5" THEN SK1=SK1+1:GOSUB 1530
240 IF A$="6" THEN GOSUB 250
250 CLS:PRINT:PRINT:PRINT:PRINT TAB(20)" Kalvw hruate sto programma MISUODOSIAS"

260 PRINT
270 PRINT"Ftiagmeno ap'ton GIVRGO KOYKA EINAI katalhlho gia kaue mikroepeix hrhsh.
280 PRINT"Saw parexei para pollew eykoliew opvw dioruvsh sthn eisagvgh stoixeivn apouhkeysh pinakvn kai misuvtvn kata kvdiko.
290 PRINT"Mporeite na typvsete kaue pinaka poy paroyasiazei analytika ola ta sto ixeia poy xreiazeste gia kaue misuvtō tw epixei rhshw saw.Yparxoyn olew oi katalhlhlew sthlew opvw IKA,FOROS XARTOSHMO KAI YPERVR IES.Gia kaue misuvtō yparxoyn dyo grammew";
300 PRINT" sthn deyterh anagrafontai oi ergodotikew eisforew"
310 PRINT"Otan blepete se menoy to sxhma morfhw: ONOMA ----- [X],opoy X ariomow h grammā ua prepei na pathsete to plhktrō me to ch h anamesa sti w aggilew gia na emfanisuei ayto poy uelete.
320 PRINT" P A R A K A L V mhn patate to plhktrō [ESC] kata thn eisagvgh ded omenvn"
330 PRINT TAB(17)"perissoterew plhroforiew sto idio to programma...
340 PRINT" EYXARISTOYME gia thn protimhsh saw kai kalew doyleiew!!"

350 PRINT:PRINT TAB(45)"O KATASKEYASTHS : G.D.Koykaw
360 PRINT:PRINT TAB(21)" Pata opoiodhpote plhktrō gia menoy "
370 A$=INKEY$:IF A$="" THEN 370 ELSE GOTO 80
380 RETURN
390 CLS
400 LOCATE 18.2:PRINT " <<< PINAKAS ELEGXOY EISAGVGHS DEDOMENVN >>> "
410 LOCATE 18.3:FOR A=1 TO 45:PRINT CHR$(154);:NEXT
420 LOCATE 1.4:PRINT "
";
430 LOCATE 15.5:PRINT " PINAKAS EISAGVGHS "
440 LOCATE 15.6:FOR A=1 TO 19:PRINT CHR$(216);:NEXT
450 LOCATE 52.5:PRINT " PINAKAS DIORUOSH LAUVN "
460 LOCATE 52.6:FOR A=1 TO 25:PRINT CHR$(216);:NEXT
470 LOCATE 2.7:PRINT "Kvdikow Misuvtōy : "
480 LOCATE 2.8:PRINT "Onomatepvnyō : "
490 LOCATE 2.9:PRINT "Hmerew Ergasiaw : "
500 LOCATE 2.10:PRINT "Hmeromhsuio : "
510 LOCATE 2.11:PRINT "Vrew ypervriaw : "
520 LOCATE 51.7:PRINT "DIORUVSH Kvdikoy ----- [K]"
530 LOCATE 51.8:PRINT "DIORUVSH Onom/nyōy ---- [O]"
540 LOCATE 51.9:PRINT "DIORUVSH Hm.Ergasiaw --- [E]"
550 LOCATE 51.10:PRINT "DIORUVSH Hmeromhsuiōy -- [H]"
560 LOCATE 51.11:PRINT "DIORUVSH vrvn yper. ---- [Y]"
570 LOCATE 56.14:PRINT" ENDEIJH LAUOYS "
580 LOCATE 56.15:FOR A=1 TO 16:PRINT CHR$(216);:NEXT

```

```

590 LOCATE 15,13:PRINT" PERIORISMOI "
600 LOCATE 15,14:FOR A=1 TO 13:PRINT CHR$(216);:NEXT
610 LOCATE 10,15:PRINT"KVDIKOS mexri tria chfia"
620 LOCATE 10,16:PRINT"ONOMATEPVNYMO mexri 15 chfia"
630 LOCATE 10,17:PRINT"HMERES ERGASIAS mexri 30 merew"
640 LOCATE 10,18:PRINT"HMEROMISUIO MEXri 9999 drx."
650 LOCATE 1,20:FOR A=1 TO 80:PRINT CHR$(208);:NEXT
660 LOCATE 9,21:PRINT CHR$(138);
670 LOCATE 10,21:FOR A=1 TO 71:PRINT CHR$(208);:NEXT
680 LOCATE 1,22:FOR i=1 TO 9:PRINT CHR$(208);:NEXT
690 FOR A=4 TO 18:LOCATE 48,1+A:PRINT CHR$(133);CHR$(133):NEXT
700 LOCATE 1,21:PRINT"Xar:"
710 RETURN
720 IF G32>=1 THEN ABC=ABC+1:GOSUB 2270
730 IF W>=2 THEN FOR I=Q+1 TO 200:Q=Q+1:GOTO 750
740 FOR I=1 TO 200:Q=Q+1
750 dx=1:GOSUB 3170
760 IF K(I)=0 THEN 80
770 IF K(I)>999 OR K(I)<=0 THEN GOSUB 2080:LOCATE 20,7:PRINT "
      ":K(I)=0:GOTO 750
780 IF L>=1 THEN 890
790 AM=AM+1:DX=2:GOSUB 3170
800 IF LEN(OS(I))>15 THEN GOSUB 2080:LOCATE 20,8:PRINT "
      ":OS(I)="":GOTO 790
810 IF L>=1 THEN 890
820 AM=AM+2:DX=3:GOSUB 3170
830 IF H(I)<=0 OR H(I)>30 THEN GOSUB 2080:LOCATE 20,9:PRINT "
      ":H(I)=0:GOTO 820
840 IF L>=1 THEN 890
850 AM=AM+3:DX=4:GOSUB 3170
860 IF H1(I)<=0 OR H1(I)>999 THEN GOSUB 2080:LOCATE 20,10:PRINT "
      ":H1(I)=0:GOTO 850
870 IF L>=1 THEN 890
880 AM=AM+4:DX=5:GOSUB 3170
890 LOCATE 22,23:PRINT " MENOY...[M] NEA EGGRAPH...[N] "
900 A$=INKEY$:IF A$="M" OR A$="m" THEN 80
910 IF A$="N" OR A$="n" THEN L=0:FOR A=6 TO 11:LOCATE 20,A+1:PRINT "
      ":NEXT:GOSUB 2100:GOTO 980
920 IF A$="K" OR A$="k" THEN L=L+1:K(I)=0:LOCATE 19,7:PRINT"
      ":GOSUB 2100 :GOTO 750
930 IF A$="O" OR A$="o" THEN L=L+1:OS(I)="":LOCATE 19,8:PRINT"
      ":GOSUB 2100 :GOTO 790
940 IF A$="E" OR A$="e" THEN L=L+1:H(I)=0:LOCATE 19,9:PRINT"
      ":GOSUB 2100:GOTO 820
950 IF A$="H" OR A$="h" THEN L=L+1:H1(I)=0:LOCATE 19,10:PRINT"
      ":GOSUB 2100:GOTO 850
960 IF A$="Y" OR A$="y" THEN Y(I)=0:LOCATE 19,11:PRINT"
      ":GOS
UB 2100:GOTO 880
970 GOTO 900
980 IF W<2 THEN NEXT
990 IF W>=2 THEN NEXT
1000 RETURN
1010 CLS:PRINT #C,TAB(15) "M I S U O D O T I K H KATASTASH MHNOS:.....
      ...."
1020 PRINT #C,"
      "
1030 PRINT #C,"
      MISUOS K R A T H S E
      I S
1040 PRINT #C,"KVD ONOMATEPVNYMO HM.. HMER. YPER. SYNOLO. I.K.A. XART. FOROS.
      S.KRAT. KU.MISU";
1050 PRINT #C,"
      "

```

```

1060 IF GA1>1 THEN GOSUB 2600:GOSUB 2770:GOTO 1230
1070 GOSUB 2110
1080 CHA=0
1090 FOR I=1 TO Q
1100 PRINT #C,TAB(1) USING"####":K(I);:PRINT #C,TAB(5) O$(I);:PRINT #C,TAB(20) US
ING"####":H(I);:PRINT #C,TAB(25) USING"####":H1(I);
:PRINT #C,TAB(31) USING"####":S1(I);:PRINT #C,TAB(38) USING "####":S2(I);
1110 PRINT #C,TAB(46) USING"####":IM(I);:PRINT #C,TAB(53) USING"####":XM(I);:
PRINT #C,TAB(59) USING"####":F(I);:PRINT #C,TAB(66
) USING"####":S3(I);:PRINT #C,TAB(74) USING"####":KM(I);
1120 PRINT #C,TAB(31) USING"####":YT(I);:PRINT #C,TAB(46) USING"####":IE(I);
:PRINT #C,TAB(53) USING"####":XM(I);:PRINT #C,TAB(6
6) USING"####":S4(I)
1130 PRINT #C,
1140 NEXT
1150 PRINT #C,"-----"
-----";
1160 PRINT #C,:PRINT #C,TAB(8) "1.Amoibew:";
1170 PRINT #C,TAB(20) USING"####":V12;:PRINT #C,TAB(31) USING"####":V1;:PRINT
#C,TAB(38) USING "####":V3;
1180 PRINT #C,TAB(46) USING"####":V4;:PRINT #C,TAB(53) USING"####":V6;:PRINT
#C,TAB(59) USING"####":V8;:PRINT #C,TAB(66) USING
"####":V9;:PRINT #C,TAB(74) USING"####":V11;
1190 IF C=8 THEN PRINT #C,:PRINT #C,"SYNOLA:2.Ypervview"; ELSE PRINT #C,"SYNOLA:
2.Ypervview";
1200 PRINT #C,TAB(31) USING"####":V2
1210 PRINT #C,TAB(8) "3.Ergodotikvn.eisf.:";
1220 PRINT #C,TAB(46) USING"####":V5;:PRINT #C,TAB(53) USING"####":V7;:PRINT
#C,TAB(66) USING"####":V10
1230 IF C=8 THEN CLS:MODE 2:PRINT:PRINT TAB(21) " Pata opoiodhpote plhktrō gia M
ENŌY "
1240 IF C=0 THEN PRINT:PRINT TAB(21) " Pata opoiodhpote plhktrō gia MENŌY "
1250 A$=INKEY$:IF A$="" THEN 1250 ELSE GOTO 80
1260 RETURN
1270 CLS:LOCATE 19,8:PRINT"Eisai etoimow na deiw to MENŌY EKTYPVSHS"
1280 LOCATE 4,10:PRINT"P R O S O X H :To menoy ayto einai eidika ftiagmeno gia t
on ektypvth NL-10"
1290 LOCATE 10,12:PRINT" pata [DEL] gia na AKYRVSEIS [RETYRN] gia na EPIBEBAIV
SEIS"
1300 IF INKEY(18)=0 GOTO 1330
1310 IF INKEY(79)=0 GOTO 80 ELSE GOTO 1300
1320 IF INKEY$<>"" GOTO 1320 ELSE 1300
1330 MODE 1:PRINT #8,CHR$(27);"X0";:PRINT #8,CHR$(18);
1350 LOCATE 1,1:PRINT"uese ton ektypvth soy ON-LINE kai dvse:"
1360 LOCATE 12,7:PRINT"NLQ Ektypvsh--[1]"
1370 LOCATE 12,9:PRINT"ELITE ektypvsh--[2]"
1380 LOCATE 12,11:PRINT"CONCEDED Ekt.--[3]"
1390 LOCATE 12,13:PRINT"BOLD ektypvsh--[4]"
1400 LOCATE 12,15:PRINT"EMPHASISED Ek.--[5]"
1410 LOCATE 19,17:PRINT"***"
1420 LOCATE 12,18:PRINT"[COPY] gia TYPVMA"
1430 LOCATE 12,19:PRINT"[RETURN]:AKYRVSH"
1440 IF INKEY(9)=0 THEN C=8:GOTO 1520
1450 IF INKEY(18)=0 THEN PRINT #8,CHR$(27);"X0";
1460 IF INKEY$="1" THEN PRINT #8,CHR$(27);"X1";
1470 IF INKEY$="2" THEN PRINT #8,CHR$(27);"M";
1480 IF INKEY$="3" THEN PRINT #8,CHR$(15);
1490 IF INKEY$="4" THEN PRINT #8,CHR$(27);"G";
1500 IF INKEY$="5" THEN PRINT #8,CHR$(27);"H"; ELSE 1440
1520 PRINT #8,CHR$(27);"4";:GOTO 1010
1530 CLS:REM *** ApOuHKEYsH ***
1540 WINDOW 11,68,4,22

```

```

1550 PAPER 11:PEN 0
1560 FOR IA=1 TO 20:PRINT"
":NEXT
1570 IF SK1>=1 THEN 1590 ELSE 1580
1580 LOCATE 11,1:PRINT "PINAKAS ELEGXOY APOUHKEYSHS DEDOMENVN":GOTO 1600
1590 LOCATE 11,1:PRINT "PINAKAS ELEGXOY EPANAFORAS DEDOMENVN"
1600 PRINT "
"
1610 LOCATE 18,3:PRINT "YPARKONTA PROGRAMMATA"
1620 LOCATE 18,4:FOR K1=1 TO 21:PRINT CHR$(216);:NEXT
1630 LOCATE 1,3:CAT:LOCATE 1,4:PRINT"
"
1640 LOCATE 1,16:FOR I=1 TO 58:PRINT CHR$(216);:NEXT
1650 IF SK1>=1 THEN 1670 ELSE 1660
1660 LOCATE 11,17:PRINT"Dvse to onoma eggrafh w tvn dedomenvn":GOTO 1690
1670 LOCATE 9,17:PRINT"Dvse to onoma thw misuOdotikhw katastasevw "
1680 LOCATE 18,18:PRINT"toy prohgoymenoy mhna"
1690 INPUT "
":N$
1700 IF N$="" THEN 80
1710 CLS:LOCATE 14,10:PRINT"P A R A K A L V perimenete..."
1720 IF SK1>=1 THEN 1890 ELSE 1730
1730 OPENOUT N$
1740 WRITE #9,GA1
1750 IF GA1>=1 THEN 1810 ELSE 1760
1760 WRITE #9,Q
1770 FOR I=1 TO Q
1780 WRITE #9,K(I),O$(I),H(I),H1(I),Y(I)
1790 NEXT
1800 GOTO 1850
1810 WRITE #9,Q1
1820 FOR S=1 TO Q1
1830 WRITE #9,K2(S),O2$(S),H2(S),H12(S),Y3(S)
1840 NEXT
1850 CLOSEOUT
1870 GOTO 80
1880 RETURN
1890 OPENIN N$
1900 INPUT #9,GA1
1910 IF GA1>=1 THEN 1980 ELSE 1920
1920 INPUT #9,Q
1930 FOR I=1 TO Q
1940 INPUT #9,K(I),O$(I),H(I),H1(I),Y(I)
1950 NEXT
1960 SK1=0
1970 GOTO 2030
1980 INPUT #9,Q1
1990 FOR S=1 TO Q1
2000 INPUT #9,K2(S),O2$(S),H2(S),H12(S),Y3(S)
2010 NEXT
2020 SK1=0
2030 CLOSEIN
2050 GOTO 80
2060 RETURN
2070 END
2080 PRINT CHR$(7):LOCATE 58,16:PRINT " L A U O S ":FOR J=1 TO 3000:NEXT:LOCATE
58,16:PRINT "
"
2090 RETURN
2100 LOCATE 22,23:PRINT "
":RETURN
2110 REM YPOLOGISMOI
2120 FOR I=1 TO Q
2130 S1(I)=H(I)*H1(I):Y1(I)=H1(I)/6.7:Y2(I)=1.25*Y1(I):YT(I)=Y(I)*Y2(I)
2140 S2(I)=S1(I)+YT(I):IM(I)=13.25*S2(I)/100:IE(I)=21.75*S2(I)/100
2150 XM(I)=0.06*S2(I)/100
2160 IF H1(I)>0 AND H1(I)<=1000 THEN F(I)=(2*S2(I))/100:
2170 IF H1(I)>1000 AND H1(I)<=3000 THEN F(I)=(3.5*S2(I))/100
2180 IF H1(I)>3000 AND H1(I)<=6000 THEN F(I)=(5*S2(I))/100
2190 IF H1(I)>6000 AND H1(I)<=9999 THEN F(I)=(7*S2(I))/100

```

```

2200 S3(I)=F(I)+IM(I)+XM(I):S4(I)=IE(I)+XM(I):KM(I)=S2(I)-S3(I)
2210 NEXT
2220 V1=0:V2=0:V3=0:V4=0:V5=0:V6=0:V7=0:V8=0:V9=0:V11=0:V10=0:V12=0
2230 FOR I=1 TO Q
2240 V1=V1+S1(I):V2=V2+YT(I):V3=V3+S2(I):V4=V4+IM(I):V5=V5+IE(I):V6=V6+XM(I):V7=
V6:V8=V8+F(I):V9=V9+S3(I):V10=V10+S4(I):V11=V11+KM(I
):V12=V12+H(I)
2250 NEXT
2260 RETURN
2270 REM *** NEO sYsTHMA ElSAgvgHs ***
2280 GAI=3
2290 IF ABC>=2 THEN FOR S=Q1+1 TO 200:Q1=Q1+1:GOTO 2310
2300 FOR S=1 TO 200:Q1=Q1+1
2310 DX=1:GOSUB 3170
2320 IF K2(S)=0 THEN 80
2330 IF K2(S)>999 OR K2(S)<=0 THEN GOSUB 2080:LOCATE 20,7:PRINT "
":K2(S)=0:GOTO 2310
2340 IF L>=1 THEN 2480
2350 FOR I=1 TO Q
2360 IF K2(S)=K(I) THEN LOCATE 20,8:PRINT O$(I):O2$(S)=O$(I):GOTO 2410
2370 NEXT
2380 AM=AM+1:DX=2:GOSUB 3170
2390 IF LEN(O2$(S))>16 THEN GOSUB 2080:LOCATE 20,8:PRINT "
":O2$(S)=0:GOTO 2380
2400 IF L>=1 THEN 2480
2410 AM=AM+2:DX=3:GOSUB 3170
2420 IF H2(S)<=0 OR H2(S)>30 THEN GOSUB 2080:LOCATE 20,9:PRINT "
":H2(S)=0:GOTO 2410
2430 IF L>=1 THEN 2480
2440 AM=AM+3:DX=4:GOSUB 3170
2450 IF H12(S)<=0 OR H12(S)>9999 THEN GOSUB 2080:LOCATE 20,10:PRINT "
":H12(S)=0:GOTO 2440
2460 IF L>=1 THEN 2480
2470 AM=AM+4:DX=5:GOSUB 3170
2480 LOCATE 22,23:PRINT " MENOY...[M] NEA EGGRAPH...[N] "
2490 A$=INKEY$:IF A$="M" OR A$="m" THEN 80
2500 IF A$="N" OR A$="n" THEN L=0:FOR A=6 TO 11:LOCATE 20,A+1:PRINT "
":NEXT:GOSUB 2100:GOTO 2570
2510 IF A$="K" OR A$="k" THEN L=L+1:K2(S)=0:LOCATE 19,7:PRINT "
":GOSUB 2100 :GOTO 2310
2520 IF A$="O" OR A$="o" THEN L=L+1:O2$(S)="" :LOCATE 19,8:PRINT "
":GOSUB 2100 :GOTO 2380
2530 IF A$="E" OR A$="e" THEN L=L+1:H2(S)=0:LOCATE 19,9:PRINT "
":GOSUB 2100:GOTO 2410
2540 IF A$="H" OR A$="h" THEN L=L+1:H12(S)=0:LOCATE 19,10:PRINT "
":GOSUB 2100:GOTO 2440
2550 IF A$="Y" OR A$="y" THEN Y3(S)=0:LOCATE 19,11:PRINT "
":G
OSUB 2100:GOTO 2470
2560 GOTO 2490
2570 IF ABC<2 THEN NEXT
2580 IF ABC>=2 THEN NEXT
2590 RETURN
2600 REM *** NEOI YpO1oGIsMOI ***
2610 FOR S=1 TO Q1
2620 S12(S)=H2(S)*H12(S):Y12(S)=H12(S)/6.7:Y22(S)=1.25*Y12(S):YT2(S)=Y3(S)*Y22(S
)
2630 S22(S)=S12(S)+YT2(S):IM2(S)=13.25*S22(S)/100:IE2(S)=21.75*S22(S)/100
2640 XM2(S)=0.06*S22(S)/100
2650 IF H12(S)>0 AND H12(S)<=1000 THEN F2(S)=(2*S22(S))/100
2660 IF H12(S)>1000 AND H12(S)<=3000 THEN F2(S)=(3.5*S22(S))/100
2670 IF H12(S)>3000 AND H12(S)<=6000 THEN F2(S)=(5*S22(S))/100
2680 IF H12(S)>6000 AND H12(S)<=9999 THEN F2(S)=(7*S22(S))/100
2690 S32(S)=F2(S)+IM2(S)+XM2(S):S42(S)=IE2(S)+XM2(S):KM2(S)=S22(S)-S32(S)
2700 NEXT
2710 V12=0:V22=0:V32=0:V42=0:V52=0:V62=0:V72=0:V82=0:V92=0:V112=0:V102=0:V122=0

```

```

2720 FOR S=1 TO Q1
2730 V12=V12+S12(S):V22=V22+YT2(S):V32=V32+S22(S):V42=V42+IM2(S):V52=V52+IE2(S):
V62=V62+XM2(S)
2740 V72=V62+V82=V82+F2(S):V92=V92+S32(S):V102=V102+S42(S):V112=V112+KM2(S):V122
=V122+H2(S)
2750 NEXT
2760 RETURN
2770 REM *** Neow misuodotikow pinakaw ***
2780 CHA=0
2790 FOR S=1 TO Q1
2800 PRINT #C,TAB(1) USING"###";K2(S);:PRINT #C,TAB(5) O2$(S)::PRINT #C,TAB(20)
USING"#####";H2(S);:PRINT #C,TAB(25) USING"#####";I12
(S);:PRINT #C,TAB(31) USING"#####";S12(S);:PRINT #C,TAB(38) USING "#####";S22
(S);
2810 PRINT #C,TAB(46) USING"#####";IM2(S);:PRINT #C,TAB(53) USING"#####";XM2(S)
;:PRINT #C,TAB(59) USING"#####";F2(S);:PRINT #C,TAB
(66) USING"#####";S32(S);:PRINT #C,TAB(74) USING"#####";KM2(S);
2820 PRINT #C,TAB(31) USING"#####";YT2(S);:PRINT #C,TAB(46) USING"#####";IE2(S)
;:PRINT #C,TAB(53) USING"#####";XM2(S);:PRINT #C,TA
B(66) USING"#####";S42(S)
2830 PRINT #C,
2840 NEXT
2850 PRINT #C,"=====
=====
";
2860 PRINT #C,:PRINT #C,TAB(8)"1.Amoibew:";
2870 PRINT #C,TAB(20) USING"#####";V122::PRINT #C,TAB(31) USING"#####";V12::PRIN
T #C,TAB(38) USING "#####";V32;
2880 PRINT #C,TAB(46) USING"#####";V42::PRINT #C,TAB(53) USING"#####";V62::PRIN
T #C,TAB(59) USING"#####";V82::PRINT #C,TAB(66) USI
NG"#####";V92::PRINT #C,TAB(74) USING"#####";V112;
2890 IF C=8 THEN PRINT #C,:PRINT #C,"SYNOLA:2.Ypervview": ELSE PRINT #C,"SYNOLA:
2.Ypervview";
2900 PRINT #C,TAB(31) USING"#####";V22
2910 PRINT #C,TAB(8) "3.Ergodotikvn.eisf.:";
2920 PRINT #C,TAB(46) USING"#####";V52::PRINT #C,TAB(53) USING"#####";V72::PRIN
T #C,TAB(66) USING"#####";V102
2930 RETURN
3160 INK 0,0:PAPER 0:PEN 1:WINDOW 1,80,1,25:GOTO 1010
3170 LOCATE (ak+20),(am+7):PEN 1:PRINT" "
3180 B$=INKEY$:IF B$="" THEN 3180 ELSE 3190
3190 a=ASC(b$):IF a=13 OR a=16 OR a=224 THEN 3240
3200 IF a=127 AND ak>0 THEN LOCATE (ak+20),(am+7):PRINT" ":ak=ak-1:k$=LEFT$(k$,a
k):IF DX=2 THEN LOCATE 5,21:PRINT AK :GOTO 3170
3210 IF DX=2 THEN LOCATE 5,21:PRINT AK+1:GOTO 3230
3220 IF a<48 OR a>57 THEN 3170
3230 LOCATE (ak+20),(AM+7):PRINT B$ :k$=k$+b$:ak=ak+1:GOTO 3170
3240 IF GA1>1 THEN 3300
3250 IF DX=1 THEN K(I)=VAL(k$):GOTO 3350
3260 IF DX=2 THEN O$(I)=K$:LOCATE 5,21:PRINT" ":GOTO 3350
3270 IF DX=3 THEN H(I)=VAL(k$):GOTO 3350
3280 IF DX=4 THEN H1(I)=VAL(k$):GOTO 3350
3290 IF DX=5 THEN Y(I)=VAL(k$):GOTO 3350
3300 IF DX=1 THEN k2(S)=VAL(k$):GOTO 3350
3310 IF DX=2 THEN O2$(S)=K$:LOCATE 5,21:PRINT" ":GOTO 3350
3320 IF DX=3 THEN H2(S)=VAL(k$):GOTO 3350
3330 IF DX=4 THEN H12(S)=VAL(k$):GOTO 3350
3340 IF DX=5 THEN Y3(S)=VAL(k$):GOTO 3350
3350 LOCATE (AK+20),(AM+7):PRINT" ":ak=0:am=0:K$="":RETURN

```